



# MIDDLE SOUTH PLATTE RIVER NONPOINT SOURCE WATERSHED-BASED PLAN

**DRAFT** REPORT RSI-3523



**PREPARED BY**

Cindie Kirby  
Seattle Briscoe  
Natalie Acosta  
Cathy McCague

**RESPEC**

3824 Jet Drive  
Rapid City, South Dakota 57703

Communication Infrastructure Group  
1660 Lincoln Street; Suite 1800  
Denver, Colorado 80264

**PREPARED FOR**

North Front Range Water Quality Planning Association  
257 Johnstown Center Drive; Unit 206  
Johnstown, Colorado 80534

DECEMBER 2024

Project Number W0545.23001



# TABLE OF CONTENTS

<b>1.0 INTRODUCTION .....</b>	<b>1</b>
<b>2.0 WATERSHED CHARACTERIZATION .....</b>	<b>7</b>
<b>3.0 EXISTING WATERSHED PLANS AND PROJECTS.....</b>	<b>17</b>
<b>4.0 STANDARDS AND IMPAIRMENTS.....</b>	<b>24</b>
<b>5.0 SOURCE ASSESSMENT .....</b>	<b>29</b>
5.1 NUTRIENTS AND SEDIMENT.....	29
5.2 E. COLI .....	37
5.3 HEAVY METALS .....	48
<b>6.0 PRIORITY AREAS FOR IMPLEMENTATION .....</b>	<b>50</b>
6.1 NUTRIENTS AND SEDIMENT.....	50
6.2 E. COLI .....	54
6.3 HEAVY METALS .....	56
<b>7.0 BEST MANAGEMENT PRACTICES LOAD REDUCTIONS .....</b>	<b>58</b>
7.1 NUTRIENTS AND SEDIMENT.....	58
7.2 E. COLI .....	69
7.3 HEAVY METALS .....	71
<b>8.0 PAST AND CURRENT BEST MANAGEMENT PRACTICES.....</b>	<b>77</b>
<b>9.0 RECOMMENDED BEST MANAGEMENT PRACTICES .....</b>	<b>80</b>
9.1 FUTURE MUNICIPAL SEPARATE STORM SEWER SYSTEM AREAS .....	80
9.2 DEVELOPED .....	80
9.3 AGRICULTURAL (CROPLAND, PASTURELAND, AND FEEDLOT BEST MANAGEMENT PRACTICES).....	80
9.4 FOREST.....	81
9.5 ABANDONED MINE LANDS .....	81
<b>10.0 INFORMATION, EDUCATION, AND OUTREACH .....</b>	<b>82</b>
<b>11.0 CRITERIA TO ASSESS PROGRESS.....</b>	<b>84</b>
<b>12.0 MONITORING BEST MANAGEMENT PRACTICES EFFECTIVENESS.....</b>	<b>96</b>
<b>13.0 TECHNICAL AND FINANCIAL ASSISTANCE SOURCES .....</b>	<b>97</b>
13.1 INCENTIVE PROGRAMS .....	101
13.1.1 Cost-Share Programs .....	101
13.1.2 Fee Discounts .....	101
13.1.3 Low-Interest Loans.....	101

## TABLE OF CONTENTS (CONTINUED)

13.1.4	Water Quality Trading.....	101
13.2	POTENTIAL FUNDING.....	101
13.2.1	Cities.....	101
13.2.2	Counties, Watershed Districts, and Authorities.....	102
13.2.3	State.....	102
13.2.4	Federal.....	103
13.2.4.1	U.S. Environmental Protection Agency.....	103
13.2.4.2	U.S. Department of Agriculture's Natural Resources Conservation Service.....	103
13.2.5	Private/Other Sources.....	105
<b>14.0</b>	<b>REFERENCES.....</b>	<b>107</b>
	<b>APPENDIX A SURVEY QUESTIONS.....</b>	<b>A-1</b>
	<b>APPENDIX B MAPS OF IMPAIRED PARAMETERS.....</b>	<b>B-1</b>
	<b>APPENDIX C APPLICABLE WATER QUALITY BOX PLOTS BY HUC10.....</b>	<b>C-1</b>
	<b>APPENDIX D PLET SCENARIO REDUCTIONS.....</b>	<b>D-1</b>
	<b>APPENDIX E RESPEC STAKEHOLDER TOOLKIT.....</b>	<b>E-1</b>



# LIST OF TABLES

TABLE	PAGE
1-1 Sections of the Watershed-Based Plan That Fulfill the U.S. Environmental Protection Agency's Nine Key Elements for Watershed Planning .....	2
1-2 Stakeholder Recipients of Two Surveys With Responses Represented by an "X" .....	4
3-1 Watershed Planning and Major Projects in the Middle South Platte River Project Area .....	17
3-2 Nonpoint Source Grants Implemented in the Project Middle South Platte River Project Area .....	19
3-3 Other Nonpoint Source Projects (South Platte and/or Statewide).....	23
4-1 Clean Water Act Section 303(d)-Impaired Waterbodies Summary.....	26
4-2 Flows, Current Loads, Goal Loads, and Reductions to Reach Goals in Most Downstream HUC10 of the Project Area .....	28
5-1 Land Cover .....	32
5-2 Nitrogen Sources.....	33
5-3 Phosphorus Sources .....	34
5-4 Sediment Sources .....	35
5-5 Total Fire Acres per HUC10 per Year (2000-2021).....	36
5-6 <i>E. coli</i> Production Rates From Literature Sources .....	38
5-7 Estimated Number of Animals, <i>E. coli</i> Produced, and Percent of <i>E. coli</i> Produced in Each HUC10 .....	40
5-8 Number of Identified Abandoned Mine Lands per HUC10 .....	49
7-1 PLET Cropland Best Management Practices and Average Reduction Metric.....	59
7-2 PLET Pasture Best Management Practices and Average Reduction Metric .....	60
7-3 PLET Feedlot Best Management Practices and Average Reduction Metric .....	60
7-4 PLET Forest Best Management Practices and Average Reduction Metric.....	61
7-5 PLET Urban Best Management Practices and Average Reduction Metric.....	62
7-6 Reductions From Priority PLET Best Management Practices Run on 25 Percent of Each Applicable Land Cover .....	63
7-7 Most Effective Sediment to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects .....	65
7-8 Most Effective Sediment (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database .....	66
7-9 Most Effective Nutrient to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects .....	67
7-10 Most Effective Nitrogen (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database .....	68





## LIST OF TABLES

TABLE	PAGE
7-11 Most Effective Phosphorus (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database .....	69
7-12 Most Effective Bacteria (Pathogen) to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects.....	70
7-13 Most Effective <i>E. coli</i> (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database .....	71
7-14 Most Effective Heavy Metals to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects.....	75
7-15 Most Effective Heavy Metal (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database .....	76
8-1 Best Management Practices Implemented Annually on More Than 50 Square Miles in Colorado Since 2005 .....	78
11-1 Best Management Practices .....	85
11-2 Dominant Land Uses, Sources, and Priority Practices by HUC10 for Nutrients and Sediment.....	87
11-3 <i>E. coli</i> Impairment Status, Primary Sources, Associated Land Use, and Priority Practices by HUC10 .....	90
11-4 Dominant Land Uses, Metal Impairments, Associated Causes, and Priority Practices by HUC10 .....	92
11-5 Reductions Achieved by Implementation of Priority Cropland Practices.....	94
11-6 Schedule for Primary Cropland Practices to Achieve Nutrient Goals.....	94
13-1 Sources of Technical and Financial Assistance .....	98



# LIST OF FIGURES

FIGURE	PAGE
2-1 Project Area (Within Larimer and Weld Counties).....	8
2-2 National Land Cover Dataset 2019 Land Use .....	10
2-3 Average Annual Precipitation (1981 to 2010).....	12
2-4 Geology .....	14
2-5 Hydrologic Soil Group .....	15
4-1 Impaired Waterbodies.....	25
6-1 Nitrogen Contributions per HUC10.....	51
6-2 Phosphorus Contributions per HUC10.....	52
6-3 Sediment Contributions per HUC10 .....	53
6-4 Bacteria Produced per HUC10 .....	55
6-5 Density of Abandoned Mine Lands for Each HUC10 .....	57

## LIST OF ABBREVIATIONS

µg/L	micrograms per liter
ACEP	Agricultural Conservation Easement Program
AFA	Alternative Funding Arrangement
AFO	animal feeding operation
AFP	Announcement for Funding Proposals
AML	abandoned mine land
AWEP	Agricultural Water Enhancement Program
BMP	best management practices
BMPDB	International Stormwater Best Management Practices Database
CAFO	concentrated animal feed operation
CASTNET	Clean Air Status and Trends Network
CAWA	Colorado Ag Water Alliance
CCR	Code of Colorado Regulation
cfu/head/day	colony-forming units per head per day
CDPHE	Colorado Department of Public Health and Environment
cfs	cubic feet per second
CIG	Conservation Innovation Grants
CPPE	Conservation Practice Physical Effects
CPS	Conservation Practice Standard
CRP	Conservation Reserve Program
CSP	Conservation Stewardship Program
CSU	Colorado State University
CTA	Conservation Technical Assistance
CWA	Clean Water Act
CWCB	Colorado Water Conservation Board
CWSRF	Clean Water State Revolving Fund
DRUM	Defense-Related Uranium Mine
EPA	U.S. Environmental Protection Agency
EQIP	Environmental Quality Incentives Program
ESRI	Environmental Systems Research Institute, Inc.
EWP	Emergency Watershed Protection Program
FEMA	Federal Emergency Management Agency
FRPP	Farm and Ranch Lands Protection Program
GRP	Grass Reserve Program
HUC	Hydrologic Unit Code
lb/day	pounds per day
lb/year	pounds per year
mg/L	milligrams per liter
mi <sup>2</sup>	square miles
MIDS	Minimal Impact Design Standards
mL	milliliter
mpn	most probable number

## LIST OF ABBREVIATIONS (CONTINUED)

MS4	Municipal Separate Storm Sewer System
NADP	National Atmospheric Deposition Program
NFRWQPA	North Front Range Water Quality Planning Association
NLCD	National Land Cover Dataset
NPS	Nonpoint Source
NRCS	Natural Resources Conservation Service
NWQI	National Water Quality Initiative
OWTS	Onsite Wastewater Treatment System
PEPO	Public Education, Participation, and Outreach
PFAS	per- and polyfluoroalkyl substances
PLET	Pollutant Load Estimation Tool
RCD	Resource Conservation and Development
RCPP	Regional Conservation Partnership Program
SSURGO	Soil Survey Geographic Database
SWAP	Source Water Assessment and Protection
SWPPP	stormwater pollution prevention plan
TMDL	total maximum daily load
TSS	total suspended solids
USBR	U.S. Bureau of Reclamation
USDA	U.S. Department of Agriculture
USFWS	U.S. Fish and Wildlife Service
USGS	U.S. Geological Survey
WFPO	Watershed Protection and Flood Prevention Operations
WHIP	Wildlife Habitat Incentive Program
WHRB	Watershed Rehabilitation
WRP	Wetlands Reserve Program
WRSF	Water Supply Reserve Fund
WWTF	Wastewater Treatment Facility
WWTP	Wastewater Treatment Plant

## 1.0 INTRODUCTION

The primary purpose of this watershed-based plan is to recommend best management practices (BMPs) that would reduce pollutants of concern within the Middle South Platte Watershed, including portions of Hydrologic Unit Code [HUC] 8 watersheds 10190003 (Middle South Platte-Cherry Creek), 10190008 (Lone Tree-Owl), 10190009 (Crow), and 10190012 (Middle South Platte-Sterling), from nonpoint sources (NPSs). Although this watershed-based plan is a stand-alone NPS plan, water planning should be done in a holistic manner, with teamwork between point and NPSs of pollution. Pollution reductions from NPSs upstream of point sources reduce the strain on the point sources. Municipal, industrial, and agricultural entities working together toward the shared goal of protecting waterbodies before they become impaired will reduce future regulations on these entities.

The watershed-based plan is based on an adaptive approach that emphasizes making continued progress toward achieving milestones and load reduction by identifying the most impactful implementation measures for priority areas. This watershed-based plan summarizes past conservation accomplishments and recommends implementation actions that can assist residents, landowners, and stakeholders in the project area to improve water quality. Private, local, state, and federal partnership efforts should continue to support and promote the implementation of management measures while additional water quality monitoring is conducted to guide watershed plan revisions and assess adaptive implementation activities.

The watershed-based plan builds on past conservation accomplishments in the project area and complements water quality efforts by the following organizations, as well as the local communities:

- / Colorado Ag Water Alliance (CAWA)
- / Colorado Department of Public Health and Environment (CDPHE)
- / Colorado Livestock Association
- / Colorado Parks & Wildlife
- / Colorado Rural Water Association
- / Colorado State University (CSU)
- / Colorado Watershed Assembly
- / Colorado Wheat Administrative Committee
- / Ducks Unlimited
- / FPAC-NRCS, CO
- / Fresh Water Trust
- / Larimer County
- / Northern Colorado Water Conservancy District
- / Peaks to People Water Fund
- / South Platte Basin Roundtable
- / Town of Evans

- / Town of La Salle
- / Town of Kersey
- / Town of Keenesburg
- / Town of Gilcrest
- / Town of Pierce
- / Trout Unlimited
- / Weld County
- / Xcel Energy

This watershed-based plan also incorporates the strategies, goals, and objectives of CDPHE’s *Colorado’s Nonpoint Source Management Plan: 2022* and addresses the U.S. Environmental Protection Agency’s (EPA’s) nine key elements outlined in the management plan [CDPHE, 2022]. Table 1-1 describes these nine key elements and their corresponding locations within this watershed-based plan [EPA, 2008].

**Table 1-1.** Sections of the Watershed-Based Plan That Fulfill the U.S. Environmental Protection Agency’s Nine Key Elements for Watershed Planning

EPA Element Number	EPA’s Nine Key Elements Plan	Applicable Section of Watershed-Based Plan
1	Identify the causes and sources of pollution that need to be controlled to achieve load reductions and other goals (e.g., recreational, economic, ecological) identified in the plan.	5.0 Source Assessment 6.0 Priority Areas for Implementation
2	Estimate load reductions expected from the action strategy identified.	6.0 Priority Areas for Implementation 7.0 Best Management Practices Load Reductions
3	Describe NPS management measures, including operation/maintenance requirements, and targeted critical areas (i.e., action strategy) needed to achieve identified load reductions.	6.0 Priority Areas for Implementation 7.0 Best Management Practices Load Reductions 8.0 Past and Current Best Management Practices 9.0 Recommended Best Management Practices
4	Estimate technical and financial assistance needed, associated costs, and/or the sources and authorities that will be relied upon to implement the watershed-based plan.	13.0 Technical and Financial Assistance Sources
5	Develop an information and education component that will be used to enhance public understanding of the NPS management measures and encourage their early and continued participation in selecting, designing, and implementing the Action Strategy.	10.0 Information, Education, and Outreach
6	Develop a project schedule.	11.0 Criteria to Assess Progress
7	Describe interim, measurable milestones.	11.0 Criteria to Assess Progress
8	Identify a set of criteria to assess progress/effectiveness in achieving water quality standards or other appropriate end targets.	11.0 Criteria to Assess Progress
9	Develop a monitoring component to evaluate the effectiveness of the implementation efforts over time and measured against the criteria established to document load reductions.	12.0 Monitoring Best Management Practices Effectiveness

This watershed-based plan is not intended to identify which specific BMPs or remediation actions should be included in certain discharge permits, ordinances, stormwater pollution prevention plans (SWPPPs), or conservation plans. Rather, the plan provides an adaptive implementation approach with suggested structural and nonstructural BMPs necessary to address the NPSs of pollutants of concern. For the purposes of this watershed-based plan, BMPs refer to structural and nonstructural actions or measures installed or implemented to reduce the delivery of sediment and nutrients to waterbodies in the project area. Sources of available funding and technical assistance for and associated estimated costs of these BMPs are included to provide landowners, residents, stakeholders, community leaders, and public agencies perspectives on the technical and economic demands of this watershed plan.

Essential to the development of this watershed-based plan is ascertaining and collecting feedback and input from a cross section of stakeholders, including cities, counties, sanitation districts, towns, watershed organizations, and others who will identify, fund, and prioritize projects to implement these practices and BMPs. As a part of this project, two surveys were sent to stakeholders:

- / Survey #1, in 2022, was more general and included questions related to pollutants, issues, and areas of concern.
- / Survey #2, in 2024, was more specific and included questions regarding past and current planning, use of technical and financial assistance, and ideal BMPs.

Survey #1 was distributed to 96 organizations in 2022. The purpose of this survey was to better understand the stakeholders' concerns, issues, resources, and priorities. Building on the conclusions from this survey was the impetus for helping to develop a nine key elements plan.

Survey #2 was distributed to 48 organizations in March 2024 asking them to complete the following items:

- / Characterize their existing watershed projects and sources of pollution
- / Rank cropland, urban, pastureland, feedlot, and forest BMPs
- / Identify benefits and impacts of existing BMPs
- / Identify existing outreach and education efforts
- / Identify technical and financial assistance needed and utilized

Table 1-2 lists the stakeholders who received and participated in each survey. Results of the survey are found throughout the report and in more detail in Chapter 10.0, Information, Education, and Outreach. Survey responses are an integral part of this project. Survey questions are included in Appendix A.

To help promote the novel regional watershed plan, the project team participated in the annual American Water Resources Association – Colorado Groundwater Association Conference. The team discussed the project objectives, watershed characteristics, nine key elements, and outreach efforts.

**Table 1-2.** Stakeholder Recipients of Two Surveys With Responses Represented by an “X” (Page 1 of 3)

Organization	Took Survey #1 (2022)	Took Survey #2 (2024)
Big Thompson Watershed Coalition		
Boxelder Sanitation District	X	
Carestream		
CAWA		
CDPHE		
City & County of Broomfield	X	
City of Dacono		
City of Evans	X	X
City of Fort Collins		X
City of Fort Lupton	X	X
City of Greeley	X	X
City of Longmont	X	
City of Loveland	X	X
City of Northglenn		X
Coalition for the Poudre River Watershed		
Colorado Livestock Association		
Colorado Parks & Wildlife		
Colorado Rural Water Association	X	
Colorado Watershed Assembly		X
Colorado Wheat Administrative Committee		X
CSU	X	
Davies Mobile Home Park		X
Drala Mountain Center	X	
Ducks Unlimited		
Estes Park Sanitation District	X	
Estes Valley Watershed Coalition	X	X
Fox Acres Community Services	X	
FPAC-NRCS, CO		
Fresh Water Trust	X	
Galeton Water & Sanitation District	X	
JBS Greeley Beef Plant		X
Larimer County		X
Left Hand Water District	X	
Little Thompson Watershed Coalition		
Los Rios Farm		X
Metro Water Recovery	X	



**Table 1-2.** Stakeholder Recipients of Two Surveys With Responses Represented by an “X” (Page 2 of 3)

Organization	Took Survey #1 (2022)	Took Survey #2 (2024)
Northern Colorado Water Conservancy District	X	X
Peaks to People Water Fund		X
Poudre Heritage Alliance		
Resource Colorado Water & Sanitation Metro District		
RNC Consulting, LLC		X
South Fort Collins Sanitation District	X	X
South Platte Basin Roundtable		
St. Vrain Creek & Boulder Creek Watershed		
St. Vrain Sanitation District	X	
Thompson School District		X
Town of Ault	X	
Town of Berthoud	X	X
Town of Brighton		
Town of Eaton		
Town of Erie	X	
Town of Estes Park		X
Town of Firestone		
Town of Frederick		
Town of Hudson	X	
Town of Johnston	X	
Town of Keenesburg		
Town of LaSalle		
Town of Lochbuie	X	
Town of Mead	X	
Town of Milliken		
Town of Pierce	X	
Town of Platteville		X
Town of Severance	X	
Town of Timnath		
Town of Wellington		X
Town of Windsor	X	
Trout Unlimited		
Upper Thompson Sanitation District	X	
Water Quality Trading in the Cache la Poudre with Fort Collins		
Weld County	X	

**Table 1-2.** Stakeholder Recipients of Two Surveys With Responses Represented by an “X” (Page 3 of 3)

Organization	Took Survey #1 (2022)	Took Survey #2 (2024)
Weld County Department of Public Health and Environment	X	
Wright Water Engineers/Cherry Creek Basin Water Quality Authority		X
Xcel Energy		X

## 2.0 WATERSHED CHARACTERIZATION

The project area for this watershed-based plan is shown in Figure 2-1 and includes the area within Larimer and Weld Counties that intersect the Middle South Platte River Watersheds in north-central Colorado. The South Platte River flows east into Nebraska, eventually flowing into the Missouri River south of Omaha, Nebraska. The following 18 HUC10 watersheds are in the represented HUC8s:

- / 1019000305 (Beebe Seep Canal)
- / 1019000306 (Little Dry Creek-South Platte River)
- / 1019000308 (Outlet Box Elder Creek)
- / 1019000309 (Lost Creek)
- / 1019000310 (Sanborn Draw-South Platte River)
- / 1019000311 (Greasewood Draw-South Platte River)
- / 1019000312 (Cottonwood Draw-South Platte River)
- / 1019000801 (Upper Lone Tree Creek)
- / 1019000802 (Spring Creek-Lone Tree Creek)
- / 1019000803 (Owl Creek-Lone Tree Creek)
- / 1019000902 (Little Crow Creek)
- / 1019000903 (Middle Crow Creek)
- / 1019000904 (Coal Creek)
- / 1019000905 (Sand Creek-Crow Creek)
- / 1019000906 (Outlet Coal Creek)
- / 1019001203 (Wildcat Creek)
- / 1019001205 (City of Raymer)
- / 1019001206 (Camp Creek South Platte River)




Figure 2-1. Project Area (Within Larimer and Weld Counties).

Portions of 1019000304 (Big Dry Creek-South Platte River), 1019000305 (Beebe Seep Canal), and 1019000306 (Little Dry Creek-South Platte River) were excluded. Numerous plans for the South Platte River do not occur in Larimer and Weld Counties. Although the figures in this document show information within the HUC10 watersheds overlapping Larimer and Weld Counties, the tables summarize only information from the HUC10 watersheds within Larimer and Weld Counties. The total area of the HUCs is 2,376,000 acres, but within Larimer and Weld Counties, it encompasses 1,525,791 acres according to GIS layer analysis. Figure 2-1 also shows areas that are designated as Municipal Separate Storm Sewer System (MS4s) and those that are likely to be MS4s. Areas already designated as MS4s are not included in the analysis in this document because they are considered permitted sources.

A summary of the project area's land cover characteristics was completed using the 2019 National Land Cover Dataset (NLCD). The NLCD is a 16-category, multilayer land cover classification dataset derived from Landsat imagery and ancillary data for consistent land cover data for all 50 states. The land cover is depicted in Figure 2-2 [Multi-Resolution Land Characteristics Consortium, 2019]. In the project area, approximately 68 percent of the area is herbaceous; 23 percent is cultivated crops; 3 percent is developed; and other land uses (open water, barren, forest, scrub/shrub, hay/pasture, and wetlands) each make up 2 percent or less. The project area consists of smaller towns and very little urban area. Smaller towns exist within the project area. Towns with a population of more than 1,000 include Evans, La Salle, Kersey, Keenesburg, Gilcrest, and Pierce [U.S. Census Bureau, 2020]. The project area is a combination of primarily crops and herbaceous land, with very little developed, forest, wetlands, or hay/pasture. More cropland is in the Middle South Platte-Cherry Creek HUC8 than the other two HUC8s. Most of the land is privately owned (99 percent) with less than 1 percent being federally or state owned. This was calculated using a combination of public parcels [Colorado Geospatial Portal, 2024] and from the Environmental Systems Research Institute, Inc.'s (ESRI's) data portal for USA Federal Lands [ESRI, 2014].




Figure 2-2. National Land Cover Dataset 2019 Land Use.



RESPEC

As indicated in Figure 2-3, precipitation is fairly consistent throughout the project area. Typical annual precipitation is approximately 15 inches [PRISM Climate Group, 2024]. Maximum monthly average precipitation generally occurs in the summer months, with large flows occurring from winter snowmelt in the spring. Upstream irrigation diversions, municipal water diversions, and wastewater effluent impact the flow. During a typical year, approximately 1,225,000 acre-feet are used for irrigation in the South Platte Basin [Colorado Water Plan, 2015]. In 2013, extensive flooding along the Front Range caused significant damage. The flood led to restoration work and continues to cause sediment movement.




Figure 2-3. Average Annual Precipitation (1981 to 2010).



The bedrock geology of the project area is displayed in Figure 2-4 [Horton et al., 2017]. The geology of the project area consists of clastic sedimentary and undifferentiated unconsolidated material. Hydrologic soil groups can significantly impact the amount of water that infiltrates or runs off during precipitation events. Type A soils are generally sand or sandy loams with high infiltration rates; Type B soils are silt loam or loam soils with moderate rates; Type C soils are generally sandy, clay loams with low infiltration rates; and Type D soils are heavy soils; clay loams; and silty, clay soils with low infiltration rates. The project area comprises 33 percent Type A, 38 percent Type B, 18 percent Type C, and 11 percent Type D soil types. Figure 2-5 shows the distribution of hydrologic soil groups in the watershed using the Soil Survey Geographic Database (SSURGO) [NRCS, 2024a].




Figure 2-4. Geology.




Figure 2-5. Hydrologic Soil Group.



The South Platte River originates in the mountains of central Colorado at the Continental Divide and flows approximately 450 miles northeast across the Great Plains to its confluence with the North Platte River at North Platte, Nebraska. The basin includes two physiographic provinces: the Front Range Section of the Southern Rocky Mountain Province and the Colorado Piedmont Section of the Great Plains Province [USGS Colorado Water Science Center, 2000].

Survey #2 inquired about what concerns stakeholders had with the watershed, including issues related to wastewater discharges and MS4 areas. Specifically relating to the Middle South Platte River project area, stakeholders mentioned concerns for both point sources and NPSs. The City of Greeley mentioned concerns with individual permitted industrial users discharging into Greeley's MS4 and that the City's Wastewater Treatment Facility (WWTF) permit is modeled alongside a discharge permit for a large dairy processing facility, Leprino Foods, and the City's permit may see impacts based on these nearby dischargers. They are concerned with *E. coli* and nutrients/algae growth in the city. The Colorado Wheat Administrative Committee mentioned concerns

with the urbanization along the South Platte River and where to source drinking water as the area continues to grow. The City of Evans mentioned having concerns with locations with large discharges to the South Platte River at Highway 85 and at 23<sup>rd</sup> Avenue.

### 3.0 EXISTING WATERSHED PLANS AND PROJECTS

Many conservation accomplishments have been achieved within the project area, which can be attributed to the local planning and implementation efforts of the community, state, and federal partners. Projects outlined on the [South Platte Basin website](#) are listed in Table 3-1 [South Platte Basin, 2024]; more information about work done in the South Platte Basin can be found on the site.

Table 3-1. Watershed Planning and Major Projects in the Middle South Platte River Project Area (Page 1 of 2)

Project Type	Name	Year Completed
Planning	BIP - South Platte & Metro Integrated Basin Implementation Plan - Consumptive	2013
	Development of Decision Support Model for Identifying and Ranking Waterfowl and Wildlife Related Recharge Projects along the South Platte River	
River	Agricultural Land/Water Buffer Feasibility Analysis in the South Platte River Basin	2017
River	Designing River Basin Storage Along The Lower South Platte Using StateMod And Optimization	2018
River	South Platte River Recreation and Habitat Feasibility Study	2009
River	South Platte River Recreation & Habitat Improvements	2012
River	South Platte River Diurnal Flow Study	2015
River	Colorado Agricultural Water Alliance Workshop	2016
Community Outreach	South Platte Basin Education Coordinator	2019
Community Outreach	Poudre Learning Center Water Education and Outreach in the South Platte River Basin	2020
Community Outreach	Water Information / Real Estate Disclosure Tool – H2info	2020
Community Outreach	Colorado Agricultural Meteorological Network (CoAgMet)	2012
Community Outreach	Stage Discharge Data Loggers and Telemetry	2014
Community Outreach	South Platte Basin Roundtable Data Platform	2018
Monitoring	Lost Creek Designated Basin Instrumentation	2019
Monitoring	Zero Liquid Discharge Pilot Study	2007
Monitoring	FMRICo Recharge & Wetlands Project	2012
Monitoring	South Platte Regional Water Development Concept Feasibility	2016
Monitoring	State Land Board South Platte Recharge Study	2016
Monitoring	Advancing Direct Potable Reuse to Optimize Water Supplies & Meet Future Needs	2018

**Table 3-1.** Watershed Planning and Major Projects in the Middle South Platte River Project Area (Page 2 of 2)

Project Type	Name	Year Completed
Other	Feasibility Study for Bureau of Reclamation Funding from the National Rural Water Supply Act	2013
Other	Water Development of the Bureau of Reclamation properties, known as the Narrows Tract, along the South Platte River	2017
Other	South Platte Storage Study	2017
Other	Central South Platte Wetland Partnership	2012
Other	BIP - South Platte & Metro Integrated Basin Implementation Plan - Consumptive	2013
Other	Development of Decision Support Model for Identifying and Ranking Waterfowl and Wildlife Related Recharge Projects along the South Platte River	2013

Middle South Platte River planning projects can be found on the following website:

[/ South Platte Basin Implementation Plan](#)

Numerous conservation measures have been completed and are currently being implemented within the project area. These projects have been made possible through CDPHE with EPA’s Section 319 NPS implementation grants and CDPHE grants. Previous conservation efforts have occurred in the project area, and each project helped improve water quality and make progress toward restoring and protecting local waterbodies. Tables 3-2 and 3-3 discuss these implementations within the project area [EPA, 2024a].

**Table 3-2.** Nonpoint Source Grants Implemented in the Project Middle South Platte River Project Area (Page 1 of 4)

Conservation Projects	Grant Number	Completion Year	Pollution Category	Section 319 Expenditures (\$)	Total Expenditures (\$)	Project Accomplishments
Implementing BMPs in Crow Creek Watershed	863001	2005	All Sources	252,432	422,554	Provided technical and financial assistance to implement land management changes resulting in water quality improvement.
Water Quality Improvement Through Volunteer Participation	863002	2003	All Sources; Urban Runoff/Stormwater	8,378	16,947	Implemented a plan to improve water quality on Crow Creek and Dry Creek by using a series of strategies.
City of Cheyenne Wetlands	863002	2009	Urban Runoff/Stormwater	119,913	204,748	Improved water quality in Crow Creek and its tributaries through passive water quality treatment through the construction of wetland stormwater retention features on two Crow Creek tributary streams industrial development.
Cherry Creek Total Maximum Annual Load Actions	99818604	2008	Construction; Urban Runoff/Stormwater	27,718	55,637	The Colorado Water Quality Control Commission adopted the control regulation as a phased total maximum annual load that provides for the implementation of point and NPS requirements and controls while concurrent required investigations were implemented to better define hydrology, phosphorus sources, chemical processes, and relative loads to the watershed and reservoir.
Addressing New Listings in the Crow Creek Watershed	863004	2008	Agriculture; Urban Runoff/Stormwater	113,532	215,197	Incorporated the upper reaches of the Crow Creek Watershed into the Crow Creek Watershed Plan. Implemented pollution reduction BMPs in the watershed. Continued with a water quality information and education program. Measured the effectiveness of the project tasks through the continuation and expansion of the surface water monitoring program.

**Table 3-2.** Nonpoint Source Grants Implemented in the Project Middle South Platte River Project Area (Page 2 of 4)

Conservation Projects	Grant Number	Completion Year	Pollution Category	Section 319 Expenditures (\$)	Total Expenditures (\$)	Project Accomplishments
Lower South Platte Watershed Plan	99818606	2010	All Sources	50,000	255,300	Developed a watershed management plan through stakeholder collaboration and data review to encourage watershed management including prioritizing future projects within the basin that will ultimately improve water quality.
Public Outreach in the Crow Creek Watershed	863008	2011	All Sources	32,003	56,152	Reduced NPS pollution (specifically pathogens) contributions to Crow Creek through an effective implementation and education program that resulted in the public's awareness to result in a change in behavior
Historic Sunrise Creamery Rain Gardens	863009	2012	Urban Runoff/Stormwater	3,993	15,928	Reduced NPS pollution such as fecal coliform, nitrates, and phosphates from entering into the Crow Creek Watershed by reducing localized urban runoff. Included creating a series of rain gardens to allow stormwater runoff to remain and infiltrate on site and not flow into Crow Creek through the Cheyenne storm drainage system.
Lower Dry Creek Wetlands	863010	2011	Urban Runoff/Stormwater	131,154	256,848	Improved the water quality in Crow Creek and Dry Creek tributary through passive water quality treatment by the construction of wetland in lower Dry Creek basin.
Greenway PURE Trash Reduction Campaign	99818611	2014	Urban Runoff/Stormwater	50,000	95,707	Defined a collaborative structure and system to support project planning and implementation. Characterized trash found in the South Platte River, Segment 14, Denver, and identified potential NPSs of the trash. Developed an information and education plan and implement targeted actions from the plan to begin promoting behavior change in order to reduce and prevent trash from NPSs in the South Platte River, Segment 14, Denver.



**Table 3-2.** Nonpoint Source Grants Implemented in the Project Middle South Platte River Project Area (Page 3 of 4)

Conservation Projects	Grant Number	Completion Year	Pollution Category	Section 319 Expenditures (\$)	Total Expenditures (\$)	Project Accomplishments
Middle Fork Crow Creek TMDL Development	863011	2016	Agriculture	77,000	77,000	Developed <i>E. coli</i> TMDL for Middle Fork Crow Creek.
Tools to Address Agricultural Nutrient Nonpoint Source Contamination	99818612	2017	Agriculture	80,138	263,261	Improved the access, reliability, and understanding of nutrient management (non-structural) and structural BMPs. Enabled users of the nutrient management clearinghouse to assess the suitability, economic feasibility, and practicality of BMPs using a site-specific, user-friendly GIS platform. Identified nutrient practices, tools, and procedures that do not currently have a sufficient research base to support their recommendation and adoption for conditions in Colorado.
Lower Capitol Basin Sediment Trap/Wetland	863013	2017	Urban Runoff/Stormwater	419,600	699,333	Designed and constructed a sediment trap/wetland BMP for the Lower Capitol Basin to address excess sediment and <i>E. coli</i> bacteria loading into Crow Creek that resulted from urban storm drainage runoff from the City's Lower Capitol Basin.
NPS Pollution Reduction Action Plan for the South Platte River	99818620	2022	Agriculture; Urban Runoff/Stormwater	56,997	94,915	Improved water quality in the South Platte River downstream of Denver by identifying NPS BMPs to reduce NPS pollution of <i>E. coli</i> .
Crow Creek Revival Phase I Implementation	863020	2022	Hydromodification; Urban Runoff/Stormwater	200,000	337,823	Improved water quality by addressing current <i>E. coli</i> and sediment impairments through channel manipulations—to better allow the transport of <i>E. coli</i> and sediment through the system. Known BMPs were employed to address <i>E. coli</i> impairment. Enhanced floodplain connectivity to allow for sediment to be trapped and deposited on the floodplain. Reduced the occurrence of other urban pollutants through the addition of floodplain and treatment wetland facilities. Set a positive example of urban restoration in Wyoming by restoring Crow Creek and educating the public on its historical and public health value.

**Table 3-2.** Nonpoint Source Grants Implemented in the Project Middle South Platte River Project Area (Page 4 of 4)

Conservation Projects	Grant Number	Completion Year	Pollution Category	Section 319 Expenditures (\$)	Total Expenditures (\$)	Project Accomplishments
Dry Creek Phase II - Channel Redesign	863020	2021	Hydromodification; Urban Runoff/Stormwater	15,750	21,000	Moved the channel of Dry Creek, obtained dynamic equilibrium, allowed for more natural sinuosity of the creek, and obtained decreased soil erosion.
Forestry BMPs Implementation, Statewide BMP Monitoring and Manual/Forest Roads Field Handbook Revision	99818620	2025	Silviculture	210,156	292,010	Improved water quality both throughout the state of Colorado and in the chosen BMP location (to be determined) by identifying and implementing BMPs to reduce and protect waterbodies from NPS pollution of nutrients (nitrogen and phosphorus) and sediment.

**Table 3-3.** Other Nonpoint Source Projects (South Platte and/or Statewide)

Project Title	Project Sponsor	Basin	NPS Funding (\$)	Match on 09/30/2022 (\$)	Status on 09/30/2022 (MM/YYYY)
Water Quality, Soil Health and Regenerative Agriculture: A Nexus for Sustainability	CSU	South Platte	306,518	68,010	Expected Completion 06/2024
Implementing Agricultural BMPs in a Colorado Soil Health Pilot Program	Colorado Department of Agriculture	Various	34,4894	286,427	Expected Completion 06/2025
Brush Wetland Demonstration Project	Ducks Unlimited	South Platte	80,000	18,167	Expected Completion 06/2025
Nutrient Management on Irrigated Pastures	CAWA	Various	266,355	95,912	Expected Completion 01/2026

## 4.0 STANDARDS AND IMPAIRMENTS

Impairment locations throughout the project area are shown in Figure 4-1. Impaired stream segments and lakes in the project area are shown in Table 4-1, with impairments including heavy metals like arsenic, cadmium, mercury, and uranium and other water quality parameters such as sulfate and *E. coli*. Mercury is measured in fish tissue, as a standard, and in water quality samples. Individual maps and box plots of each impaired parameter are included in Appendices B and C, respectively.




Figure 4-1. Impaired Waterbodies.

Table 4-1. Clean Water Act Section 303(d)-Impaired Waterbodies Summary

Impairment I.D./ HUC10s	Aquatic Life Tier/ Recreation Tier	Description	Aquatic Life Impairments	Recreation Impairment	Water Supply Impairment
COSPLS01a_A 1019000311, 101900312, and 1019001206	W2/E	Mainstem of the South Platte River from the Weld/Morgan County line to the Morgan/Washington County line	N/A	N/A	Uranium (T), Sulfate, Arsenic (T)
COSPLS01b_A	W2/E	Mainstem of the South Platte River from the Morgan/Washington County line to the Colorado/Nebraska Border	N/A	N/A	Uranium (T), Sulfate, Arsenic (T)
COSPMS01a_A 1019000306	W2/E	Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek	N/A	<i>E. coli</i>	Arsenic (T)
COSPMS01b_A 1019000306, 1019000310, and 1019000311	W2/E	Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line	N/A	<i>E. coli</i>	Arsenic (T)
COSPMS05a_A 1019000802 and 1019000803	W2/N	Mainstem of Lone Tree Creek from the source to the confluence with the South Platte River	N/A	N/A	Nitrate
COSPMS05c_A 101900308, 101900903, 101900905, and 101900906	W2/N	Mainstem of Crow Creek and Box Elder Creek from their sources to their confluences with the South Platte River, except for listings in Segment 5b	Cadmium (D)	N/A	N/A
COSPLS03_D 1019000312	W1/E	Jackson Reservoir	pH	N/A	N/A
COSPMS07_C 1019000308	W2/E	Horse Creek Reservoir	pH	N/A	N/A

D = dissolved  
T = total

In Survey #1, local stakeholders noted their primary parameters of concern. Each parameter occurrence was counted, and the four parameters that appeared the most were nitrogen, phosphorus, total suspended solids (TSS), and *E. coli*. Others that showed up less than the most predominant parameters included temperature, emerging contaminants, metals, and per- and polyfluoroalkyl substances (PFAS). Emerging contaminants are the different types of chemicals (e.g., medication, personal care products, home cleaning products, lawn care products, and agricultural products, such as insecticides and herbicides) that end up in waterbodies but are not generally treated in wastewater facilities. PFAS and emerging contaminants of concern are not included in this report. Some emerging contaminants are treated by drinking water and/or wastewater facilities, but these chemicals are not well regulated or understood. A new EPA limit for PFAS of 4 parts per trillion was released in 2024 [EPA, 2024b].

Water quality standards for parameters of concern are based on beneficial-use tiers. For more information on these standards and tiers, visit the CDPHE's [Water Quality Control Commission's 5 Codes of Colorado Regulation \(CCR\) 1002-31 website](#), last updated June 14, 2023. Access the CDPHE's [Water Quality Control Commission Regulation No. 38 website](#), last updated April 30, 2024, for information on classifications and numeric standards for South Platte River Basin, Laramie River Basin, Republican River Basin, and Smoky Hill River Basin (5 CCR 1002-38).

The beneficial-use tiers for aquatic life, recreation, and domestic water supply are listed as follows:

- / Aquatic Life
  - » C1 – Class 1 Cold Water
  - » C2 – Class 2 Cold Water
  - » W1 – Class 1 Warm Water
  - » W2 – Class 2 Warm Water
- / Recreation
  - » E – Existing Primary Contact Use (since November 28, 1975)
  - » P – Potential Primary Contact Use
  - » N – Not Primary Contact Use
  - » U – Undetermined Use
- / Domestic Water Supply
  - » Direct Use Water Supply Lakes and Reservoirs

Current loads were determined for *E. coli*, dissolved selenium, total nitrogen, and total phosphorus using flow and water quality monitoring data collected along the mainstem of the most downstream HUC10 of the Middle South Platte project area (1019001206). The U.S. Geological Survey (USGS) site used for flow was USGS-06759910, and it had data available from 1992 through 1998. The average annual flow was calculated using flow from 1992 through 1998 (the last year with data available) to be approximately 847.1 cubic feet per second (cfs). There were numerous water quality sites along the mainstem in the HUC10, and all available *E. coli*, selenium, total nitrogen, total phosphorus data were used. The geometric mean from all *E. coli* data collected from 1990 through 2024 was used to represent the *E. coli* concentration; the 85<sup>th</sup> percentile from all dissolved selenium from 1990 through

2024 was used to represent the current selenium concentration; and for both phosphorus and nitrogen, the annual median was averaged for all data from 1990 through 2024 to represent the current concentrations. Current loads were then calculated as the product of flow, concentration, and a conversion factor for each. Needed loads based on water quality standards were also calculated using the product of the same average annual flow, each water quality standard, and a conversion factor. The *E. coli* water quality standard was 126 most probable number (mpn) per 100 milliliters (mL), the selenium standard was 4.6 micrograms per liter (µg/L), the nitrogen standard was 2.01 milligrams per liter (mg/L), and the phosphorus standard was 0.17 mg/L. Current and needed flows, concentrations, and loads are shown in Table 4-2, as well as the load reduction needed at in the HUC10. At this location, reductions are needed to reach goal loads for dissolved selenium, total nitrogen, and total phosphorus. As flow and concentration data are collected at this location, they can be incorporated into the load estimations.

**Table 4-2.** Flows, Current Loads, Goal Loads, and Reductions to Reach Goals in Most Downstream HUC10 of the Project Area

Flow	Average Annual Flow (cfs)	847.1
Current Concentrations	<i>E. coli</i> Geomean (org/100 mL)	32.5
	Dissolved Selenium (85th Percentile)	6.0
	Average of Median Annual Nitrogen (mg/L)	5.2
	Average of Median Annual Phosphorus (mg/L)	0.4
Current Loads	<i>E. coli</i> (billion org/day)	674.4
	Selenium (lb/day)	27.4
	Nitrogen (lb/day)	23,835.8
	Phosphorus (lb/day)	1,999.2
Goal Loads	<i>E. coli</i> (billion org/day)	2,611.4
	Selenium (lb/day)	21.0
	Nitrogen (lb/day)	9,184.0
	Phosphorus (lb/day)	776.8
Reductions to Achieve Goal Loads	<i>E. coli</i>	0%
	Selenium	23%
	Nitrogen	61%
	Phosphorus	61%

cfs = cubic feet per second  
 lb/day = pounds per day  
 mg/L = milligrams per liter  
 mL = milliliters



## 5.0 SOURCE ASSESSMENT

Only NPS pollutants are addressed in this report. Point sources and areas with MS4s are addressed in the *208 Areawide Water Quality Management Plan, 2022 Update* [NFRWQPA, 2022]. Outside of MS4-permitted areas, NPSs of nutrients are generally related to runoff from cropland, pastureland, developed land, and other similar lands. NPSs of sediment consist of sediment contributions through wash off, as well as bed and bank erosion during high flows. NPSs of *E. coli* are typically from livestock, pets, wildlife, and human sources that can occur in agricultural and developed areas. NPSs of heavy metals vary by metal, but are often from abandoned mine lands (AMLs) or runoff from irrigated agricultural lands. Sometimes sources are from natural causes. Natural causes are the physical, chemical, or biological conditions that would exist in a waterbody in the absence of measurable impacts from human activity or influence. More information about the sources of each pollutant are described in this section.

### 5.1 NUTRIENTS AND SEDIMENT

The EPA's Pollutant Load Estimation Tool (PLET) was used to estimate nutrient and sediment loads from different land uses by HUC10 and later to evaluate load reductions that would result from the implementation of various BMPs [EPA, 2022].

For the Middle South Platte River project area in PLET, the following 18 HUC10 watersheds were represented:

- / 1019000305 (Beebe Seep Canal)
- / 1019000306 (Little Dry Creek-South Platte River)
- / 1019000308 (Outlet Box Elder Creek)
- / 1019000309 (Lost Creek)
- / 1019000310 (Sanborn Draw-South Platte River)
- / 1019000311 (Greasewood Draw-South Platte River)
- / 1019000312 (Cottonwood Draw-South Platte River)
- / 1019000801 (Upper Lone Tree Creek)
- / 1019000802 (Spring Creek-Lone Tree Creek)
- / 1019000803 (Owl Creek-Lone Tree Creek)
- / 1019000902, (Little Crow Creek)
- / 1019000903 (Middle Crow Creek)
- / 1019000904 (Coal Creek)
- / 1019000905 (Sand Creek-Crow Creek)
- / 1019000906 (Outlet Coal Creek)
- / 1019001203 (Wildcat Creek)
- / 1019001205 (City of Raymer)

/ 1019001206 (Camp Creek South Platte River)

Portions of 1019000304 (Big Dry Creek-South Platte River), 1019000305 (Beebe Seep Canal), and 1019000306 (Little Dry Creek-South Platte River) were excluded. The following inputs to the PLET model were included for each HUC10:

- / Watershed land-use areas (acres) [Multi-Resolution Land Characteristics Consortium, 2019]
  - » Urban (non-MS4)
  - » Cropland
  - » Pastureland
  - » Forest
  - » Feedlots
  - » Other (all other land uses)
- / Prominent hydrologic soil group (A-D) [NRCS, 2024a]
- / Average annual rainfall (inches) [EPA, 2022]
- / Rain days/year [EPA, 2022]
- / Number of agricultural animals [EPA, 2022]
  - » Beef cattle
  - » Dairy cattle
  - » Swine
  - » Sheep
  - » Horse
  - » Chicken
  - » Turkey
  - » Duck
- / Number of septic systems [Larimer County, 2024; Fischer, 2023]
- / Population per septic system [Thomas, 2024]
- / Septic rate failure [EPA, 2022]
- / Urban land-use distribution [Multi-Resolution Land Characteristics Consortium, 2019]
- / Irrigated cropland [Colorado's Decision Support Systems, 2024]
- / Water depth per irrigation (inches) [EPA, 2022]
- / Irrigation days/year [EPA, 2022]

Sediment erosion can be estimated in PLET; however, gullies and streambank erosion were not included because of a lack of data. Wildlife density (animals per square mile) was also not included because of a lack of data and because wildlife is considered a natural source.

Source assessment modeling results for the 18 HUC10 watersheds are summarized using the following categories: urban areas (excluding permitted MS4 areas), cropland, pastureland, forest (including scrub/shrub), feedlots, and a combination of all other land uses. The other land uses consist of barren,

herbaceous, and wetlands, which typically are not the highest contributors per acre; therefore, BMP planning does not generally focus on these land uses even though they can make up a fairly large portion of the area. Because this is a NPS plan, permitted MS4s, which have limits to meet, are exempt from inclusion in this plan. MS4 areas were developed using a combination of the MS4 layer from ERAMS [Catena Analytics, 2024] (developed with the 2010 Census urban areas), the 2020 urban areas [U.S. Census Bureau, 2020], and a layer sent from the Town of Timnath [Smith, 2024]. The excluded area used to represent Greeley was approximately 15.3 mi<sup>2</sup>, located in the Little Dry Creek-South Platte River HUC10 (1019000306). Table 5-1 shows the percentage of each land-use source per HUC10 (in Larimer and Weld Counties only). The only source not associated with an area is septic systems. The quantified sources of nitrogen, phosphorus, and sediment are listed in Tables 5-2, 5-3, and 5-4 in order of the HUC10 watersheds. The watersheds throughout the project area are dominated by cropland and herbaceous land.

Cropland is the dominant land use in Beebe Seep Canal, Little Dry Creek-South Platte River, and Lost Creek HUC8 watersheds. In the remaining HUC8 watersheds, the other land uses are dominant. However, because land uses included in the other category are not likely to benefit as much as those in the cropland category, and because the second-most dominant land use in each is cropland, cropland is considered the dominant source of loads of parameters modeled in PLET. Urban areas are very small in the watershed and, therefore, loads do not show up.

Table 5-1. Land Cover

HUC10	Description	Area (mi <sup>2</sup> )	Urban Non-MS4 (%)	Cropland (%)	Pastureland (%)	Forest (%)	Feedlots (%)	Other Land Uses (%)
1019000305	Beebe Seep Canal	21	5	48	10	2	<1	35
1019000306	Little Dry Creek-South Platte River	141	8	68	6	<1	<1	17
1019000308	Outlet Box Elder Creek	189	4	39	4	<1	<1	53
1019000309	Lost Creek	193	3	52	1	1	<1	43
1019000310	Sanborn Draw-South Platte River	244	2	11	<1	<1	<1	86
1019000311	Greasewood Draw-South Platte River	122	1	19	<1	6	<1	74
1019000312	Cottonwood Draw-South Platte River	3	3	47	0	<1	<1	50
1019000801	Upper Lone Tree Creek	37	1	0	0	3	<1	96
1019000802	Spring Creek-Lone Tree Creek	153	4	21	3	4	<1	69
1019000803	Owl Creek-Lone Tree Creek	253	3	23	2	2	<1	71
1019000902	Little Crow Creek	271	1	4	<1	2	<1	92
1019000903	Middle Crow Creek	247	3	15	1	<1	<1	81
1019000904	Coal Creek	84	2	0	<1	2	<1	96
1019000905	Sand Creek-Crow Creek	134	2	8	<1	<1	<1	90
1019000906	Outlet Coal Creek	106	3	28	7	2	<1	60
1019001203	Wildcat Creek	66	2	21	<1	<1	<1	76
1019001205	City of Raymer	73	3	35	3	<1	<1	60
1019001206	Camp Creek South Platte River	12	3	45	1	<1	<1	50

**Table 5-2. Nitrogen Sources**

HUC10	Description	Area (mi <sup>2</sup> )	Urban Non-MS4 (%)	Cropland (%)	Pastureland (%)	Forest (%)	Feedlots (%)	Other Land Uses (%)	Septic (%)
1019000305	Beebe Seep Canal	21	0	95	4	<1	0	1	<1
1019000306	Little Dry Creek-South Platte River	141	0	97	2	0	0	<1	1
1019000308	Outlet Box Elder Creek	189	0	96	2	0	0	2	<1
1019000309	Lost Creek	193	0	98	<1	0	0	1	<1
1019000310	Sanborn Draw-South Platte River	244	0	89	<1	<1	0	10	<1
1019000311	Greasewood Draw-South Platte River	122	0	94	<1	<1	0	5	<1
1019000312	Cottonwood Draw-South Platte River	3	0	98	0	0	0	1	0
1019000801	Upper Lone Tree Creek	37	0	0	0	3	0	96	<1
1019000802	Spring Creek-Lone Tree Creek	153	0	91	2	<1	0	4	2
1019000803	Owl Creek-Lone Tree Creek	253	0	93	2	<1	0	4	1
1019000902	Little Crow Creek	271	0	74	<1	<1	0	25	<1
1019000903	Middle Crow Creek	247	0	92	1	0	0	7	<1
1019000904	Coal Creek	84	0	0	6	2	0	89	3
1019000905	Sand Creek-Crow Creek	134	0	83	2	0	0	14	1
1019000906	Outlet Coal Creek	106	0	92	4	<1	0	3	<1
1019001203	Wildcat Creek	66	0	95	<1	0	0	5	0
1019001205	City of Raymer	73	0	96	1	0	0	2	<1
1019001206	Camp Creek South Platte River	12	0	98	<1	0	0	2	0

**Table 5-3. Phosphorus Sources**

HUC10	Description	Area (mi <sup>2</sup> )	Urban Non-MS4 (%)	Cropland (%)	Pastureland (%)	Forest (%)	Feedlots (%)	Other Land Uses (%)	Septic (%)
1019000305	Beebe Seep Canal	21	0	95	4	<1	0	1	<1
1019000306	Little Dry Creek-South Platte River	141	0	97	2	0	0	<1	1
1019000308	Outlet Box Elder Creek	189	0	96	2	0	0	2	<1
1019000309	Lost Creek	193	0	98	<1	0	0	1	<1
1019000310	Sanborn Draw-South Platte River	244	0	89	<1	<1	0	10	<1
1019000311	Greasewood Draw-South Platte River	122	0	94	<1	<1	0	5	<1
1019000312	Cottonwood Draw-South Platte River	3	0	98	0	0	0	1	0
1019000801	Upper Lone Tree Creek	37	0	0	0	3	0	96	<1
1019000802	Spring Creek-Lone Tree Creek	153	0	91	2	<1	0	4	2
1019000803	Owl Creek-Lone Tree Creek	253	0	93	2	<1	0	4	1
1019000902	Little Crow Creek	271	0	74	<1	<1	0	25	<1
1019000903	Middle Crow Creek	247	0	92	1	0	0	7	<1
1019000904	Coal Creek	84	0	0	6	2	0	89	3
1019000905	Sand Creek-Crow Creek	134	0	83	2	0	0	14	1
1019000906	Outlet Coal Creek	106	0	92	4	<1	0	3	<1
1019001203	Wildcat Creek	66	0	95	<1	0	0	5	0
1019001205	City of Raymer	73	0	96	1	0	0	2	<1
1019001206	Camp Creek South Platte River	12	0	98	<1	0	0	2	0

**Table 5-4. Sediment Sources**

HUC10	Description	Area (mi <sup>2</sup> )	Urban Non-MS4 (%)	Cropland (%)	Pastureland (%)	Forest (%)	Feedlots (%)	Other Land Uses (%)	Septic (%)
1019000305	Beebe Seep Canal	21	0	95	4	<1	0	1	0
1019000306	Little Dry Creek-South Platte River	141	0	98	2	0	0	<1	0
1019000308	Outlet Box Elder Creek	189	0	96	2	0	0	2	0
1019000309	Lost Creek	193	0	98	<1	0	0	1	0
1019000310	Sanborn Draw-South Platte River	244	0	90	<1	<1	0	10	0
1019000311	Greasewood Draw-South Platte River	122	0	94	<1	<1	0	5	0
1019000312	Cottonwood Draw-South Platte River	3	0	99	0	0	0	1	0
1019000801	Upper Lone Tree Creek	37	0	0	0	3	0	97	0
1019000802	Spring Creek-Lone Tree Creek	153	0	93	2	<1	0	4	0
1019000803	Owl Creek-Lone Tree Creek	253	0	94	2	<1	0	4	0
1019000902	Little Crow Creek	271	0	74	<1	<1	0	25	0
1019000903	Middle Crow Creek	247	0	92	1	0	0	7	0
1019000904	Coal Creek	84	0	0	7	2	0	92	0
1019000905	Sand Creek-Crow Creek	134	0	84	2	0	0	14	0
1019000906	Outlet Coal Creek	106	0	93	4	<1	0	3	0
1019001203	Wildcat Creek	66	0	95	<1	0	0	5	0
1019001205	City of Raymer	73	0	96	1	0	0	2	0
1019001206	Camp Creek South Platte River	12	0	98	<1	0	0	2	0

A less obvious contributor of nutrients and sediment to waterbodies is wildland fires. Wildland fires significantly reduce well-established root systems in areas impacted and, as a result, soil erosion is much more likely during precipitation events, carrying nutrients with it. The Middle South Platte River watershed has experienced post-wildfire flooding, debris flows, and associated economic impacts from past upstream wildfires and wildfires within the project boundaries. Table 5-5 provides the total number of fire acres for each year past 2000 where any existed per HUC10 [National Interagency Fire Center, 2024].

**Table 5-5.** Total Fire Acres per HUC10 per Year (2000-2021)

HUC10	1019000803	1019000902	1019000904	1019000905	1019000906
2001		229,060			
2009		229,060		171,202	
2010			161,711	599,207	68,585
2011			323,422	1,027,213	
2012			592,940	513,606	
2013			107,807		
2015			53,904	171,202	137,170
2016		229,060	215,614	1,369,617	
2017	162,349		53,904	941,612	
2018		229,060	107,807		
2019				1,027,213	
2020				342,404	
2021		229,060	269,518	85,601	

One reach in the project area, COSPMS05a\_A, is impaired for nitrates, a form of nitrogen; the reach is located in both HUC10 1019000802 and HUC10 1019000803. Nitrates are a sensitive parameter for water supply because they cause cyanosis (i.e., blue baby syndrome), which causes skin to appear blue because of poorly oxygenated blood and can cause abnormalities in the heart, lungs, and blood [WebMD, 2024]. Nitrates can enter surface waters from animal manure, nitrogen fertilizers, wastewater, and decomposed plant residues and organic matter [University of Missouri Extension, 2024]. No other nutrient- or sediment-impaired waterbodies occur in the Middle South Platte River project area, but nutrients and sediment were identified as priority parameters of concern.

Atmospheric deposition is also a source of nutrients. EPA's Clean Air Status and Trends Network (CASTNET) and the National Atmospheric Deposition Program (NADP) monitor nitrogen deposition (ammonia and nitrate) at locations throughout the United States. The SPARROW model published by the USGS estimated that, in the Middle South Platte River project area, more than 190,000 pounds of nitrogen were delivered to the stream from atmospheric deposition [USGS, 2019]. Some practices can help reduce nutrients in atmospheric deposition; however, these practices are not a focus in this plan because their impacts are less local than other BMPs.



## 5.2 E. COLI

Bacteria comes from the intestines of humans and warm-blooded animals. NPSs of bacteria consist primarily of waste that is transported through wash off from cropland, pastureland, and developed land, as well as septic systems and direct defecation from livestock and wildlife. For the purposes of this project, bacteria from wildlife are assumed to be a natural background source and are not included in the assessment.

*E. coli* from human and animal waste are dispersed throughout the landscape, spread by humans, and/or treated in facilities. Once *E. coli* are in the environment, their accumulation on land and delivery to the stream are affected by die-off and decay, surface imperviousness, detention time, ultraviolet exposure, and other mechanisms. Quantifying *E. coli* sources using PLET is not recommended [Tetra Tech, Inc., 2022], so an assessment of bacteria production within the watershed was completed per HUC10. This assessment included humans (Wastewater Treatment Plants [WWTPs] and Onsite Wastewater Treatment Systems [OWTSs]), pets (dogs and cats), and livestock (cattle, horses, poultry, sheep, and hogs); however, wildlife was not included because wildlife was assumed to be a natural source of bacteria. Publicly owned WWTPs are highly regulated and are not a significant source of *E. coli*. In some cases, WWTPs even provide dilution from other sources. OWTS contributions are largely dependent on soil and geology in an area, as well as their proximity to a waterbody. Additionally, point sources are not a focus of this study; therefore, WWTP estimates were added primarily as a comparison to the production of bacteria sent to an OWTS.

Livestock contribute *E. coli* loads directly by defecating in streams and indirectly by defecating on cropland or pastures where *E. coli* can wash off during precipitation events, snowmelt, or irrigation. Spreading livestock manure on cropland or pasture also contributes *E. coli* to waterbodies. The livestock in the project area mainly consists of cattle, poultry, hogs, horses, sheep, and goats, which are grazed and/or confined, and manure is spread on crops and pastures.

Pet waste is another potential source of *E. coli*. Pet waste is often left in yards, in parks, and along trails, and can be carried with stormwater to local storm drains and waterbodies.

Natural background sources are inputs that would be expected under natural, undisturbed conditions and include *E. coli* loading from wildlife in the area. Wildlife (e.g., waterfowl and large-game species) also contribute *E. coli* loads directly by defecating while wading or swimming in a stream and indirectly by defecating on lands that produce watershed runoff during precipitation events.

A GIS-based assessment was completed within each impaired drainage area to estimate livestock, wildlife, human, and pet populations. Animal populations were multiplied by average excretion rates from scientific literature to estimate the amount of *E. coli* produced by each source type in each HUC10 watershed. The reported literature values for fecal coliform excretion were converted to *E. coli* excretion by using a fecal coliform to *E. coli* ratio of 200:126 mpn per 100 mL. The loads produced by humans are usually treated by WWTPs and OWTSs.

Annual excretion estimates for livestock (excluding hogs) and wildlife were obtained from "BSLC: A Tool for Bacteria Source Characterization for Watershed Management" [Zeckoski et al., 2005], and bacteria estimates for humans and hogs were obtained from *Wastewater Engineering: Treatment, Disposal, and Reuse* [Metcalf and Eddy, 1991]. Annual excretion rates for dogs and cats were sourced from

*Identification and Evaluation of Nutrient and Bacterial Loadings to Maquoit Bay, New Brunswick and Freeport, Maine* [Horsley and Witten, Inc., 1996]. Literature values for bacteria excretion rates are estimates and do not represent all sources and dynamics of bacteria in a natural system. Table 5-6 provides the literature rates of *E. coli* (converted from fecal coliform) produced by each animal per day, as well as the respective sources.

Table 5-6. *E. coli* Production Rates From Literature Sources

Category	Subcategory	<i>E. coli</i> Production Rate (cfu/head/day)	Source
Humans	WWTP	1,260,000,000	Metcalf and Eddy, 1991
	OWTS	1,260,000,000	Metcalf and Eddy, 1991
Pets	Cats	3,150,000,000	Horsley and Witten, Inc., 1996
	Dogs	3,150,000,000	Horsley and Witten, Inc., 1996
Livestock	Cattle	20,790,000,000	Zeckoski et al., 2005
	Horses	26,460,000,000	Zeckoski et al., 2005
	Poultry	58,590,000	Zeckoski et al., 2005
	Sheep	7,560,000,000	Zeckoski et al., 2005
	Goats	17,640,000,000	Zeckoski et al., 2005
	Hogs	5,607,000,000	Metcalf and Eddy, 1991
Wildlife	Deer	220,500,000	Zeckoski et al., 2005
	Ducks	1,512,000,000	Zeckoski et al., 2005
	Geese	504,000,000	Zeckoski et al., 2005

cfu/head/day = colony-forming units per head per day

Livestock numbers were obtained from the PLET database by HUC12 and aggregated up to the HUC10 level. Livestock counts available in PLET included cattle, horses, poultry, sheep, and hogs. PLET animal data are from the U.S. Department of Agriculture (USDA) National Agricultural Statistics Service, for which county animal data are summarized at the HUC12 level based on the pastureland area weighted ratio [EPA, 2022].

Hogs and poultry are typically kept in a total confinement facility, with their manure collected in a liquid manure storage area and later spread and/or incorporated on or into agricultural land. Grazed animals can also be kept in sheltered areas but are more likely to be pastured or have access to waterbodies than hogs and poultry. Manure that has been incorporated or spread into or on agricultural fields can contribute *E. coli* to waterways, but incorporation decreases the likelihood of transport. Livestock numbers include both animal feeding operations (AFOs) and concentrated animal feeding operations (CAFOs); both are relevant because manure is applied to croplands and pasturelands and reaches surface waters even when the manure comes from a zero-runoff feedlot.

Individuals on domestic wastewater sewers within each HUC10 were estimated by summing the population for all of the 2020 U.S. Census Block Centroid Population points that fall within census urban areas, which were assumed to be connected to the WWTPs in applicable drainage areas [U.S. Census

Bureau, 2020]. Bacteria within wastewater in urban areas with a WWTP were assumed to be treated according to the WWTP's permit requirement.

People using an OWTS were estimated by Larimer and Weld Counties' OWTS [Larimer County, 2024; Fischer, 2023] within each HUC10 and multiplying the total by 3.31, which is the number of individuals assumed to be on each OWTS in the applicable counties [Thomas, 2024]. This evaluation represents all OWTSs, including compliant systems.

Pet populations were estimated by calculating the number of households from the 2020 U.S. Census Block Centroid Population points within each applicable impairment drainage area and assuming 0.58 dogs (36.5 percent of households times 1.6 dogs per household) and 0.64 cats (30.4 percent of households times 2.1 cats per household) per household [American Veterinary Medical Association, 2016].

Table 5-7 summarizes the number of animals, estimated *E. coli* produced, and percent of the total *E. coli* from each animal type within each HUC10. These estimates provide watershed managers with the relative magnitudes of total production by source and do not account for treatment by WWTPs or OWTSs, wash off, delivery, instream growth, or die-off dynamics that occur with *E. coli* and substantially affect their delivery to surface waters. Because of water treatment, far less *E. coli* are generally discharged from WWTPs than what is produced and sent to them.

Several factors affect whether *E. coli* reach a stream. The analysis illustrates that across the entire project area, the amount of *E. coli* produced by livestock is substantially greater than the *E. coli* produced by humans or pets. Both Larimer and Weld Counties are Right-to-Farm counties, which protects certain types of operations from nuisance suits when their activities impact neighboring property through activities like noise or odor.

**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 1 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019000305	Beebe Seep Canal	Humans	OWTS	748	9.4E+11	0
1019000305	Beebe Seep Canal	Humans	WWTP	—	0.0E+00	0
1019000305	Beebe Seep Canal	Pets	Dogs	131	4.1E+11	0
1019000305	Beebe Seep Canal	Pets	Cats	145	4.6E+11	0
1019000305	Beebe Seep Canal	Livestock	Cattle	13,316	2.8E+14	83
1019000305	Beebe Seep Canal	Livestock	Horses	318	8.4E+12	3
1019000305	Beebe Seep Canal	Livestock	Poultry	86,271	5.1E+12	2
1019000305	Beebe Seep Canal	Livestock	Sheep	5,399	4.1E+13	12
1019000305	Beebe Seep Canal	Livestock	Goats	3	5.3E+10	0
1019000305	Beebe Seep Canal	Livestock	Hogs	143	8.0E+11	0
1019000306	Little Dry Creek-South Platte River	Humans	OWTS	11,085	1.4E+13	2
1019000306	Little Dry Creek-South Platte River	Humans	WWTP	52,483	6.6E+13	11
1019000306	Little Dry Creek-South Platte River	Pets	Dogs	11,139	3.5E+13	6
1019000306	Little Dry Creek-South Platte River	Pets	Cats	12,291	3.9E+13	7
1019000306	Little Dry Creek-South Platte River	Livestock	Cattle	17,437	3.6E+14	62
1019000306	Little Dry Creek-South Platte River	Livestock	Horses	339	9.0E+12	2
1019000306	Little Dry Creek-South Platte River	Livestock	Poultry	113,834	6.7E+12	1
1019000306	Little Dry Creek-South Platte River	Livestock	Sheep	7,104	5.4E+13	9
1019000306	Little Dry Creek-South Platte River	Livestock	Goats	4	7.1E+10	0
1019000306	Little Dry Creek-South Platte River	Livestock	Hogs	168	9.4E+11	0
1019000308	Outlet Box Elder Creek	Humans	OWTS	5,574	7.0E+12	2
1019000308	Outlet Box Elder Creek	Humans	WWTP	189	2.4E+11	0
1019000308	Outlet Box Elder Creek	Pets	Dogs	1,010	3.2E+12	1
1019000308	Outlet Box Elder Creek	Pets	Cats	1,114	3.5E+12	1
1019000308	Outlet Box Elder Creek	Livestock	Cattle	17,006	3.5E+14	81

**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 2 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019000308	Outlet Box Elder Creek	Livestock	Horses	430	1.1E+13	3
1019000308	Outlet Box Elder Creek	Livestock	Poultry	110,400	6.5E+12	1
1019000308	Outlet Box Elder Creek	Livestock	Sheep	6,905	5.2E+13	12
1019000308	Outlet Box Elder Creek	Livestock	Goats	5	8.8E+10	0
1019000308	Outlet Box Elder Creek	Livestock	Hogs	180	1.0E+12	0
1019000309	Lost Creek	Humans	OWTS	3,922	4.9E+12	1
1019000309	Lost Creek	Humans	WWTP	1,533	1.9E+12	0
1019000309	Lost Creek	Pets	Dogs	956	3.0E+12	1
1019000309	Lost Creek	Pets	Cats	1,055	3.3E+12	1
1019000309	Lost Creek	Livestock	Cattle	16,767	3.5E+14	80
1019000309	Lost Creek	Livestock	Horses	593	1.6E+13	4
1019000309	Lost Creek	Livestock	Poultry	105,201	6.2E+12	1
1019000309	Lost Creek	Livestock	Sheep	6,625	5.0E+13	12
1019000309	Lost Creek	Livestock	Goats	6	1.1E+11	0
1019000309	Lost Creek	Livestock	Hogs	231	1.3E+12	0
1019000310	Sanborn Draw-South Platte River	Humans	OWTS	976	1.2E+12	0
1019000310	Sanborn Draw-South Platte River	Humans	WWTP	—	0.0E+00	0
1019000310	Sanborn Draw-South Platte River	Pets	Dogs	171	5.4E+11	0
1019000310	Sanborn Draw-South Platte River	Pets	Cats	189	5.9E+11	0
1019000310	Sanborn Draw-South Platte River	Livestock	Cattle	26,514	5.5E+14	83
1019000310	Sanborn Draw-South Platte River	Livestock	Horses	516	1.4E+13	2
1019000310	Sanborn Draw-South Platte River	Livestock	Poultry	173,389	1.0E+13	2
1019000310	Sanborn Draw-South Platte River	Livestock	Sheep	10,823	8.2E+13	12
1019000310	Sanborn Draw-South Platte River	Livestock	Goats	7	1.2E+11	0
1019000310	Sanborn Draw-South Platte River	Livestock	Hogs	258	1.4E+12	0

**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 3 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019000311	Greasewood Draw-South Platte River	Humans	OWTS	523	6.6E+11	0
1019000311	Greasewood Draw-South Platte River	Humans	WWTP	—	0.0E+00	0
1019000311	Greasewood Draw-South Platte River	Pets	Dogs	92	2.9E+11	0
1019000311	Greasewood Draw-South Platte River	Pets	Cats	101	3.2E+11	0
1019000311	Greasewood Draw-South Platte River	Livestock	Cattle	17,000	3.5E+14	88
1019000311	Greasewood Draw-South Platte River	Livestock	Horses	241	6.4E+12	2
1019000311	Greasewood Draw-South Platte River	Livestock	Poultry	69,529	4.1E+12	1
1019000311	Greasewood Draw-South Platte River	Livestock	Sheep	4,371	3.3E+13	8
1019000311	Greasewood Draw-South Platte River	Livestock	Goats	8	1.4E+11	0
1019000311	Greasewood Draw-South Platte River	Livestock	Hogs	233	1.3E+12	0
1019000312	Cottonwood Draw-South Platte River	Humans	OWTS	13	1.7E+10	0
1019000312	Cottonwood Draw-South Platte River	Humans	WWTP	—	0.0E+00	0
1019000312	Cottonwood Draw-South Platte River	Pets	Dogs	2	7.3E+09	0
1019000312	Cottonwood Draw-South Platte River	Pets	Cats	3	8.1E+09	0
1019000312	Cottonwood Draw-South Platte River	Livestock	Cattle	505	1.1E+13	97
1019000312	Cottonwood Draw-South Platte River	Livestock	Horses	3	7.4E+10	1
1019000312	Cottonwood Draw-South Platte River	Livestock	Poultry	49	2.9E+09	0
1019000312	Cottonwood Draw-South Platte River	Livestock	Sheep	5	4.1E+10	0
1019000312	Cottonwood Draw-South Platte River	Livestock	Goats	9	1.6E+11	1
1019000312	Cottonwood Draw-South Platte River	Livestock	Hogs	10	5.7E+10	1
1019000801	Upper Lone Tree Creek	Humans	OWTS	86	1.1E+11	0
1019000801	Upper Lone Tree Creek	Humans	WWTP	—	0.0E+00	0
1019000801	Upper Lone Tree Creek	Pets	Dogs	15	4.8E+10	0
1019000801	Upper Lone Tree Creek	Pets	Cats	17	5.2E+10	0
1019000801	Upper Lone Tree Creek	Livestock	Cattle	1,806	3.8E+13	81

**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 4 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019000801	Upper Lone Tree Creek	Livestock	Horses	78	2.1E+12	4
1019000801	Upper Lone Tree Creek	Livestock	Poultry	7,284	4.3E+11	1
1019000801	Upper Lone Tree Creek	Livestock	Sheep	750	5.7E+12	12
1019000801	Upper Lone Tree Creek	Livestock	Goats	10	1.8E+11	0
1019000801	Upper Lone Tree Creek	Livestock	Hogs	12	6.7E+10	0
1019000802	Spring Creek-Lone Tree Creek	Humans	OWTS	5,763	7.3E+12	2
1019000802	Spring Creek-Lone Tree Creek	Humans	WWTP	1,784	2.2E+12	1
1019000802	Spring Creek-Lone Tree Creek	Pets	Dogs	1,322	4.2E+12	1
1019000802	Spring Creek-Lone Tree Creek	Pets	Cats	1,459	4.6E+12	1
1019000802	Spring Creek-Lone Tree Creek	Livestock	Cattle	15,065	3.1E+14	80
1019000802	Spring Creek-Lone Tree Creek	Livestock	Horses	418	1.1E+13	3
1019000802	Spring Creek-Lone Tree Creek	Livestock	Poultry	92,267	5.4E+12	1
1019000802	Spring Creek-Lone Tree Creek	Livestock	Sheep	5,830	4.4E+13	11
1019000802	Spring Creek-Lone Tree Creek	Livestock	Goats	11	1.9E+11	0
1019000802	Spring Creek-Lone Tree Creek	Livestock	Hogs	145	8.1E+11	0
1019000803	Owl Creek-Lone Tree Creek	Humans	OWTS	5,260	6.6E+12	1
1019000803	Owl Creek-Lone Tree Creek	Humans	WWTP	53	6.7E+10	0
1019000803	Owl Creek-Lone Tree Creek	Pets	Dogs	931	2.9E+12	0
1019000803	Owl Creek-Lone Tree Creek	Pets	Cats	1,027	3.2E+12	0
1019000803	Owl Creek-Lone Tree Creek	Livestock	Cattle	35,222	7.3E+14	82
1019000803	Owl Creek-Lone Tree Creek	Livestock	Horses	686	1.8E+13	2
1019000803	Owl Creek-Lone Tree Creek	Livestock	Poultry	230,332	1.3E+13	2
1019000803	Owl Creek-Lone Tree Creek	Livestock	Sheep	14,378	1.1E+14	12
1019000803	Owl Creek-Lone Tree Creek	Livestock	Goats	12	2.1E+11	0
1019000803	Owl Creek-Lone Tree Creek	Livestock	Hogs	341	1.9E+12	0

**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 5 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019000902	Little Crow Creek	Humans	OWTS	205	2.6E+11	0
1019000902	Little Crow Creek	Humans	WWTP	—	0.0E+00	0
1019000902	Little Crow Creek	Pets	Dogs	36	1.1E+11	0
1019000902	Little Crow Creek	Pets	Cats	40	1.2E+11	0
1019000902	Little Crow Creek	Livestock	Cattle	27,466	5.7E+14	83
1019000902	Little Crow Creek	Livestock	Horses	625	1.7E+13	2
1019000902	Little Crow Creek	Livestock	Poultry	166,711	9.8E+12	1
1019000902	Little Crow Creek	Livestock	Sheep	11,551	8.7E+13	13
1019000902	Little Crow Creek	Livestock	Goats	13	2.3E+11	0
1019000902	Little Crow Creek	Livestock	Hogs	247	1.4E+12	0
1019000903	Middle Crow Creek	Humans	OWTS	381	4.8E+11	0
1019000903	Middle Crow Creek	Humans	WWTP	298	3.8E+11	0
1019000903	Middle Crow Creek	Pets	Dogs	119	3.7E+11	0
1019000903	Middle Crow Creek	Pets	Cats	131	4.1E+11	0
1019000903	Middle Crow Creek	Livestock	Cattle	31,192	6.5E+14	83
1019000903	Middle Crow Creek	Livestock	Horses	669	1.8E+13	2
1019000903	Middle Crow Creek	Livestock	Poultry	195,079	1.1E+13	1
1019000903	Middle Crow Creek	Livestock	Sheep	12,967	9.8E+13	13
1019000903	Middle Crow Creek	Livestock	Goats	14	2.5E+11	0
1019000903	Middle Crow Creek	Livestock	Hogs	288	1.6E+12	0
1019000904	Coal Creek	Humans	OWTS	348	4.4E+11	0
1019000904	Coal Creek	Humans	WWTP	—	0.0E+00	0
1019000904	Coal Creek	Pets	Dogs	61	1.9E+11	0
1019000904	Coal Creek	Pets	Cats	67	2.1E+11	0
1019000904	Coal Creek	Livestock	Cattle	14,109	2.9E+14	83



**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 6 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019000904	Coal Creek	Livestock	Horses	274	7.3E+12	2
1019000904	Coal Creek	Livestock	Poultry	92,261	5.4E+12	2
1019000904	Coal Creek	Livestock	Sheep	5,760	4.4E+13	12
1019000904	Coal Creek	Livestock	Goats	15	2.6E+11	0
1019000904	Coal Creek	Livestock	Hogs	137	7.7E+11	0
1019000905	Sand Creek-Crow Creek	Humans	OWTS	1,238	1.6E+12	0
1019000905	Sand Creek-Crow Creek	Humans	WWTP	—	0.0E+00	0
1019000905	Sand Creek-Crow Creek	Pets	Dogs	217	6.8E+11	0
1019000905	Sand Creek-Crow Creek	Pets	Cats	239	7.5E+11	0
1019000905	Sand Creek-Crow Creek	Livestock	Cattle	14,109	2.9E+14	83
1019000905	Sand Creek-Crow Creek	Livestock	Horses	274	7.3E+12	2
1019000905	Sand Creek-Crow Creek	Livestock	Poultry	92,261	5.4E+12	2
1019000905	Sand Creek-Crow Creek	Livestock	Sheep	5,760	4.4E+13	12
1019000905	Sand Creek-Crow Creek	Livestock	Goats	15	2.6E+11	0
1019000905	Sand Creek-Crow Creek	Livestock	Hogs	137	7.7E+11	0
1019000906	Outlet Coal Creek	Humans	OWTS	2,334	2.9E+12	1
1019000906	Outlet Coal Creek	Humans	WWTP	—	0.0E+00	0
1019000906	Outlet Coal Creek	Pets	Dogs	409	1.3E+12	0
1019000906	Outlet Coal Creek	Pets	Cats	451	1.4E+12	0
1019000906	Outlet Coal Creek	Livestock	Cattle	13,690	2.8E+14	82
1019000906	Outlet Coal Creek	Livestock	Horses	266	7.0E+12	2
1019000906	Outlet Coal Creek	Livestock	Poultry	89,528	5.2E+12	2
1019000906	Outlet Coal Creek	Livestock	Sheep	5,588	4.2E+13	12
1019000906	Outlet Coal Creek	Livestock	Goats	17	3.0E+11	0
1019000906	Outlet Coal Creek	Livestock	Hogs	133	7.5E+11	0

**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 7 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019001203	Wildcat Creek	Humans	OWTS	46	5.8E+10	0
1019001203	Wildcat Creek	Humans	WWTP	—	0.0E+00	0
1019001203	Wildcat Creek	Pets	Dogs	8	2.6E+10	0
1019001203	Wildcat Creek	Pets	Cats	9	2.8E+10	0
1019001203	Wildcat Creek	Livestock	Cattle	11,885	2.5E+14	93
1019001203	Wildcat Creek	Livestock	Horses	116	3.1E+12	1
1019001203	Wildcat Creek	Livestock	Poultry	24,103	1.4E+12	1
1019001203	Wildcat Creek	Livestock	Sheep	1,543	1.2E+13	4
1019001203	Wildcat Creek	Livestock	Goats	—	0.0E+00	0
1019001203	Wildcat Creek	Livestock	Hogs	203	1.1E+12	0
1019001205	City of Raymer	Humans	OWTS	152	1.9E+11	0
1019001205	City of Raymer	Humans	WWTP	182	2.3E+11	0
1019001205	City of Raymer	Pets	Dogs	59	1.8E+11	0
1019001205	City of Raymer	Pets	Cats	65	2.0E+11	0
1019001205	City of Raymer	Livestock	Cattle	10,355	2.2E+14	91
1019001205	City of Raymer	Livestock	Horses	123	3.3E+12	1
1019001205	City of Raymer	Livestock	Poultry	31,381	1.8E+12	1
1019001205	City of Raymer	Livestock	Sheep	1,985	1.5E+13	6
1019001205	City of Raymer	Livestock	Goats	1	1.8E+10	0
1019001205	City of Raymer	Livestock	Hogs	160	9.0E+11	0
1019001206	Camp Creek South Platte River	Humans	OWTS	17	2.1E+10	0
1019001206	Camp Creek South Platte River	Humans	WWTP	—	0.0E+00	0
1019001206	Camp Creek South Platte River	Pets	Dogs	3	9.1E+09	0
1019001206	Camp Creek South Platte River	Pets	Cats	3	1.0E+10	0
1019001206	Camp Creek South Platte River	Livestock	Cattle	1,191	2.5E+13	97

**Table 5-7.** Estimated Number of Animals, *E. coli* Produced, and Percent of *E. coli* Produced in Each HUC10 (Page 8 of 8)

HUC10	Description	Category	Subcategory	Count	Total <i>E. coli</i> Produced (cfu/day)	Total <i>E. coli</i> Produced (%)
1019001206	Camp Creek South Platte River	Livestock	Horses	9	2.3E+11	1
1019001206	Camp Creek South Platte River	Livestock	Poultry	334	2.0E+10	0
1019001206	Camp Creek South Platte River	Livestock	Sheep	26	2.0E+11	1
1019001206	Camp Creek South Platte River	Livestock	Goats	2	3.5E+10	0
1019001206	Camp Creek South Platte River	Livestock	Hogs	23	1.3E+11	0

### 5.3 HEAVY METALS

Heavy metal sources are typically from abandoned mines, runoff from developed areas, and contributions from soils. Heavy metals that can be sourced from irrigation on Pierre Shale areas (selenium and arsenic) would also benefit from changing irrigation practices. Flood irrigation typically results in substantial irrigation return flows, which can be high in selenium or arsenic when soils in the irrigated fields have high selenium or arsenic content. The conversion to more modern center-pivot and side-roll sprinkler systems would help decrease the volume of selenium- or arsenic-rich return flows entering waterbodies [Hawley and Rodriguez-Jeangros, 2021].

Heavy metals are also not addressed with PLET. Larimer and Weld Counties have a rich mining history dating back to the mid-1800s. Commodities consisting of beryllium, coal, copper, gold, iron, lead, manganese, molybdenum, rare earth elements, silica, silver, tungsten, uranium, vanadium, and zinc were mined [The Diggings, 2024].

Sources of some heavy metals, according to a publication within Heliyon on ScienceDirect [Briffa et al., 2020] and the *Big Thompson State of the Watershed 2021 Final Report* [Hawley and Rodriguez-Jeangros, 2021], also include:

- / Zinc – mining and metal/paint/cosmetic/energy/hygiene/plastic/textile/supplement production
- / Lead – metal/infrastructure/paint/glass production, manufacturing processes, and combustion of gas
- / Selenium – animal feed/supplement production, manufacturing processes, fossil fuel combustion, and irrigation return flows in areas with Pierre Shale
- / Arsenic – pressure-treated wood, glass/pesticide production, doping, pyrotechnics, and Pierre Shale
- / Copper – copper sulfate algicide, alloy manufacturing processes, metal/fertilizer/chemical/jewelry production, and wood/fabric preservation
- / Iron – mining, manufacturing processes, and metal/supplement/food production
- / Manganese – alloy manufacturing processes, metal/fertilizer/firework/pesticide/cosmetic production
- / Mercury – chemistry, chemical manufacturing processes, and pesticide/paint/energy production

The CDPHE Water Quality Control Commission has designated several streams within both counties as impaired (see Clean Water Act [CWA] Section 303(d) list and 5 CCR 1002-93) for these elements (Table 4-1), suggesting that mined lands or AMLs are a potential source of NPS pollution. Several federal and state agencies have mapped and cataloged abandoned mines within Colorado and quantified the AMLs in Larimer and Weld Counties. To determine areas most likely polluted by AMLs, known AML locations were summarized per HUC10. Although not all AMLs have been discovered and mapped, an assumption was made that the more points in a HUC10, the more likely that HUC10 was polluted by AMLs. Table 5-8 lists the number of AMLs for each HUC10 [Graves, 2024].

**Table 5-8.** Number of Identified Abandoned Mine Lands per HUC10

HUC10	Description	Count
1019000305	Beebe Seep Canal	0
1019000306	Little Dry Creek-South Platte River	5
1019000308	Outlet Box Elder Creek	0
1019000309	Lost Creek	0
1019000310	Sanborn Draw-South Platte River	0
1019000311	Greasewood Draw-South Platte River	0
1019000312	Cottonwood Draw-South Platte River	0
1019000801	Upper Lone Tree Creek	0
1019000802	Spring Creek-Lone Tree Creek	0
1019000803	Owl Creek-Lone Tree Creek	0
1019000902	Little Crow Creek	0
1019000903	Middle Crow Creek	0
1019000904	Coal Creek	0
1019000905	Sand Creek-Crow Creek	0
1019000906	Outlet Coal Creek	0
1019001203	Wildcat Creek	0

In *Colorado’s Nonpoint Source Program: 2022 Annual Report* [Moore, 2022], the recommended BMPs associated with pollution from AMLs are hydrologic controls (diversion ditches, mine tailings removal, erosion and sediment control, and revegetation) and passive treatments (aerobic wetlands, anaerobic wetlands, and aeration and settling ponds).

The Middle South Platte project area contains very little Pierre Shale, which explains why the arsenic impairments only occur along the mainstem, and no selenium impairment occurs in the project area. Therefore, the majority of arsenic and selenium is assumed to be coming from upstream sources.

## 6.0 PRIORITY AREAS FOR IMPLEMENTATION

Priority areas are locations that significantly contribute to the water quality parameters identified as pollutants of concern. The following sources were used to identify priority areas for BMP implementation:

- / PLET model (for nutrients and sediment)
- / Production per HUC10 assessment (for *E. coli*)
- / AML density assessment (for heavy metals)

Point source permittees should compare the cost options of upstream NPS BMPs to the cost of mechanical treatment. Such collaborations and coordinated efforts may improve economic feasibility for improving water quality regionally.

### 6.1 NUTRIENTS AND SEDIMENT

The PLET model indicates that throughout the overall Middle South Platte River project area within Larimer and Weld Counties, the primary source of nutrients and sediment is cropland; however, cropland only makes up approximately 23 percent of the total area and other land uses are the dominant source overall. Only 3 HUC10 watersheds have more cropland than other land uses: 1019000305 (Beebe Seep Canal), 1019000306 (Little Dry Creek-South Platte River) and 1019000309 (Lost Creek). Two of the HUC10s have other as their primary source of nutrients and sediment over cropland—1019000801 (Upper Lone Tree Creek) and 1019000904 (Coal Creek). Figures 6-1, 6-2, and 6-3 show the total daily loads per HUC10 of nitrogen, phosphorus, and TSS, respectively, from PLET [EPA, 2022]. Priority areas for the reduction of nutrients and sediment are the southern HUC10s in Weld County, including HUC10s 1019000306 (Little Dry Creek-South Platte River) and 1019000308 (Outlet Box Elder Creek), and 1019000309 (Lost Creek) on cropland. The source figures from PLET only represent areas that are not MS4s.




Figure 6-1. Nitrogen Contributions per HUC10.




Figure 6-2. Phosphorus Contributions per HUC10.






Figure 6-3. Sediment Contributions per HUC10.



RESPEC

## 6.2 E. COLI

The bacteria production assessment revealed that, overall, throughout the overall Middle South Platte River project area within Larimer and Weld Counties, cattle are the primary producers of bacteria. Figure 6-4 provides the total production of bacteria per HUC10 based on the assessment within GIS. Priority areas for reduction of *E. coli* are HUC10s 1019000803 (Coal Creek) and 1019000903 (Middle Crow Creek) because they have the highest production rates overall. Practices related to cattle exclusion from streams, such as fencing, off-stream watering, and seasonal riparian area management, should be a priority in this watershed. The *E. coli* impairments are located in HUC10s 1019000306 (Little Dry Creek-South Platte River), 1019000310 (Sanborn Draw-South Platte River), and 1019000311 (Greasewood Draw-South Platte River), and therefore, these should also be priorities for *E. coli* reductions. However, it is possible that these loads are coming from upstream.




Figure 6-4. Bacteria Produced per HUC10.

### **6.3 HEAVY METALS**

The AML density identified HUC10 1019000306 (Little Dry Creek-South Platte River) as the only HUC10 watershed with the identified AMLs; therefore, it should be the primary target (priority area) in continuing AML identification and practice implementation to reduce heavy metals in waters. Waterbodies impaired with total arsenic align with the AML density analysis and exist in and downstream of the HUC10 watersheds with identified AMLs; however, waterbodies impaired with uranium and cadmium occur in HUC10 watersheds where AMLs were not identified. The density of AMLs per square mile is illustrated in Figure 6-5 [Graves, 2024]. Priority watersheds for heavy metal-reducing BMPs should be the areas with the highest density of AMLs. For the Middle South Platte project area, arsenic and selenium are not a significant issue because any impairments (Table 4-1) seem to be coming from upstream. Transitioning from flood irrigation to more efficient irrigation methods will still be a priority for other parameters.




Figure 6-5. Density of Abandoned Mine Lands for Each HUC10.

## 7.0 BEST MANAGEMENT PRACTICES LOAD REDUCTIONS

Numerous resources exist in Colorado and nationally that provide information on BMPs. Some give data about implementation, and others inform on expected load reductions. Understanding that most BMPs require maintenance over time to remain effective is important. Some BMPs also need individuals to operate them for effectiveness. The Community-enabled Lifecycle Analysis of Stormwater Infrastructure Costs (CLASIC) tool is available on the [CLASIC website](#) and provides more information about life cycles of some stormwater BMPs. The following websites were used to summarize the overall BMP options:

- / [Colorado Department of Agriculture BMPs](#)
- / [Colorado Water Conservation Board Floodplain Stormwater and Criteria Manual](#)
- / [Colorado Water Conservation Board BMPs](#)
- / [Colorado Waterwise Guidebook of Best Practices for Municipal Water Conservation in Colorado](#)
- / [Colorado Ag Water Quality BMPs for Colorado](#)
- / [Colorado Forestry Best Management Practices 2018 Field Monitoring Report](#)
- / [Colorado Wetland Information Center Wetland BMPs](#)
- / [Colorado Stormwater Center](#)
- / [Colorado Department of Transportation Permanent Water Quality Program](#)
- / [Upper South Platte BMPs for Protecting Source Water Quality](#)
- / [International Stormwater BMP Database](#)
- / [One Water Solutions Institute](#)
- / [EPA Menu of Stormwater BMPs](#)
- / [USDA Stream Restoration Manual](#)
- / [Natural Resources Conservation Service Conservation Practice Standards](#)
- / [USDA Colorado Field Office Technical Guide](#)
- / [Pollution Load Estimator Tool](#)

### 7.1 NUTRIENTS AND SEDIMENT

For this project, nutrient and sediment BMPs available in PLET were prioritized using multiple metrics, including stakeholder input and BMP effectiveness. The BMP reduction factors for PLET BMPs are listed in Tables 7-1 through 7-5 for cropland, pastureland, feedlots, forest, and urban lands. The average of the nitrogen, phosphorus, and sediment reduction factors was the first metric used for prioritization. The average survey score based on Survey #2 results was the second metric. The final score, the reduction survey, was the product of the two metrics. The following practices were chosen and run in PLET based on reduction survey scores: the top two cropland, top two pasture, top feedlot, top two forest, and top three urban. These priority PLET practices for each respective land use are in bold under the column headings of Tables 7-1 through 7-5. The priority PLET practices were run on

25 percent of the modeled land cover they were developed for (i.e., cropland, pasture, feedlot, forest, urban). Associated reductions for each PLET practice run are provided in Table 7-6. Reductions at the HUC10 level are included in Appendix D. Several of the practice reduction factors suggest that reducing sediment loading would simultaneously reduce nutrient loading. PLET BMP descriptions and the reduction fractions can be found in the “Best Management Practice Definition Document for Pollution Load Estimation Tool” [EPA, 2023].

**Table 7-1.** PLET Cropland Best Management Practices and Average Reduction Metric

Practice	Nitrogen Reduction (Fraction)	Phosphorus Reduction (Fraction)	Sediment Reduction (Fraction)	Average Reduction <sup>(a)</sup> (Fraction)	Average Survey Score <sup>(b)</sup>	Reduction Survey Score <sup>(c)</sup>
<b>Streambank Stabilization and Fencing</b>	<b>0.75</b>	<b>0.75</b>	<b>0.75</b>	<b>0.75</b>	<b>2.0</b>	<b>1.5</b>
<b>Buffer - Grass (35 feet wide)</b>	<b>0.34</b>	<b>0.44</b>	<b>0.53</b>	<b>0.44</b>	<b>3.0</b>	<b>1.3</b>
Contour Farming	0.34	0.46	0.41	0.40	2.0	0.8
Terrace	0.27	0.31	0.41	0.33	2.0	0.7
Controlled Drainage	0.39	0.35	0	0.25	2.5	0.6
Conservation Tillage 1 (30-59% residue)	0.07	0.36	0.46	0.30	2.0	0.6
Conservation Tillage 2 (equal or more than 30% residue)	0.13	0.69	0.79	0.54	1.0	0.5
Nutrient Management 2 (determined rate plus additional considerations)	0.22	0.56	0	0.26	2.0	0.5
Buffer – Forest (100 feet wide)	0.49	0.47	0.6	0.52	1.0	0.5
Nutrient Management 1 (determined rate)	0.15	0.45	0	0.20	2.0	0.4
Bioreactor	0.45	0	0	0.15	1.0	0.2
Two-Stage Ditch	0.12	0.28	0	0.13	1.0	0.1
Cover Crop 1 (group A commodity; high till only for sediment)	0.0078	0	0	0.00	0.0	0.0
Cover Crop 2 (group A traditional normal planting time; high till only for total phosphorus and sediment)	0.2	0.07	0.1	0.12	0.0	0.0
Cover Crop 3 (group A traditional early planting time) (high till only for total phosphorus and sediment)	0.2	0.15	0.2	0.18	0.0	0.0

(a) Average Reduction is the product of the nitrogen, phosphorus, and sediment reduction.

(b) Average Survey Score is the average of the survey prioritization from Survey #2.

(c) The Survey Reduction Score is the product of the average reduction and the average survey score.



**Table 7-2. PLET Pasture Best Management Practices and Average Reduction Metric**

Practice	Nitrogen Reduction (Fraction)	Phosphorus Reduction (Fraction)	Sediment Reduction (Fraction)	Average Reduction <sup>(a)</sup> (Fraction)	Average Survey Score <sup>(b)</sup>	Reduction Survey Score <sup>(c)</sup>
<b>Streambank Stabilization and Fencing</b>	<b>0.75</b>	<b>0.75</b>	<b>0.75</b>	<b>0.75</b>	<b>3.0</b>	<b>2.3</b>
<b>Buffer – Grass (minimum 35 feet wide)</b>	<b>0.87</b>	<b>0.89</b>	<b>0.65</b>	<b>0.80</b>	<b>2.8</b>	<b>2.2</b>
Livestock Exclusion Fencing	0.2	0.43	0.64	0.42	3.4	1.4
Buffer – Forest (minimum 35 feet wide)	0.45	0.4	0.53	0.46	2.2	1.0
Streambank Protection Without Fencing	0.15	0.22	0.58	0.32	2.8	0.9
Critical Area Planting	0.18	0.2	0.42	0.27	3.3	0.9
Grazing Land Management (rotational grazing with fenced areas)	0.43	0.26	0	0.23	3.8	0.9
Heavy Use Area Protection	0.18	0.19	0.33	0.23	3.5	0.8
Prescribed Grazing	0.41	0.23	0.33	0.32	2.5	0.8
Multiple Practices	0.25	0.2	0.22	0.22	3.6	0.8
Winter Feeding Facility	0.35	0.4	0.4	0.38	2.0	0.8
Use Exclusion	0.43	0.08	0.51	0.34	1.7	0.6
30-meter Buffer With Optimal Grazing	0.16	0.65	0	0.27	1.5	0.4
Alternative Water Supply	0.18	0.13	0.2	0.17	2.0	0.3
Pasture and Hayland Planting (also called Forage Planting)	0.18	0.15	0	0.11	3.0	0.3
Litter Storage and Management	0.14	0.14	0	0.09	3.4	0.3

(a) Average Reduction is the product of the nitrogen, phosphorus, and sediment reduction.

(b) Average Survey Score is the average of the survey prioritization from Survey #2.

(c) The Survey Reduction Score is the product of the average reduction and the average survey score.

**Table 7-3. PLET Feedlot Best Management Practices and Average Reduction Metric**

Practice	Nitrogen Reduction (Fraction)	Phosphorus Reduction (Fraction)	Sediment Reduction (Fraction)	Average Reduction <sup>(a)</sup> (Fraction)	Average Survey Score <sup>(b)</sup>	Reduction Survey Score <sup>(c)</sup>
<b>Waste Management System</b>	<b>0.8</b>	<b>0.9</b>	<b>0</b>	<b>0.57</b>	<b>3.6</b>	<b>2.0</b>
Waste Storage Facility	0.65	0.6	0	0.42	3.6	1.5
Diversion	0.45	0.7	0	0.38	3.5	1.3
Terrace	0.55	0.85	0	0.47	2.8	1.3
Filter Strip	0	0.85	0	0.28	4.0	1.1
Runoff Management System	0	0.83	0	0.28	3.3	0.9
Solids Separation Basin With Infiltration Bed	0	0.8	0	0.27	3.0	0.8
Solids Separation Basin	0.35	0.31	0	0.22	3.0	0.7

(a) Average Reduction is the product of the nitrogen, phosphorus, and sediment reduction.

(b) Average Survey Score is the average of the survey prioritization from Survey #2.

(c) The Survey Reduction Score is the product of the average reduction and the average survey score.



Table 7-4. PLET Forest Best Management Practices and Average Reduction Metric

Practice	Nitrogen Reduction (Fraction)	Phosphorus Reduction (Fraction)	Sediment Reduction (Fraction)	Average Reduction <sup>(a)</sup> (Fraction)	Average Survey Score <sup>(b)</sup>	Reduction Survey Score <sup>(c)</sup>
Site Preparation/Straw/Crimp Seed/Net	0	0	0.93	0.31	3.7	1.1
Site Preparation/Straw/Crimp Seed/Fertilizer/Transplants	0	0	0.95	0.32	3.0	1.0
Road Grass and Legume Seeding	0	0	0.71	0.24	3.7	0.9
Site Preparation/Straw/Polymer/Seed/Fertilizer/Transplants	0	0	0.86	0.29	3.0	0.9
Site Preparation/Hydro Mulch/Seed/Fertilizer	0	0	0.71	0.24	3.5	0.8
Site Preparation/Steep Slope Seeder/Transplants	0	0	0.81	0.27	3.0	0.8
Site Preparation/Straw/Net/Seed/Fertilizer/Transplants	0	0	0.83	0.28	2.8	0.8
Site Preparation/Hydro Mulch/Seed/Fertilizer/Transplants	0	0	0.69	0.23	3.2	0.7
Road Hydro Mulch	0	0	0.41	0.14	4.3	0.6
Road Tree Planting	0	0	0.5	0.17	3.4	0.6
Road Straw Mulch	0	0	0.41	0.14	4.0	0.5
Road Dry Seeding	0	0	0.41	0.14	3.6	0.5

(a) Average Reduction is the product of the nitrogen, phosphorus, and sediment reduction.

(b) Average Survey Score is the average of the survey prioritization from Survey #2.

(c) The Survey Reduction Score is the product of the average reduction and the average survey score.

Table 7-5. PLET Urban Best Management Practices and Average Reduction Metric (Page 1 of 2)

Practice	Nitrogen Reduction (Fraction)	Phosphorus Reduction (Fraction)	Sediment Reduction (Fraction)	Average Reduction <sup>(a)</sup> (Fraction)	Average Survey Score <sup>(b)</sup>	Reduction Survey Score <sup>(c)</sup>
Extended Wet Detention	0.55	0.69	0.86	0.70	3.8	2.7
Infiltration Basin	0.6	0.65	0.75	0.67	3.3	2.2
Concrete Grid Pavement	0.9	0.9	0.9	0.90	2.3	2.1
Low Impact Development - Infiltration Swale	0.5	0.65	0.9	0.68	2.9	2.0
Porous Pavement	0.85	0.65	0.9	0.80	2.2	1.8
Bioretention Facility	0.63	0.8	0	0.48	3.6	1.7
Infiltration Trench	0.55	0.6	0.75	0.63	2.6	1.6
Infiltration Devices	0	0.83	0.94	0.59	2.7	1.6
Vegetated Filter Strips	0.4	0.45	0.73	0.53	2.9	1.5
Settling Basin	0	0.52	0.82	0.45	3.3	1.5
Low Impact Development - Infiltration Trench	0.5	0.5	0.9	0.63	2.3	1.4
Dry Detention	0.3	0.26	0.58	0.38	3.7	1.4
Wetland Detention	0.2	0.44	0.78	0.47	2.9	1.4
Sand Filter/Infiltration Basin	0.35	0.5	0.8	0.55	2.5	1.4
Low Impact Development - Filter/Buffer Strip	0.3	0.3	0.6	0.40	3.3	1.3
Low Impact Development - Bioretention	0.43	0.81	0	0.41	3.1	1.3
Low Impact Development - Dry Well	0.5	0.5	0.9	0.63	1.9	1.2
Grass Swales	0.1	0.25	0.65	0.33	3.5	1.2
Alum Treatment	0.6	0.9	0.95	0.82	1.4	1.1
Wet Pond	0.35	0.45	0.6	0.47	2.3	1.1
Sand Filters	0	0.38	0.83	0.40	2.6	1.0
Low Impact Development - Wet Swale	0.4	0.2	0.8	0.47	2.1	1.0
Water Quality Inlet With Sand Filter	0.35	0	0.8	0.38	2.5	1.0
Low Impact Development - Vegetated Swale	0.08	0.18	0.48	0.25	3.3	0.8
Filter Strip – Agricultural	0.53	0.61	0.65	0.60	1.3	0.8

**Table 7-5.** PLET Urban Best Management Practices and Average Reduction Metric (Page 2 of 2)

Practice	Nitrogen Reduction (Fraction)	Phosphorus Reduction (Fraction)	Sediment Reduction (Fraction)	Average Reduction <sup>(a)</sup> (Fraction)	Average Survey Score <sup>(b)</sup>	Reduction Survey Score <sup>(c)</sup>
Water Quality Inlets	0.2	0.09	0.37	0.22	3.3	0.7
Oil/Grit Separator	0.05	0.05	0.15	0.08	3.7	0.3
Weekly Street Sweeping	0	0.06	0.16	0.07	2.9	0.2

- (a) Average Reduction is the product of the nitrogen, phosphorus, and sediment reduction.
- (b) Average Survey Score is the average of the survey prioritization from Survey #2.
- (c) The Survey Reduction Score is the product of the average reduction and the average survey score.

**Table 7-6.** Reductions From Priority PLET Best Management Practices Run on 25 Percent of Each Applicable Land Cover

Land Use	Percent of Total Area	Practice	Nitrogen Load (lb/year)	Nitrogen Reduction (%)	Phosphorus Load (lb/year)	Phosphorus Reduction (%)	Sediment Load (tons/year)	Sediment Reduction (%)
All	N/A	Base Load (no BMPs)	568,871	N/A	219,044	N/A	176,414	N/A
Cropland	24	Stream Stabilization and Fencing	468,761	17.6	180,502	17.6	145,130	17.7
Cropland	24	Buffer - Grass (35 feet wide)	498,127	12.4	191,808	12.4	154,306	12.5
Pasture	2	Stream Stabilization and Fencing	567,294	0.3	218,437	0.3	175,921	0.3
Pasture	2	Livestock Exclusion Fencing	567,525	0.2	218,526	0.2	175,993	0.2
Feedlot	<1	Waste Management System	568,871	0.0	219,044	0.0	176,414	0.0
Forest	2	Site Prep/Straw/Crimp Seed/Net	568,752	0.0	218,999	0.0	176,377	0.0
Forest	2	Site Prep/Straw/Crimp Seed/Fertilizer/Transplants	568,750	0.0	218,998	0.0	176,376	0.0
Urban	3	Extended Wet Detention	568,871	0.0	219,044	0.0	176,414	0.0
Urban	3	Infiltration Basin	568,871	0.0	219,044	0.0	176,414	0.0
Urban	3	Concrete Grid Pavement	568,871	0.0	219,044	0.0	176,414	0.0

lb/year = pounds per year

Numerous BMPs that reduce nutrient and sediment NPS loads exist from other sources not included in PLET. Nutrient and sediment load reductions from BMPs are ranked in the Natural Resources Conservation Service (NRCS) Conservation Practice Physical Effects (CPPE) [NRCS, 2024b] as substantial, moderate to substantial, moderate, slight to moderate, and slight. Similarly, reductions expected from urban practices are provided in the International Stormwater BMP Database (BMPDB) [The Water Research Foundation, 2024]. Tables 7-7 and 7-8 list the most effective CPPE practices (i.e., substantial, moderate to substantial, and moderate reductions) and urban practices for sediment reduction. Table 7-9 shows the most effective CPPE practices (i.e., substantial, moderate to substantial, and moderate reductions) for nutrient reduction, and Tables 7-10 and 7-11 provide the urban practices for nitrogen and phosphorus reduction, respectively [NRCS, 2024b]. Irrigation practices are important in the project area for the reduction of nutrients and sediment but were not available in PLET. The NRCS Irrigation Water Management practice code Number 449 has slight to moderate improvement (less than every other practice listed in CPPE practices tables) for sediment and nutrients. However, the NRCS Irrigation Water Management practice code Number 449 has been added to these tables because of its high usage in the project area. Other practices with slight to moderate improvement should not be discouraged, even though they are not included in the tables in this section.

**Table 7-7.** Most Effective Sediment to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects (Page 1 of 2)

Practice	Practice Code	Unit	Effect	Rationale
Constructed Wetland	656	Acre	Substantial Improvement	The system traps and holds suspended materials from entering surface waters.
Filter Strip	393	Acre	Substantial Improvement	Vegetation protects the soil surface and traps sediment, nutrients, and other materials.
Grassed Waterway	412	Acre	Substantial Improvement	Erosion is controlled, vegetation traps sediment, and runoff is delivered at a safe velocity.
Lined Waterway or Outlet	468	Feet	Substantial Improvement	Erosion is controlled, vegetation traps sediment, and runoff is delivered at a safe velocity.
Riparian Forest Buffer	391	Acre	Substantial Improvement	Vegetation protects the soil surface and traps sediment, nutrients, and other materials.
Anionic Polyacrylamide Erosion Control	450	Acre	Moderate to Substantial Improvement	The action reduces erosion and sediment load.
Conservation Cover	327	Acre	Moderate to Substantial Improvement	Less erosion and runoff reduce sediment.
Critical Area Planting	342	Acre	Moderate to Substantial Improvement	Vegetation reduces erosion and sediment delivery.
Forest Farming	379	Acre	Moderate to Substantial Improvement	Varied canopy layers and surface cover and organic matter management reduce sediment-laden runoff from reaching surface water conveyances.
Grazing Land Mechanical Treatment	548	Acre	Moderate to Substantial Improvement	Improved hydrologic indicators increase infiltration and decrease runoff.
Land Reclamation, Abandoned Mined Land	543	Acre	Moderate to Substantial Improvement	Erosion control and revegetation reduces concerns about sediments.
Land Reclamation, Currently Mined Land	544	Acre	Moderate to Substantial Improvement	Erosion control and revegetation reduces concerns about sediments.
Land Reclamation, Landslide Treatment	453	N/A	Moderate to Substantial Improvement	Erosion control and increased cover reduces runoff and sediment.
Residue and Tillage Management, No Till	329	Acre	Moderate to Substantial Improvement	Less erosion and runoff reduce the transport of sediment.
Riparian Herbaceous Cover	390	Acre	Moderate to Substantial Improvement	Vegetation protects the soil surface and traps sediment, nutrients, and other materials.
Sediment Basin	350	N/A	Moderate to Substantial Improvement	The basin retains sediment, decreasing runoff turbidity.
Stormwater Runoff Control	570	N/A	Moderate to Substantial Improvement	Controlling erosion and runoff reduces off-site sediment.
Vegetative Barrier	601	Feet	Moderate to Substantial Improvement	Vegetation slows runoff and filters sediment.
Water and Sediment Control Basin	638	N/A	Moderate to Substantial Improvement	The basin retains sediment and minimizes turbidity.
Access Control	472	Acre	Moderate Improvement	Excluding animals, people, and vehicles influences the vigor and health of vegetation and soil conditions, reducing sediment supply to surface waters when applied with other management practices.
Alley Cropping	311	Acre	Moderate Improvement	Vegetation inhibits sediment-laden water to allow it to drop sediment load.
Conservation Crop Rotation	328	Acre	Moderate Improvement	Depending on crop rotation and biomass produced, crop rotation reduces erosion and runoff, which reduces transport of sediment.
Contour Buffer Strips	332	Acre	Moderate Improvement	Contour buffer strips reduce sheet and rill erosion and slow the velocity of runoff, thereby reducing the transport of sediment to surface water.

**Table 7-7.** Most Effective Sediment to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects (Page 2 of 2)

Practice	Practice Code	Unit	Effect	Rationale
Contour Orchard and Other Perennial Crops	331	Acre	Moderate Improvement	Contouring reduces sheet and rill erosion and slows the velocity of runoff, thereby reducing the transport of sediment to surface water.
Field Border	386	Feet	Moderate Improvement	Vegetation protects the soil surface and traps sediment.
Residue and Tillage Management, Reduced Till	345	Acre	Moderate Improvement	Less erosion and runoff reduce the transport of sediment.
Road/Trail/Landing Closure and Treatment	654	Feet	Moderate Improvement	Vegetation and other treatments reduce erosion and sediment delivery.
Silvopasture	381	Acre	Moderate Improvement	On sites that previously lacked permanent vegetation, establishing a combination of trees or shrubs and compatible forages reduces the erosive force of water and reduces sedimentation.
Stripcropping	585	Acre	Moderate Improvement	Stripcropping reduces erosion and slows water and wind velocities, increasing infiltration.
Surface Roughening	609	Acre	Moderate Improvement	The formation of clods reduces wind-borne sediment.
Tree/Shrub Establishment	612	Acre	Moderate Improvement	Vegetation provides cover, reduces wind velocities, and increases infiltration.
Wetland Wildlife Habitat Management	644	Acre	Moderate Improvement	Improved vegetative cover reduces runoff and sedimentation.
Irrigation Water Management	449	Acre	Slight to Moderate Improvement	Water is applied at rates that minimize soil erosion.

**Table 7-8.** Most Effective Sediment (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database

BMP Category	Concentration In (mg/L)	Concentration Out (mg/L)	Reduction (%)
High-Rate Biofiltration	30.8	3.8	88
Media Filter	44	7.2	84
Bioretention	44	10	77
Retention Pond	49	12	76
Porous Pavement	77	22	71
Detention Basin	65.1	22	66
Wetland Basin	35.5	14	61
High-Rate Media Filtration	44	18	59
Oil-Grit Separator	36	15.5	57
Grass Strip	48	23	52
Grass Swale	26	13.7	47
Hydrodynamic Separator	63.9	39	39

mg/L = milligrams per liter

**Table 7-9.** Most Effective Nutrient to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects (Page 1 of 2)

Practice	Practice Code	Unit	Effect	Rationale
Filter Strip	393	Acre	Substantial Improvement	Solid organics and sediment-attached nutrients are filtered out; soluble nutrients infiltrate the soil and may be taken up by plants or used by soil organisms.
Nutrient Management	590	Acre	Substantial Improvement	The right amount, source, placement, and timing provide nutrients when plants need them most.
Riparian Forest Buffer	391	Acre	Substantial Improvement	Plants and soil organisms in the buffer use nutrients; the buffer filters out suspended particles to which nutrients are attached.
Riparian Herbaceous Cover	390	Acre	Substantial Improvement	Permanent vegetation uptakes excess nutrients.
Saturated Buffer	604	Feet	Substantial Improvement	The buffer removes 60 to 100% of nitrogen from drain pipe discharge.
Sediment Basin	350	N/A	Substantial Improvement	The action tends to accumulate contaminants attached to sediments, and infiltrating waters removes soluble contaminants.
Conservation Cover	327	Acre	Moderate to Substantial Improvement	Less erosion and runoff reduce the transport of nutrients; permanent cover can take up excess nutrients and convert them to stable organic forms.
Constructed Wetland	656	Acre	Moderate to Substantial Improvement	The action traps nutrients and organics, which are broken down and used by wetland plants.
Short-Term Storage of Animal Waste and Byproducts	318	Cubic Yard	Moderate to Substantial Improvement	Short-term storage provides flexibility in rate, timing, and location of waste application, with the potential for reductions of contaminants available for transport.
Vegetated Treatment Area	635	Acre	Moderate to Substantial Improvement	Infiltration and plant uptake in the treatment area removes contaminants from polluted runoff and wastewater.
Waste Storage Facility	313	#	Moderate to Substantial Improvement	Storage provides flexibility in rate, timing, and location of waste application, with the potential for reductions of contaminants available for transport.
Waste Treatment Lagoon	359	#	Moderate to Substantial Improvement	Storage provides flexibility in rate, timing, and location of waste application, with the potential for reductions of contaminants available for transport.
Watering Facility	614	#	Moderate to Substantial Improvement	When used in place of an instream water source, this action decreases manure deposition in the stream.
Alley Cropping	311	Acre	Moderate Improvement	Plants and soil organisms uptake nutrients.
Conservation Crop Rotation	328	Acre	Moderate Improvement	Nitrogen-demanding or deep-rooted crops can remove excess nitrogen; legumes in rotation provides slow-release nitrogen and reduce the need for additional nitrogen.
Denitrifying Bioreactor	605	#	Moderate Improvement	Reactors remove 30 to 60% of the nitrogen load coming from a drain pipe.
Diversion	362	Feet	Moderate Improvement	The action diverts surface water away from feedlots and reduces 5-day Biological Oxygen Demand; total phosphorous and total nitrogen load to receiving surface waters.

**Table 7-9.** Most Effective Nutrient to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects (Page 2 of 2)

Practice	Practice Code	Unit	Effect	Rationale
Grazing Land Mechanical Treatment	548	Acre	Moderate Improvement	Modifications to soil conditions increase infiltration and reduce runoff; improved plant growth better uses nutrients, decreasing the potential for losses in runoff.
Livestock Shelter Structure	576	#	Moderate Improvement	Moving livestock away from streams and riparian areas decreases the probability of excess manure nutrients in the water.
Silvopasture	381	Acre	Moderate Improvement	Depending on previous vegetative conditions, whether forestland or pasture, the permanent silvopasture vegetation may take up comparatively greater amounts of nutrients.
Wetland Creation	658	Acre	Moderate Improvement	Wetland systems use dissolved nutrients and trap sediment-attached nutrients and organics.
Wetland Enhancement	659	Acre	Moderate Improvement	Wetland systems use dissolved nutrients and trap sediment-attached nutrients and organics.
Wetland Restoration	657	Acre	Moderate Improvement	Wetland systems use dissolved nutrients and trap sediment-attached nutrients and organics.
Irrigation Water Management	449	Acre	Slight to Moderate Improvement	Water is applied at rates that reduce the potential for erosion and detachment, and minimize nutrient transport to surface water.

**Table 7-10.** Most Effective Nitrogen (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database

BMP Category	Concentration In (mg/L)	Concentration Out (mg/L)	Reduction (%)
High-Rate Media Filtration	1.88	1	47
Retention Pond	1.63	1.2	26
Bioretention	1.26	0.96	24
Wetland Channel	1.76	1.45	18
Media Filter	1.06	0.89	16
Grass Strip	1.47	1.27	14
Grass Swale	0.71	0.63	11



**Table 7-11.** Most Effective Phosphorus (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database

BMP Category	Concentration In (mg/L)	Concentration Out (mg/L)	Reduction (%)
Oil-Grit Separator	0.316	0.115	64
Retention Pond	0.246	0.12	51
High-Rate Biofiltration	0.099	0.05	49
Media Filter	0.165	0.09	45
Porous Pavement	0.17	0.1	41
High-Rate Media Filtration	0.12	0.08	33
Wetland Basin	0.17	0.122	28
Detention Basin	0.25	0.186	26
Hydrodynamic Separator	0.23	0.176	23

Practices associated with reducing wildfire impacts include susceptibility and post-fire hazard analyses and pre-disaster planning and mitigation. The susceptibility analysis includes determining the assets at risk from fire and the risk severity of post-fire impacts, such as flooding, loss of life, loss of property, damage to infrastructure, utility interruptions, and water quality and quantity issues. Post-fire hazards consist of flooding, sediment/hillslope erosion, debris flow, fluvial hazard zones, water quality issues, and risk to water infrastructure. Post-fire BMPs should involve slope stabilization and reforestation.

## 7.2 E. COLI

*E. coli* load reductions from BMPs are ranked in the NRCS CPPE as substantial, moderate to substantial, moderate, slight to moderate, and slight. Table 7-12 lists the most effective practices (i.e., substantial, moderate to substantial, and moderate reductions) [NRCS, 2024b]. *E. coli* reductions expected from the BMPDB's urban practices are summarized in Table 7-13 [The Water Research Foundation, 2024]. Unlike the sediment and nutrient reductions, *E. coli* reductions are not quantified using the PLET model; therefore, priority BMPs should be those with the highest amount of reduction in the priority areas on the relative land cover. The NRCS Irrigation Water Management practice code Number 449 has slight to moderate improvement for bacteria, and it was included in Table 7-12 because of its high probability of installation. Practices with slight to moderate improvement should not be discouraged, even though they are not included in the tables in this section.

**Table 7-12.** Most Effective Bacteria (Pathogen) to Surface Water Reducing Agricultural Best Management Practices From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects

Practice	Practice Code	Unit	Effect	Rationale
Vegetated Treatment Area	635	Acre	Substantial Improvement	Infiltration and plant uptake in the treatment area remove contaminants from polluted runoff and wastewater.
Constructed Wetland	656	Acre	Moderate to Substantial Improvement	Pathogens are trapped in the wetland.
Filter Strip	393	Acre	Moderate to Substantial Improvement	Filter strips capture and delay pathogen movement, but mortality may also be delayed because vegetative cover may protect pathogens from desiccation.
Nutrient Management	590	Acre	Moderate to Substantial Improvement	Proper application of manure, compost, and bio-solids should reduce or eliminate pathogens and/or chemicals (if present in source material) from moving into surface water.
Waste Treatment Lagoon	359	N/A	Moderate to Substantial Improvement	Storage provides flexibility in rate, timing, and location of waste application, with the potential for reductions of contaminants available for transport.
Alley Cropping	311	Acre	Moderate Improvement	Ground vegetation captures and delays pathogen movement and thereby increases their mortality.
Forest Farming	379	Acre	Moderate Improvement	Management of multilayered canopy cover and organic matter impedes the movement of harmful pathogens.
Land Reclamation, Abandoned Mined Land	543	Acre	Moderate Improvement	Reconstructed mine land provides reduced runoff and erosion, and the filtering effects of vegetation reduce the risk of harmful levels of pathogens entering surface water.
Land Reclamation, Currently Mined Land	544	Acre	Moderate Improvement	Reconstructed mine land provides reduced runoff and erosion, and the filtering effects of vegetation reduce the risk of harmful levels of pathogens entering surface water.
Riparian Forest Buffer	391	Acre	Moderate Improvement	Riparian areas capture and delay pathogen movement and thereby increase their mortality.
Riparian Herbaceous Cover	390	Acre	Moderate Improvement	Vegetation traps pathogens providing increased opportunity for solar and microbial action to destroy some.
Irrigation Water Management	449	Acre	Slight to Moderate Improvement	Water is applied at rates that minimize pathogens transport to surface water.

**Table 7-13.** Most Effective *E. coli* (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database

BMP Category	Concentration In (mpn/100 mL)	Concentration Out (mpn/100 mL)	Reduction (%)
Wetland Basin	6,210	884	86
Retention Pond	4,110	708	83
Media Filter	570	215	62
Detention Basin	900	500	44
Bioretention	275	158	43
Hydrodynamic Separator	2,400	1,700	29

mpn = most probable number

### 7.3 HEAVY METALS

Several risks are associated with abandoned mines. To prioritize public safety, specific locations of abandoned mines are not disclosed; however, taking action to mitigate potential dangers is important. The efforts of groups like Defense-Related Uranium Mines (DRUMs) are crucial in sealing off dangerous openings, identifying hazards, and implementing safety measures to protect the public and environment. This approach balances transparency with the need to safeguard communities from potential harm and is more focused on water quality and heavy-metal-impaired waterbodies. When waters are exposed to rocks containing sulfide minerals, they tend to become acid-rich. This occurrence is called acid rock drainage and is prevalent in mined areas where spent materials were left unclaimed. When the waters become acidic, they are more capable of gathering up and carrying heavy metals, including those that impair the waterbodies on the 303(d) list within the project area.

The AML implementation should be guided by the NRCS Code 543 practices. The NRCS Conservation Practice Standard states the following options for land reclamation of AML [NRCS, 2024c]:

**Public health and safety:** Prior to beginning onsite investigations, identify possible hazards and implement appropriate safety precautions.

**Erosion and sediment control practices:** Control or treat runoff and sedimentation from treatment areas, soil material stockpiles, access roads, and permanent impoundments. Use sediment-trapping practices, such as filter strips, riparian forest buffers, contour buffer strips, silt fences, sediment basins, or similar practices. Include temporary practices necessary during earth moving activities and permanent practices necessary to stabilize the site and control runoff from the site after reclamation.

Control the generation of particulate matter and fugitive dust during removal and replacement of soil and other materials.

**Site preparation:** Identify areas for preservation during construction. Include areas containing desirable trees, shrubs, grasses, stream corridors, natural springs, historic structures, or other important features that will be protected during construction activities.

Remove trees, logs, brush, rubbish, and other debris that interfere with reclamation operations. Dispose of debris material in a way that does not create a resource problem or interfere with reclamation activities and the planned land use.

**Storage of soil materials:** Stockpile soil or fill materials until needed for reclamation. Protect stockpiles from wind and water erosion, dust generation, unnecessary compaction, and contamination by noxious weeds, invasive species, or other undesirable materials.

**Highwall treatment:** Prior to backfilling, rock walls should have horizontal:vertical slopes of 0.5:1 or less. before placing backfill against the wall. Determine the thickness and density of lifts for fill material to limit the deep infiltration of precipitation and to limit settlement of the completed fill to acceptable levels, based on the available fill material and planned land use.

**Shafts and adits:** Use NRCS Conservation Practice Standard (CPS) Mine Shaft and Adit Closing (Code 457) to close/seal a shaft or adit. Divert runoff away from the shaft or adit.

**Placement of surface material:** Develop a grading plan that returns the site, including any off-site borrow areas, to contours that are suitable for the planned land use and control soil loss. Include the spreading of stockpiled topsoil material as the final layer. Treat graded areas to eliminate slippage surfaces and promote root penetration before spreading surface material. Spread surface soil without causing over-compaction.

Shape the land surface to provide adequate surface drainage and to blend into the surrounding topography. Use erosion control practices to reduce slope lengths where sheet and rill erosion exceeds acceptable levels. If settlement is likely to interfere with the planned land use, develop surface drainage or water disposal plans that compensate for the expected settlement.

If the subsurface material is not a source of contamination, improve soil permeability after placing backfill material by using deep ripping tools to decrease compaction, promote infiltration, and encourage root development. Do not plan practices that promote infiltration if seepage through cover materials has the potential to develop or exacerbate acid mine drainage loading or treatment.

**Restoration of borrow material:** If cover or fill material is taken from areas outside the reclamation site, stockpile the topsoil from the borrow area separately, and replace it on the borrow area after the area is restored for its intended purpose. Grade and shape the borrow area for proper drainage, and revegetate the site to control erosion.

**Establishment of vegetation:** Prepare a revegetation plan for the treated areas. Select plant materials suitable for the specified end land use according to local climate potential, site conditions, and local NRCS criteria. Use native species where possible. Avoid use of invasive species.

Use the criteria in NRCS CPS Critical Area Planting (Code 342) to establish grasses and forbs. Use NRCS CPS Tree-Shrub Establishment (Code 612) for the establishment of trees and shrubs. If vegetation cannot be established, use NRCS CPS Mulching (Code 484).

**Control of toxic aqueous discharge:** Identify and document water quality and quantity and releases from seeps, overland, and mine shafts. Quantify water impacts such as low pH, arsenic, etc. Identify measures that may affect treatment such as dissolved oxygen, iron, aluminum, magnesium, manganese, etc.

Methods for treatment of toxic aqueous discharge depend upon the type and extent of the contamination. When control of toxic mine drainage is needed, use BMPs that comply with state regulatory requirements. Evaluate the consequences of each potential treatment method to avoid creating a secondary problem. Select a method that can adequately treat the water based on the quantity and chemistry of the mine water and that is suitable for the planned level of operation and maintenance. Size the treatment area and settling basin(s) to allow for the volume of flow and treatment rate. Include a plan for disposal of the precipitated metals and spent treatment material.

Reduce the volume of contaminated water by diverting clean water away from the contaminated area or by limiting the opportunity for water to contact contaminated soil materials. Install practices, such as diversions, underground outlets, lined waterways, or grade stabilization structures, to control surface runoff. To the extent possible, divert clean upslope runoff away from the treated area.

- / **Contaminated soil materials:** Remove, bury, or treat soil materials that adversely affect or have the potential to adversely affect water quality or plant growth. Bury materials containing heavy metals below the root zone, add suitable soil amendments, or both, to minimize the negative effect of this material. Separate soils with high electrical conductivity, calcium carbonate, sodium, or other restrictive properties, and treat, if practicable.
- / Add a layer of compacted clay or a landfill cover over the contaminated material to deter infiltration. Place an earthfill blanket over the compacted clay to support plant growth. For each layer, identify the lift thickness and density needed to limit deep infiltration of precipitation and excessive settlement of the completed fill.
- / **Mine sealing:** If clean water is entering a mine opening, divert the water away. If contaminated water is exiting the mine, it may be necessary to seal the mine to prevent water movement. Use NRCS CPS Mine Shaft and Adit Closing (Code 457) to design the mine seal. Divert surface water away from the mine seal.
- / **Neutralization and precipitation:** Precipitate toxic metals and neutralize acidity in mine drainage using chemical or biological treatment. Select a method that can adequately treat the water based on the quantity and chemistry of the mine water and that is suitable for the planned level of operation and maintenance. Size the treatment area and settling basin(s) to allow for the volume of flow and treatment rate. Include a plan for disposal of the precipitated metals and spent treatment material.

Aside from AMLs, heavy metals also come from agricultural lands and urbanized areas. Heavy metal load reductions from BMPs are ranked in the NRCS CPPE as substantial, moderate to substantial, moderate, slight to moderate, and slight. Table 7-14 lists the most effective practices (i.e., substantial, moderate to substantial, and moderate reductions) [NRCS, 2024b]. Heavy metal reductions expected from the BMPDB's urban practices are summarized in Table 7-15 [The Water Research Foundation, 2024]. Heavy metal reductions are not quantified using the PLET model; therefore, priority BMPs should be those with the highest amount of reduction in the priority areas on the relative land cover. The NRCS Irrigation Water Management practice code Number 449 has slight to moderate improvement for heavy metals. Irrigation management is the only NRCS practice included with less than moderate improvement. It was included because of its high probability of installation in the project area. Practices with slight to moderate improvement should not be discouraged, even though they are not included in the tables in this section.

**Table 7-14.** Most Effective Heavy Metals to Surface Water Reducing Agricultural Best Management Practices  
From the Colorado Natural Resources Conservation Service Conservation Practice Physical Effects

Practice	Practice Code	Unit	Effect	Rationale
On-Farm Secondary Containment Facility	319	N/A	Substantial Improvement	Provides for spill containment of petroleum products.
Constructed Wetland	656	Acre	Moderate to Substantial Improvement	Vegetation and anaerobic conditions trap heavy metals.
Irrigation and Drainage Tailwater Recovery	447	N/A	Moderate to Substantial Improvement	The action captures irrigation and/or drainage runoff and associated metal-laden sediment.
Land Reclamation, Landslide Treatment	453	N/A	Moderate to Substantial Improvement	Increased vegetation increases infiltration and reduces runoff and erosion.
Land Reclamation, Toxic Discharge Control	455	N/A	Moderate to Substantial Improvement	Control of discharge and reduction in infiltration reduce off-site movement of contaminated water.
Riparian Forest Buffer	391	Acre	Moderate Improvement	The action filters sediment, and some plants may uptake heavy metals.
Road/Trail/Landing Closure and Treatment	654	Feet	Moderate Improvement	Decreased erosion and runoff reduce heavy metal delivery to surface water; increased soil organic matter increases the capacity of soils to retain heavy metals; permanent vegetation can uptake heavy metals.
Irrigation Water Management	449	Acre	Slight to Moderate Improvement	Water is applied at rates that minimize heavy metals transport to surface water.

**Table 7-15.** Most Effective Heavy Metal (Greater Than 10 Percent) Reducing Urban Best Management Practices From the International Best Management Practice Database

Category	BMP Category	Concentration In (µg/L)	Concentration Out (µg/L)	Reduction (%)
Arsenic (T)	Media Filter	0.9	0.765	15
Arsenic (T)	Retention Pond	1	0.87	13
Arsenic (T)	Grass Swale	1.11	1	10
Cadmium (D)	Grass Swale	0.2	0.116	42
Cadmium (D)	Grass Strip	0.114	0.07	39
Cadmium (D)	Media Filter	0.2	0.128	36
Cadmium (D)	Oil-Grit Separator	0.155	0.101	35
Cadmium (D)	Hydrodynamic Separator	0.137	0.0933	32
Cadmium (D)	Retention Pond	0.163	0.125	23
Cadmium (D)	Detention Basin	0.117	0.0942	19
Copper (D)	Wetland Basin	3.95	2.29	42
Copper (D)	Grass Strip	12	7.4	38
Copper (D)	Retention Pond	5.08	3.5	31
Copper (D)	Detention Basin	3.96	2.99	24
Copper (D)	High-Rate Biofiltration	4.5	3.4	24
Copper (D)	Media Filter	3.86	3	22
Copper (D)	Grass Swale	6.5	5.63	13
Iron (T)	Retention Pond	1050	285	73
Iron (T)	Media Filter	685	195	72
Iron (T)	Grass Strip	746	320	57
Iron (T)	Grass Swale	216	136	37
Zinc (D)	Media Filter	32	7.15	78
Zinc (D)	Porous Pavement	17.8	4.09	77
Zinc (D)	Wetland Basin	22.6	8.35	63
Zinc (D)	High-Rate Biofiltration	189	79	58
Zinc (D)	Grass Strip	33.6	17	49
Zinc (D)	Grass Swale	34.2	19.8	42
Zinc (D)	Bioretention	20.8	12.5	40
Zinc (D)	Retention Pond	23.4	16	32
Zinc (D)	Detention Basin	12.1	9.38	22

µg/L = micrograms per liter

D = dissolved

T = total



## 8.0 PAST AND CURRENT BEST MANAGEMENT PRACTICES

According to stakeholder Survey #2, few BMPs have been implemented in the Middle South Platte River project area. However, many BMPs have been implemented in watersheds that drain to the Middle South Platte River, including the St. Vrain, Big and Little Thompson Rivers, and Cache la Poudre Watersheds [Kirby et al., 2024a, 2024b, 2024c].

Practices implemented by watershed and/or county were not available from the NRCS; however, they were available for the State of Colorado. An assumption was made that, the more likely a practice is to be implemented in Colorado, the more likely it would be implemented in the project area. Funding sources and programs involved in implementing practices in Colorado include the Agricultural Conservation Easement Program (ACEP), Agricultural Water Enhancement Program (AWEP) Conservation Reserve Program (CRP), Conservation Stewardship Program (CSP), Conservation Technical Assistance (CTA), Emergency Watershed Protection Program (EWP), Environmental Quality Incentives Program (EQIP), Farm and Ranch Lands Protection Program (FRPP), Grass Reserve Program (GRP), Regional Conservation Partnership Program (RCPP), Resource Conservation and Development Program (RCD), Watershed Protection and Flood Prevention Operations (WFPO) Program, Watershed Rehabilitation (WHRB), Wetlands Reserve Program (WRP), and Wildlife Habitat Incentive Program (WHIP). Table 8-1 lists the practices implemented on more than 50 mi<sup>2</sup> in Colorado since 2005 that should continue to be implemented for water quality improvement [USDA, 2024].

**Table 8-1.** Best Management Practices Implemented Annually on More Than 50 Square Miles in Colorado Since 2005 (Page 1 of 2)

Practice Name	Practice Code	Colorado mi <sup>2</sup>	Associated Land Use	Percent of Associated Area	Project Area Land Use (mi <sup>2</sup> )	Project Area Practice (Available Remaining) (mi <sup>2</sup> )
Prescribed Grazing	528	1,169	Pasture	100	44.9	—
Upland Wildlife Habitat Management	645	433	Pasture	38	44.9	16.9
Conservation Crop Rotation	328	287	Cropland	2	554.1	12.7
Watering Facility	614	286	Pasture	25	44.9	11.1
Livestock Pipeline	516	210	Pasture	18	44.9	8.2
Fence	382	194	Pasture	17	44.9	7.6
Pest Management Conservation System	595	180	Cropland	1	554.1	7.9
Conservation Cover	327	154	Cropland	1	554.1	6.8
Access Control	472	154	Pasture	13	44.9	6.0
Nutrient Management	590	134	Cropland	1	554.1	5.9
Pumping Plant	533	121	Cropland	1	554.1	5.3
Brush Management	314	118	Forest	<1	0.3	0.0
Residue and Tillage Management, Reduced Till	345	104	Cropland	<1	554.1	4.6
Residue and Tillage Management, No Till	329	99	Cropland	<1	554.1	4.4
Irrigation Water Management	449	98	Cropland	<1	554.1	4.3
Residue Management, Seasonal	344	85	Cropland	<1	554.1	3.8
Prescribed Grazing - Enhancements	E528	81	Pasture	7	44.9	3.2
Early Successional Habitat Development - Management	647	72	Other	<1	1,689.6	3.7
Pest Management Conservation System - Enhancements	E595	68	Cropland	<1	554.1	3.0
Herbaceous Weed Treatment	315	66	Cropland	<1	554.1	2.9
Nutrient Management - Enhancements	E590	57	Cropland	<1	554.1	2.5
Water Well	642	55	Cropland	<1	554.1	2.4

**Table 8-1.** Best Management Practices Implemented Annually on More Than 50 Square Miles in Colorado Since 2005 (Page 2 of 2)

Practice Name	Practice Code	Colorado (mi <sup>2</sup> )	Associated Land Use	Percent of Associated Area	Project Area Land Use (mi <sup>2</sup> )	Project Area Practice (Available Remaining) (mi <sup>2</sup> )
Range Planting	550	51	Pasture	4	44.9	2.0
Cover Crop	340	49	Cropland	<1	554.1	2.2
Forage Harvest Management	511	47	Forest	<1	0.3	0.0
Structure for Water Control	587	33	Cropland	<1	554.1	1.5
Irrigation Pipeline	430	30	Cropland	<1	554.1	1.3
Forest Stand Improvement	666	27	Forest	<1	0.3	0.0

## 9.0 RECOMMENDED BEST MANAGEMENT PRACTICES

This implementation plan provides recommendations for NPS implementation practices to reduce loads of pollutants of concern. The recommended implementation practices are based on practices that are the most likely to be implemented and most impactful in reducing pollutants of concern.

### 9.1 FUTURE MUNICIPAL SEPARATE STORM SEWER SYSTEM AREAS

Stormwater resulting from rainfall, snowmelt, or other surface water runoff and drainage originates from impervious areas in towns; cities; residential developments; and industrial, manufacturing, or agricultural facilities. Stormwater flows accumulate from streets, parking lots, rooftops, catch basins, curbs, gutters, ditches, drainage channels, storm drains, and other impervious surfaces that may play a role in the contribution of pollutant loading because of the proximity of these impervious areas to the impaired waterbodies. Stormwater discharges are permitted under numerous MS4 permits in Colorado, which include the statewide standard MS4 general permit (COR090000) and statewide nonstandard MS4 general permit (COR070000). Areas covered by MS4 permits are not considered NPSs.

No communities in the Middle South Platte have been designated as an MS4, nor are any expected to become one within the near future (5 to 15 years). The areas expected to become MS4s were identified using the same sources as in Section 5.1 [Catena Analytics, 2024; U.S. Census Bureau, 2020; Smith, 2024].

### 9.2 DEVELOPED

Throughout the Middle South Platte River project area, approximately 64 mi<sup>2</sup> of non-MS4 developed land exist. MS4 areas are not represented in the project models. Only a very small area of MS4s exist in the project area (15.2 mi<sup>2</sup> in Greeley). BMPs recommended for MS4 and non-MS4 developed areas are similar to those outlined in Section 9.1. For nutrients and sediment, priority developed practices from PLET (Table 7-5) should be those with the highest rankings and reduction scores (i.e., extended wet detention, infiltration basins, and concrete gird pavement). For *E. coli*, priority developed practices should be those resulting in the largest reductions within the BMPDB (i.e., wetland basin and retention pond), as shown in Table 7-13. For heavy metals, priority developed practices should also be practices that resulted in the largest reductions of heavy metals in the BMPDB (depending on pollutants of concern in downstream waterbodies), as shown in Table 7-15. Practices do not need to be limited to these recommendations, and any practice that reduces pollutants of concern can be considered.

### 9.3 AGRICULTURAL (CROPLAND, PASTURELAND, AND FEEDLOT BEST MANAGEMENT PRACTICES)

Throughout the Middle South Platte River project area, approximately 554 mi<sup>2</sup> of cropland exist, approximately 45 mi<sup>2</sup> of pastureland exist, and approximately 251 acres are feedlots. For nutrients and sediment, priority agricultural practices from PLET (Tables 7-1 through 7-3) should be those with the highest rankings and reduction scores (i.e., streambank stabilization and fencing and 35-foot grass buffers for cropland, 35-foot grass buffers and livestock exclusion fencing for pasture, and waste

management systems for feedlots). For *E. coli*, priority agricultural practices should be the most effective agricultural BMPs from the Colorado NRCS CPPE for reducing *E. coli* (i.e., vegetated treatment area, constructed wetland, filter strip, nutrient management, and waste treatment lagoon), as shown in Table 7-12. For heavy metals, priority agricultural practices should be the most effective agricultural BMPs from the Colorado NRCS CPPE for reducing heavy metals (i.e., on-farm secondary containment facility, constructed wetland, irrigation and drainage tailwater recovery, land reclamation (landslide treatment or toxic discharge control), as shown in Table 7-14. Additionally, practices that switch from flood irrigation to more efficient irrigation methods would be beneficial in reducing both *E. coli* and heavy metals such as arsenic. Although these practices are the most effective, BMPs do not need to be limited to these recommendations.

## 9.4 FOREST

Throughout the Middle South Platte River project area, approximately 38 mi<sup>2</sup> of forest land exist. Although forest land is less likely to contribute sediment, nutrients, and bacteria per acre of contributing area, BMPs are still beneficial, especially when considering historical fires, fire potential, abandoned mines, recreation, and grazing activities. For nutrients and sediment, priority forest practices from PLET (Table 7-4) should be those with the highest ranking and reduction scores (i.e., a combination of site preparation/straw/crimp seed/net/fertilizer/transplants). For *E. coli*, priority forest practices are not prioritized but should include those that exclude forest-grazing livestock from accessing streams and septic assessments.

## 9.5 ABANDONED MINE LANDS

Most AMLs in the watershed have not yet been identified because several are located on private land or in very remote locations. The primary practice completed on identified AMLs is to seal off dangerous openings, identify hazards, and implement safety measures to protect the public and environment. To improve water quality, identifying AMLs should become a higher priority. Although AML BMPs are not prioritized because of the variable nature of AML lands, each site should be assessed, and practices should be chosen that target specific issues related to each site. For heavy metals, priority practices should focus on AMLs, as outlined in Section 7.3.

## 10.0 INFORMATION, EDUCATION, AND OUTREACH

Current communication, education, and outreach efforts established in the Middle South Platte River project area should continue and be expanded to incorporate effectiveness and user feedback surveys that would complement current area outreach programs. Coordinated outreach efforts should increase the awareness of specific audiences regarding water quality problems and solutions, as well as available BMP technical and financial assistance programs for urban/residential areas, cropland, pasture lands, AMLs, and riparian areas. Stakeholders should continue to expand on their public outreach efforts and communications with the public by implementing inclusive and new engagement tactics to reach a broad audience. Education and outreach activities should target individuals and groups to evaluate effective outreach methods.

Stakeholder responses to Survey #2 were used to rank a list of information, education, and outreach options. The following survey ranking is from highest to lowest:

1. Water Quality Awareness Signage in Parks by Streams
2. Social Media Posts (Sent to Partners)
3. Website Updates
4. Educational Campaigns
5. Newsletters and Mailers
6. Pet-Waste Pickup Stations
7. Volunteer Cleanup Programs
8. School Visits
9. Project Story Map
10. Report a Concern Website
11. Radio Advertisements and Interviews
12. Tours and Field Trips

Entities within the watershed that are interested in collaborating with other stakeholder groups and hosting or participating in events include the Metro Water Recovery, City of Greeley, Northern Colorado Water Conservancy District, Colorado Watershed Assembly, Colorado Wheat Administrative Committee, and City of Evans. Participating in existing events can also expand outreach efforts. Northern Water has an annual water quality efficiency stakeholder meeting in the spring, as well as a spring and fall water symposium and a children's water festival. Each fall, a Sustaining Colorado Watersheds conference is held in Avon, Colorado. A Lower South Platte River Water Festival is also held for children in the community.

The NFRWQPA is compiling a "Stakeholder Toolkit" for the plans. This toolkit will help stakeholders reach, inform, and partner with their networks on the NPS watershed educational resources. Some of the options included in the toolkit include digital communications, print communications, and community outreach. The stakeholders will decide which tools will be chosen during the next round of



funding. Examples of these and more information about the Stakeholder Toolkit are included in Appendix E.

## 11.0 CRITERIA TO ASSESS PROGRESS

Milestones toward progress can be demonstrated in many different ways. In these watersheds, options for measurable milestones can include progress toward meeting water quality criteria set by the state, trends toward improvement, and progress in the installation of implementation practices that are expected to improve water quality parameters of concern. Table 11-1 in the previous chapter shows practices that could be implemented to make progress and count as measurable milestones. Because goals in this watershed for this plan are very broad (the plan is not being written as a part of a specific Total Maximum Daily Load [TMDL] with a specified goal), milestones are more general than specific. Any practice implemented will be a part of progress toward the ultimate goal of improving water quality and ensuring water quality does not worsen. Relative implementation should be tracked, and this plan should be revisited after the first 5 years to ensure progress is being made. Reductions from NPS loadings will most likely require a significant, increased amount of technical and financial program assistance; BMP implementation through on-the-ground projects; proper watershed planning; and cooperation with willing landowners and land management agencies. Successfully achieving load reductions depends on several factors, such as the amount of voluntary participation, availability of technical and financial assistance, and effectiveness of BMPs intended to reduce applicable loads.

In Survey #2, organizations were asked about interim measurable criteria/goals and what progress would look like after 5 and 10 years. The Colorado Wheat Administrative Committee advised that monitoring water quality, reducing pollutants of concern loads, and meeting water quality criteria would display progress. The City of Greeley mentioned that continued localized improvements with respect to reducing *E. coli* and nutrient loads to ponds/lands and rivers would signify improvement. The City also mentioned that continued outreach with NPS dischargers and a successfully implemented plan beginning to take shape across the areawide watersheds would indicate progress. The City also mentioned that ultimate improvements to water quality that align with CDPHE goals and help share the load responsibility between point and NPS dischargers would be ideal. The City of Evans indicated that monitoring and more BMPs would be an indicator of progress within the next 5 to 10 years.

An implementation schedule is recommended to reduce pollutants of concern by implementing NPS BMPs. Table 11-1 provides a list of BMPs that would be most likely to benefit the area over the next 10 years options by land-use category. Tables 11-2, 11-3, and 11-4 provide the top two sources for each parameter group and the top practices to implement for each.



Table 11-1. Best Management Practices (Page 1 of 2)

Land-Use Category	Source	Recommended Implementation Activity
Future Stormwater/ Developed/Urban/Residential	PLET and Survey	Extended Wet Detention Ponds
Future Stormwater/ Developed/Urban/Residential	PLET and Survey	Infiltration Basins
Future Stormwater/ Developed/Urban/Residential	PLET and Survey	Concrete Grid Pavement
Future Stormwater/ Developed/Urban/Residential	BMPDB	High-Rate Biofiltration
Future Stormwater/ Developed/Urban/Residential	BMPDB	Media Filter
Future Stormwater/ Developed/Urban/Residential	BMPDB	Oil-Grit Separator
Future Stormwater/ Developed/Urban/Residential	BMPDB	Retention Pond
Future Stormwater/ Developed/Urban/Residential	BMPDB	High-Rate Media Filtration
Future Stormwater/ Developed/Urban/Residential	BMPDB	Wetland Basin
Future Stormwater/ Developed/Urban/Residential	BMPDB	Grass Swale
Future Stormwater/ Developed/Urban/Residential	Other	Low Impact Development Practices
Future Stormwater/ Developed/Urban/Residential	Other	Septic Upgrades
Ag - Cropland	PLET and Survey	Streambank Stabilization and Fencing
Ag - Cropland	PLET and Survey	Buffer - Grass (35 feet wide)
Ag - Cropland	NRCS	Constructed Wetland (656)
Ag - Cropland	NRCS	Filter Strip (393)
Ag - Cropland	NRCS	Vegetated Treatment Area (635)
Ag - Cropland	NRCS	On-Farm Secondary Containment Area (319)
Ag - Cropland	NRCS	Irrigation Water Management (449)
Ag - Pasture	PLET	Buffer - Grass (35 feet wide)
Ag - Pasture	PLET	Livestock Exclusion Fencing
Ag - Pasture	PLET and Survey	Streambank Stabilization and Fencing
Ag - Feedlot	PLET and Survey	Waste Management System
Forest	PLET and Survey	Site Preparation/ Straw/Crimp Seed/Net
Forest	PLET and Survey	Site Preparation/Straw/Crimp Seed/ Fertilizer/Transplants

**Table 11-1.** Best Management Practices (Page 2 of 2)

<b>Land-Use Category</b>	<b>Source</b>	<b>Recommended Implementation Activity</b>
AML	NRCS	Storage of Soil Materials
AML	NRCS	Placement of Surface Material
AML	NRCS	Restoration of Borrow Material
AML	NRCS	Establishment of Vegetation
AML	NRCS	Control of Toxic Aqueous Discharge
Monitoring	Other	Water Quality Sampling (base and storm events)
Monitoring	Other	Discharge Measurement (base and storm events)
Monitoring	Other	Monitor Implemented Agricultural BMP Effectiveness
Monitoring	Other	Monitor Implemented Urban BMP Effectiveness
Monitoring	Other	Monitor Implemented AML BMP Effectiveness
Outreach	Survey	Social Media Posts
Outreach	Survey	Website Updates
Outreach	Survey	Educational Campaigns
Outreach	Survey	Newsletters and Mailers
Outreach	Survey	Pet-Waste Pickup Stations
Outreach	Survey	Volunteer Cleanup Programs
Outreach	Survey	School Visits
Outreach	Survey	Project Story Map
Outreach	Survey	Report a Concern Website

**Table 11-2.** Dominant Land Uses, Sources, and Priority Practices by HUC10 for Nutrients and Sediment (Page 1 of 3)

Watershed	Dominant Land Uses	Top Sediment Sources	Top Phosphorus Sources	Top Nitrogen Sources	Priority Practices
1019000305 Beebe Seep Canal	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000306 Little Dry Creek-South Platte River	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000308 Outlet Box Elder Creek	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000309 Lost Creek	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000310 Sanborn Draw-South Platte River	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000311 Greasewood Draw-South Platte River	Cropland and Forest	Cropland and Forest	Cropland and Forest	Cropland and Forest	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Site Preparation/Straw/Crimp Seed/Net</li> <li>/ Site Preparation/Straw/Crimp Seed/Fertilizer/Transplants</li> </ul>
1019000312 Cottonwood Draw-South Platte River	Cropland and Urban Non-MS4	Cropland and Forest	Cropland and Forest	Cropland and Forest	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Site Preparation/Straw/Crimp Seed/Net</li> <li>/ Site Preparation/Straw/Crimp Seed/Fertilizer/Transplants</li> </ul>
1019000801 Upper Lone Tree Creek	Forest and Urban Non-MS4	Forest	Forest	Forest	<ul style="list-style-type: none"> <li>/ Site Preparation/Straw/Crimp Seed/Net</li> <li>/ Site Preparation/Straw/Crimp Seed/Fertilizer/Transplants</li> </ul>

**Table 11-2.** Dominant Land Uses, Sources, and Priority Practices by HUC10 for Nutrients and Sediment (Page 2 of 3)

Watershed	Dominant Land Uses	Top Sediment Sources	Top Phosphorus Sources	Top Nitrogen Sources	Priority Practices
1019000802 Spring Creek-Lone Tree Creek	Cropland and Forest	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000803 Owl Creek-Lone Tree Creek	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000902 Little Crow Creek	Cropland and Urban Non-MS4	Cropland and Forest	Cropland and Forest	Cropland and Forest	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Site Preparation/Straw/Crimp Seed/Net</li> <li>/ Site Preparation/Straw/Crimp Seed/Fertilizer/Transplants</li> </ul>
1019000903 Middle Crow Creek	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000904 Coal Creek	Forest and Urban Non-MS4	Pastureland and Forest	Pastureland and Forest	Pastureland and Forest	<ul style="list-style-type: none"> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> <li>/ Site Preparation/Straw/Crimp Seed/Net</li> <li>/ Site Preparation/Straw/Crimp Seed/Fertilizer/Transplants</li> </ul>
1019000905 Sand Creek-Crow Creek	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019000906 Outlet Coal Creek	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019001203 Wildcat Creek	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>

**Table 11-2.** Dominant Land Uses, Sources, and Priority Practices by HUC10 for Nutrients and Sediment (Page 3 of 3)

Watershed	Dominant Land Uses	Top Sediment Sources	Top Phosphorus Sources	Top Nitrogen Sources	Priority Practices
1019001205 City of Raymer	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>
1019001206 Camp Creek South Platte River	Cropland and Urban Non-MS4	Cropland and Pastureland	Cropland and Pastureland	Cropland and Pastureland	<ul style="list-style-type: none"> <li>/ Streambank Stabilization and Fencing</li> <li>/ Buffer-Grass (35 feet wide)</li> <li>/ Livestock Exclusion Fencing</li> </ul>

**Table 11-3. *E. coli* Impairment Status, Primary Sources, Associated Land Use, and Priority Practices by HUC10 (Page 1 of 2)**

Watershed	<i>E. coli</i> Impaired	Primary <i>E. coli</i> Sources	Associated Land Use	Priority Practices
1019000305 Beebe Seep Canal	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000306 Little Dry Creek-South Platte River	Y	Livestock (More Cattle) and Humans (More WWTP)	Agricultural Land and Urban non-MS4	/ Vegetated Treatment Area / Constructed Wetlands / Wetland Basin / Retention Pond
1019000308 Outlet Box Elder Creek	N	Livestock (More Cattle) and Humans (More OWTS)	Agricultural Land and Urban non-MS4	/ Vegetated Treatment Area / Constructed Wetlands / Septic Upgrades / WWTF Connections
1019000309 Lost Creek	N	Livestock (More Cattle) and Humans (More OWTS)	Agricultural Land and Urban non-MS4	/ Vegetated Treatment Area / Constructed Wetlands / Septic Upgrades / WWTF Connections
1019000310 Sanborn Draw-South Platte River	Y	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000311 Greasewood Draw-South Platte River	Y	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000312 Cottonwood Draw-South Platte River	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000801 Upper Lone Tree Creek	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000802 Spring Creek-Lone Tree Creek	N	Livestock (More Cattle) and Humans (More OWTS)	Agricultural Land and Urban non-MS4	/ Vegetated Treatment Area / Constructed Wetlands / Septic Upgrades / WWTF Connections
1019000803 Owl Creek-Lone Tree Creek	N	Livestock (More Cattle) and Humans (More OWTS)	Agricultural Land and Urban non-MS4	/ Vegetated Treatment Area / Constructed Wetlands / Septic Upgrades / WWTF Connections
1019000902 Little Crow Creek	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000903 Middle Crow Creek	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000904 Coal Creek	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands

**Table 11-3. *E. coli* Impairment Status, Primary Sources, Associated Land Use, and Priority Practices by HUC10 (Page 2 of 2)**

Watershed	<i>E. coli</i> Impaired	Primary <i>E. coli</i> Sources	Associated Land Use	Priority Practices
1019000905 Sand Creek-Crow Creek	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019000906 Outlet Coal Creek	N	Livestock (More Cattle) and Humans (More OWTS)	Agricultural Land and Urban non-MS4	/ Vegetated Treatment Area / Constructed Wetlands
1019001203 Wildcat Creek	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019001205 City of Raymer	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands
1019001206 Camp Creek South Platte River	N	Livestock (more Cattle)	Agricultural Land	/ Vegetated Treatment Area / Constructed Wetlands

**Table 11-4.** Dominant Land Uses, Metal Impairments, Associated Causes, and Priority Practices by HUC10 (Page 1 of 2)

Watershed	Dominant Land Uses	Metal Impairments	Associated Cause	Priority Practices
1019000305 Beebe Seep Canal	Cropland and Pastureland	None	NA	NA
1019000306 Little Dry Creek-South Platte River	Cropland and Pastureland	Arsenic	Pressure-Treated Wood, Pesticides, Piere Shale	Irrigation Water Management
1019000308 Outlet Box Elder Creek	Cropland and Urban Non-MS4	Cadmium	Mining	AML BMPs
1019000309 Lost Creek	Cropland and Urban Non-MS4	None	NA	NA
1019000310 Sanborn Draw-South Platte River	Cropland and Urban Non-MS4	Arsenic	Pressure-Treated Wood, Pesticides, Piere Shale	Irrigation Water Management
1019000311 Greasewood Draw-South Platte River	Cropland and Forest	Uranium, Arsenic	Mining, Pressure-Treated Wood, Pesticides, Piere Shale	AML BMPs, Irrigation Water Management
1019000312 Cottonwood Draw-South Platte River	Cropland and Urban Non-MS4	Uranium, Arsenic	Mining, Pressure-Treated Wood, Pesticides, Piere Shale	AML BMPs, Irrigation Water Management
1019000801 Upper Lone Tree Creek	Forest and Urban Non-MS4	None	NA	NA
1019000802 Spring Creek-Lone Tree Creek	Cropland and Forest	None	NA	NA
1019000803 Owl Creek-Lone Tree Creek	Cropland and Urban Non-MS4	None	NA	NA
1019000902 Little Crow Creek	Cropland and Urban Non-MS4	None	NA	NA
1019000903 Middle Crow Creek	Cropland and Urban Non-MS4	Cadmium	Mining	AML BMPs



**Table 11-4.** Dominant Land Uses, Metal Impairments, Associated Causes, and Priority Practices by HUC10 (Page 2 of 2)

Watershed	Dominant Land Uses	Metal Impairments	Associated Cause	Priority Practices
1019000904 Coal Creek	Forest and Urban Non-MS4	None	NA	NA
1019000905 Sand Creek-Crow Creek	Cropland and Urban Non-MS4	Cadmium	Mining	AML BMPs
1019000906 Outlet Coal Creek	Cropland and Pastureland	Cadmium	Mining	AML BMPs
1019001203 Wildcat Creek	Cropland and Urban Non-MS4	Cadmium	Mining	AML BMPs
1019001205 City of Raymer	Cropland and Urban Non-MS4	Cadmium	Mining	AML BMPs
1019001206 Camp Creek South Platte River	Cropland and Urban Non-MS4	Cadmium	Mining	AML BMPs

Implementation practices were run in the PLET model on 25 percent of each applicable land cover. This number represents the acres affected by the practice, not the acres of the practice implemented. Cropland practices typically resulted in the highest reductions of nitrogen and phosphorus; therefore, these are the practices incorporated in the schedule. As shown in Table 11-5, incorporating stream stabilization and fencing on 25 percent of the cropland and 35-foot buffers on an additional 25 percent of the cropland in the project area did not result in the needed nitrogen and phosphorus reductions. Reductions required were calculated for the entire area draining to the outlet HUC10. The reduction required for the specific project area was not calculated because project areas were drawn using county lines; therefore, the following cost estimates were made assuming that all reductions had to come from within the project area, which is not ideal for the Middle South Platte watershed (over 90 percent of the drainage area is not in the project area). These practices need to be implemented in half of the cropland in the project area to meet the load reductions needed. Some of the loads are assumed to come from areas outside of Larimer and Weld counties and from other land uses. Table 11-6 shows the proposed schedule for implementation in the Middle South Platte River project area. These practices will also help with *E. coli* and heavy metals. Load reductions for heavy metals came from the PLET model and, therefore, were not run for *E. coli* and heavy metals. Because the current load reductions from PLET were not calibrated and did not include areas outside of Larimer and Weld Counties or MS4 areas, they should be considered relative and should not be compared to actual loads calculated with observed data.

**Table 11-5.** Reductions Achieved by Implementation of Priority Cropland Practices

Practice	Nitrogen Load (lb/yr)	Nitrogen Reduction (%)	Nitrogen Reduction Needed (lb/yr)	Phosphorus Load (lb/yr)	Phosphorus Reduction (%)	Phosphorus Reduction Needed (lb/yr)
Base Load	568,871	N/A	61	219,044	N/A	61
Stream Stabilization and Fencing on 25% of Cropland (88,651 acres)	100,110	17.6		38,542	17.6	
Buffer - Grass (35 feet wide) on 25% of Cropland (88,651 acres)	70,744	12.4		27,236	12.4	
Total Reduction	170,854	30		65,778	30	

**Table 11-6.** Schedule for Primary Cropland Practices to Achieve Nutrient Goals

Practices	5-Year Goal	10-Year Goal	Ultimate Goal
Stream Stabilization and Fencing on Cropland	50,000 acres	100,000 acres	150,000 acres
Buffer - Grass (35 feet wide) on Cropland	50,000 acres	100,000 acres	150,000 acres



In general, 35-foot buffers cost about \$10.37 per acre impacted per year, fencing costs about \$22.66 per acre impacted per year, and streambank stabilization costs \$13,472 per mile. If a mile of streambank stabilization impacted a square mile of the watershed area, it would cost approximately \$21.05 per acre impacted per year; therefore, every 5,000 acres impacted by buffers would cost approximately \$51,838 and with the rough streambank stabilization estimate every 5,000 acres impacted by stream stabilization would cost approximately \$218,549.

## 12.0 MONITORING BEST MANAGEMENT PRACTICES EFFECTIVENESS

Monitoring should be completed before and after implementing BMPs to evaluate the effectiveness of priority practices. Monitoring BMP effectiveness (up- and downstream of BMPs) helps evaluate the adequacy of the implementation strategies targeted to reduce loads or transport. BMP effectiveness data will improve the understanding of implementation and management measures. Other ideal locations for monitoring include areas that have been monitored historically near the HUC10 watershed outlets and along impaired waterbodies. More information about monitoring NPSs is included on EPA's [Nonpoint Source Monitoring: TechNOTES webpage](#). Existing water quality monitoring occurring for the North Front Range Water Quality Planning Association's (NFRWQPA) 208 Areawide Water Quality Management Plan is available on [its website](#).

Additional monitoring and evaluation efforts should occur within the communities that are the most likely to become MS4 areas. Monitoring sites up- and downstream of areas where storm drains and tributaries enter the mainstem Middle South Platte River would help evaluate contributions. Monitoring locations in storm drains throughout urbanized areas where two possible sources come together would also help isolate sources of pollution. A detailed monitoring plan that identifies the locations of additional monitoring sites should be compiled.

Continuous discharge data across a broad range of flows are helpful for calculating loads. Future monitoring should include instantaneous discharge measurements at water quality sampling areas. Continuous stage recorders should be installed at key locations in the watershed, and stage-discharge relationships should be developed to convert continuous stage data to continuous flow data. Relatively low-cost, low-maintenance technologies are available to record continuous stage data. Instantaneous and continuous flow data will increase the accuracy of future load calculations and the evaluation of BMPs and implementation practices.

Survey #2 had a question regarding in-stream monitoring activities that different entities would consider implementing. The Northern Colorado Water Conservancy District, Colorado Wheat Administrative Committee, and City of Evans would be interested in quarterly sampling and the installation, maintenance, and operation of a monitoring station. The Colorado Watershed Assembly would be interested in the installation, maintenance, and operation of a monitoring station. The City of Greeley would be interested in the quarterly sampling.

## **13.0 TECHNICAL AND FINANCIAL ASSISTANCE SOURCES**

Technical and financial assistance sources are available to implement BMPs. Numerous private companies and organizations as well as local, state, and federal agencies provide technical assistance to address NPS pollution. A few of these organizations and agencies also provide financial assistance. Table 13-1 lists the agencies and organizations with technical and financial programs that may assist with conservation and water quality implementation projects and what type of technical or financial assistance they offer (based on the land use of interest) as denoted by Xs. The following sections describe the information regarding incentive programs and funding to implement NPS projects identified in this plan. Funding includes but is not limited to the CDPHE's NPS Program and its annual grants, South Platte Basin Roundtable grants, and CAWA programs. The NPS Program funds support staffing costs and programmatic priorities, including the Mini Grant Program, the NPS Watershed Planning and Tool Development Program, and the NPS Program's Success Story Initiative.

Table 13-1. Sources of Technical and Financial Assistance (Page 1 of 3)

Agency or Organization	Website	Assistance	BMP Category						
			Developed Non-MS4	Cropland	Pasture	Feedlot	Forest	Stream	Outreach
<b>LOCAL</b>									
Larimer County	www.larimer.gov	Financial, Technical	X	X	X	X	X	X	X
Weld County	www.weld.gov	Financial, Technical	X	X	X	X	X	X	X
South Platte Basin Roundtable	www.southplattebasin.com	Technical	X	X	X	X	X	X	X
Southeast Weld Conservation District	seweldcd-co.org	Financial, Technical		X	X	X	X	X	X
<b>STATE</b>									
CSU Extension	extension.colostate.edu	Technical	X	X	X	X	X	X	X
CSU	www.colostate.edu	Technical	X	X	X	X	X	X	X
Colorado Association of Conservation Districts	coloradoacd.org	Financial, Technical	X	X	X	X	X	X	X
CDPHE	cdphe.colorado.gov	Financial, Technical	X	X	X	X	X	X	X
Colorado Parks and Wildlife	cpw.state.co.us	Financial, Technical					X	X	X
Colorado Livestock Association	www.coloradolivestock.org	Technical				X		X	X
Colorado Department of Agriculture	ag.colorado.gov	Financial, Technical		X	X	X		X	X
Colorado Water Center	watercenter.colostate.edu	Technical						X	X
Colorado Rural Water Association	www.crwa.net	Technical						X	X
Colorado Department of Natural Resources	dnr.colorado.gov	Financial, Technical	X	X	X	X	X	X	X

Table 13-1. Sources of Technical and Financial Assistance (Page 2 of 3)

Agency or Organization	Website	Assistance	BMP Category						
			Developed Non-MS4	Cropland	Pasture	Feedlot	Forest	Stream	Outreach
<b>STATE</b>									
Colorado Energy and Carbon Management Commission	ecmc.state.co.us	Financial, Technical		X	X	X			
Colorado Geological Survey	coloradogeologicalsurvey.org	Financial, Technical						X	
Colorado Bureau of Land Management	www.blm.gov	Financial, Technical					X	X	X
Colorado Division of Reclamation, Mining, and Safety	drms.colorado.gov	Financial, Technical					X	X	X
Colorado State Land Board	slb.colorado.gov	Financial							X
<b>FEDERAL</b>									
U.S. Army Corps of Engineers	www.usace.army.mil	Financial, Technical						X	X
USDA–NRCS	www.nrcs.usda.gov	Financial, Technical		X	X	X	X	X	X
USDA–Farm Service Agency	www.fsa.usda.gov	Financial, Technical		X	X	X		X	X
USDA–Rural Development	www.rurdev.usda.gov	Financial, Technical						X	X
USDA–Bureau of Land Management	www.blm.gov	Financial, Technical					X	X	X
U.S. Department of Interior–Bureau of Reclamation	www.usbr.gov	Financial, Technical	X	X			X	X	X
EPA	www.epa.gov	Financial, Technical	X	X	X	X	X	X	X
USDA–Forest Service	www.fs.fed.us	Financial, Technical					X	X	X
USFWS	www.fws.gov	Financial, Technical						X	X
USGS	www.usgs.gov	Technical						X	X

Table 13-1. Sources of Technical and Financial Assistance (Page 3 of 3)

Agency or Organization	Website	Assistance	BMP Category						
			Developed Non-MS4	Cropland	Pasture	Feedlot	Forest	Stream	Outreach
<b>PRIVATE</b>									
Ducks Unlimited	www.ducks.org	Financial, Technical						X	X
Colorado Trout Unlimited	coloradotu.org	Financial, Technical						X	X
Fresh Water Trust	www.thefreshwatertrust.org	Financial, Technical	X	X	X	X	X	X	X
Mule Deer Foundation	www.muledeer.org	Financial, Technical					X	X	X
Rocky Mountain Elk Foundation	www.rmef.org	Financial, Technical					X	X	X
National Fish and Wildlife Foundation	www.nfwf.org	Financial, Technical						X	X



## 13.1 INCENTIVE PROGRAMS

Incentive programs are formal programs used to promote specific actions or behaviors. Participation in incentive programs is voluntary. Various mechanisms can be used to conduct incentive programs, including financial assistance or providing benefits for enrolling in programs. The following programs are relatively easy for users to take advantage of, and the money for them is generally allocated annually.

### 13.1.1 COST-SHARE PROGRAMS

In a cost-share program, the costs of systems or practices for water quality improvements are shared between the landowner, state (percentage), or federal programs (flat rate). State-funded nonstructural land management cost sharing is also typically based on a flat rate. Landowners seeking cost-share assistance should contact their county conservation district office for information on available programs. The BMPs and conservation practices that are typically eligible are those that avoid, control, and trap nutrients, sediment, and *E. coli* from entering surface water and groundwater. Eligibility may vary depending on local priorities and needs.

### 13.1.2 FEE DISCOUNTS

Local governments or nonprofit entities may offer reduced fees for implementing projects and practices that align with program goals. For instance, stormwater fees could be reduced if a landowner voluntarily converts cropped acres to a permanent vegetative cover.

### 13.1.3 LOW-INTEREST LOANS

Low-interest loans may be available through various state agencies to landowners for agricultural BMPs, septic system updates/replacement, or other projects that meet funding eligibility criteria.

### 13.1.4 WATER QUALITY TRADING

Point source permittees should be mindful that options are available to use money available for upstream NPS implementation to improve water quality for a smaller potential cost. These options need to be further evaluated and quantified.

## 13.2 POTENTIAL FUNDING

Funding is available from private, local, county, state, and federal sources to implement projects for improving water quality. The following sections discuss these sources. Other funding sources not noted here may be available. The state of Colorado maintains a [Grants Information page](#) on its website.

### 13.2.1 CITIES

Municipalities often collect stormwater utility fees to build, repair, operate, and maintain stormwater management systems. Such fees should be set using reasonable calculations based on runoff volume or pollution quantities, property classifications, or both.

### 13.2.2 COUNTIES, WATERSHED DISTRICTS, AND AUTHORITIES

In other areas of Colorado, authorities have been developed, such as the Cherry Creek Basin Water Quality Authority and the Chatfield Watershed Authority. These authorities can levy funds for priority projects and assist with program implementation. The NFRWQPA and other 208 planning agencies cannot levy funds or taxes for projects, but they have voluntary fees and dues that contribute to planning and implementation. Recently, the Chatfield Watershed Authority also added an entrance fee to the Chatfield State Park to assist with protecting water quality.

### 13.2.3 STATE

The State of Colorado funds watershed management programs through various capacities, programs, and agencies.

The CDPHE has numerous NPS funding opportunities, which include watershed implementation projects (restoration and protection), watershed planning and tool development, and education and outreach. The primary CDPHE opportunities consist of the Source Water Assessment and Protection (SWAP) Program; the Water Quality Grants and Loans Unit; CSU's Colorado Wetland Information Center; CSU's Colorado State Forest Service; the Department of Natural Resources' Colorado Water Conservation Board (CWCB); Colorado Water Plan Grants; and Colorado Watershed Restoration Grants. More information regarding each program is provided in CDPHE [2022]. Funds from the Water Supply Reserve Fund (WSRF) are issued through the South Platte Basin Roundtable. CDPHE has a state revolving fund that includes a Water Pollution Control revolving fund that completes many OWTS to sewer projects.

Under the Colorado Natural Resources Department, the CWCB also administers the Federal Technical Assistance Grant Program, consisting of Local Capacity Grants and Technical Assistance Grants. Federal American Rescue Plan Act funding of \$5 million is available for these two grants in Colorado. The grantee must provide a minimum of 25 percent matching funds. Grants will be awarded on a rolling basis through December 2024; grant funds must be fully expended by December 2026. Local Capacity Grants are direct awards to grantees to secure the resources needed (contractors or otherwise) to develop projects and submit competitive federal grant applications. Technical Assistance Grants are awards to grantees who want to use a contractor hired by the CWCB. This contractor can provide a wide variety of water project services, such as federal grant opportunity research, project design, partial engineering, cost estimation, and federal application development/grant writing.

Statewide education grants and outreach initiative grants are available through the Public Education, Participation, and Outreach (PEPO) Grant Program, which is administered through the CWCB. The PEPO Grant Program also financially supports designated individual coordinators who support basin-specific outreach and education efforts alongside each of the state's basin roundtables. The Colorado Department of Natural Resources also maintains a Water Funding Opportunity Navigator, which lists potential federal and state grant opportunities.

Other state funding opportunities include the Colorado Healthy Rivers Fund. This program grants money to local watershed organizations to provide clean water, protect habitat, and improve recreation and accessibility throughout Colorado. Project grants and planning grants are available under the program.

#### 13.2.4 FEDERAL

Federal agencies can provide funding and technical assistance for projects and monitoring. These agencies include the U.S. Fish and Wildlife Service (USFWS), USGS, NRCS, Farm Service Agency, EPA, and others. The USGS is more likely to support data acquisition and monitoring programs, and the USFWS may provide land retirement program funds. The NRCS helps with applying conservation practices, and the EPA assists with studies to identify more localized sources of pollution in impaired waterbodies. The following sections provide information regarding federal NPS funding.

##### 13.2.4.1 U.S. ENVIRONMENTAL PROTECTION AGENCY

The EPA provides funding opportunities for watershed restoration and protection on its [funding resource webpage](#) for NPS pollution. Additional EPA funding opportunities are available online on the [Equity Action Plan webpage](#) and [Environmental Justice Grants, Funding and Technical Assistance webpage](#).

The EPA also has a funding opportunity through the Office of Wetlands, Oceans, and Watersheds' Fiscal Year 2024 Building Partner Capacity and Promoting Resiliency and Equity under the CWA. The EPA is soliciting applications from eligible applicants to provide support for training and related activities to build the capacity of agricultural partners; state, territorial, and Tribal officials; and nongovernmental stakeholders in support of the goals of the CWA Section 319 Nonpoint Source Management Program.

The EPA also has funding from the Clean Water State Revolving Fund (CWSRF) accessible via the [About the Clean Water State Revolving Fund \(CWSRF\) webpage](#). The funds are generally for municipal wastewater facility construction, control of NPS pollution, decentralized wastewater treatment systems, green infrastructure projects, project estuaries, and other water quality projects.

##### 13.2.4.2 U.S. DEPARTMENT OF AGRICULTURE'S NATURAL RESOURCES CONSERVATION SERVICE

The NRCS's natural resources conservation programs help individuals reduce soil erosion, enhance water supplies, improve water quality, increase wildlife habitat, and reduce damage caused by floods and other natural disasters. More information is available on the [USDA Programs & Initiatives webpage](#). The following technical and financial assistance programs are generally awarded annually through NRCS:

- / **Agricultural Conservation Easement Program (ACEP).** Applications are accepted from April through December. ACEP easement agreements are typically awarded annually by the fall.
- / **Conservation Stewardship Program (CSP).** The CSP helps agricultural producers maintain and improve existing conservation systems and adopt additional conservation activities to address priority resource concerns. Participants earn CSP payments for conservation performance—the higher the performance, the higher the payment. Different enrollment opportunities are available for CSP Classic, CSP Renewals, and CSP Grasslands. Applications are accepted from April through December. CSP contracts are awarded by June or July.
- / **Conservation Technical Assistance (CTA).** The CTA provides the nation's farmers, ranchers, and forestland owners with the knowledge and tools they need to conserve, maintain, and restore the natural resources on their lands and improve the health of their operations for the future. NRCS offers this assistance at no cost to the producers served.

- / **Environmental Quality Incentives Program (EQIP).** EQIP provides financial and technical assistance to agricultural producers to address natural resource concerns and deliver environmental benefits, such as improved water and air quality; conserved ground and surface water; increased soil health; reduced soil erosion and sedimentation; improved or created wildlife habitat; and mitigation against increasing weather volatility. Applications are accepted on a continuous basis, with application cutoff for funding evaluation typically set in November of each year. EQIP contracts are typically awarded by April or May.
- / **Regional Conservation Partnership Program (RCPP).** RCPP promotes coordination of NRCS conservation activities with partners that offer valuable contributions to expand the collective ability to address on-farm, watershed, and regional natural resource concerns. Announcements for Funding Proposals (AFPs) for RCPP Classic are typically advertised in October through November and awarded in June through August. RCPP Alternative Funding Arrangement (AFA) AFPs are typically announced March through May, with agreements awarded by September, and, in some cases, the funds are carried over and awarded from October to December of the following fiscal year.
- / **National Water Quality Initiative (NWQI).** NWQI provides a way to accelerate voluntary, on-farm conservation investments focused on water quality monitoring and assessment resources, where they can deliver the greatest benefits for clean water. The NWQI is a partnership among NRCS, state water quality agencies, and EPA to identify and address impaired waterbodies through voluntary conservation.
- / **Watershed Operations PL-566 Program.** The Watershed Protection and Flood Prevention Act (PL-566) authorizes the USDA-NRCS to help local organizations and units of government plan and implement watershed projects. PL-566 watershed projects are locally led to solve natural and human resource problems in watersheds up to 250,000 acres (less than 400 mi<sup>2</sup>). At least 20 percent of any project benefits must relate directly to agriculture, including rural communities. A local sponsoring organization is needed to carry out, maintain, and operate works of improvement. The program has two main components, and each is funded separately: (1) watershed surveys and planning and (2) watershed and flood prevention operations and construction.
- / **Conservation Innovation Grants (CIG).** CIG is a competitive program that supports the development of new tools, approaches, practices, and technologies to further natural resource conservation on private lands. Through creative problem-solving and innovation, CIG partners work to address the nation's water quality, air quality, soil health, and wildlife habitat challenges while improving agricultural operations. Three program types are available: (1) national, (2) state, and (3) CIG On-Farm Conservation Innovation Trials.
- / **Rural Development.** For OWTS funding, USDA Rural Development has a 504 Single Family Program, a Community Development Program, a Home Repair Loan/Grant Program, a Community Pass-through Program, and Water Well Trust Program. Income eligibility for these programs is often a sliding scale.

Other federal agency funding includes the U.S. Bureau of Reclamation (USBR) WaterSMART. Through WaterSMART, the USBR leverages federal and nonfederal funding to work cooperatively with states, tribes, and local entities as they plan for and implement actions to increase water supply sustainability through investments in existing infrastructure and attention to local water conflicts.

### 13.2.5 PRIVATE/OTHER SOURCES

Foundations, nonprofit organizations, and private contributions, including those from landowners and corporate entities, will be sought for plan implementation activities. Local foundations may fund education, civic engagement, and other local priority efforts. Such organizations acquire their own funding and may have project dollars and technical assistance that can be used. Major cooperators and funding sources include private landowners who typically contribute a percentage of project costs and may donate land, services, or equipment for projects or programs.

Some of the stakeholder questions asked in Survey #2 were related to the technical and financial assistance needed or used and how they used it. The Northern Colorado Water Conservancy District mentioned that it has an extensive, long-term water quality monitoring program in the lower South Platte River. The Metro Water Recovery, Northern Colorado Water Conservancy District, and Colorado Wheat Administrative Committee all said they do not currently need financial or technical assistance for monitoring. The Metro Water Recovery mentioned that it conducts bimonthly water quality monitoring of the South Platte River and its tributaries from North Denver to Platteville at 20 different sites. The Northern Colorado Water Conservancy District has extensive, long-term water quality monitoring throughout the Colorado-Big Thompson system, Poudre River, and lower South Platte River. The City of Greeley has received financial assistance for fire recovery and would be willing to use any financial assistance available to them for monitoring and BMP implementation. The Colorado Wheat Administrative would like to receive financial assistance for public meetings/outreach. The City of Evans mentioned they would like technical and financial assistance for monitoring and BMP implementation. The Colorado Watershed Assembly has received CWCB and NPS funds and other funds from the Cherry Creek Basin Water Quality Authority and Great Outdoors Colorado, as well as county and municipal funding and technical assistance. The Colorado Watershed Assembly tracks various federal grant opportunities and has used the CWCB and NPS Program for technical assistance. The Colorado Wheat Administrative Committee is aware of financial assistance from the conservation districts, NRCS, crop consultants, and NRCS Agricultural Research Service but has yet to secure funding.

The following are private foundations with available funding programs:

- / The Laura Jane Musser Fund, a foundation based in Minnesota, assists public or not-for-profit entities to initiate or implement projects that enhance the ecological integrity of publicly owned open spaces while encouraging compatible human activities. The fund's goal is to promote public use of open space that improves a community's quality of life and public health, while also ensuring the protection of healthy, viable, and sustainable ecosystems by defending or restoring habitat for the diversity of plant and animal species.
- / The Moore Charitable Foundation works to preserve and protect natural resources for future generations. This foundation and its affiliates support nonprofit organizations that protect land, wildlife, habitat, and water resources in several regional planning areas, including Colorado. The foundation also supports educational and community programs in these areas.
- / The Colorado River Basin Salinity Control Act, established in 1974, provides authorization for enhancing and protecting numerous salinity control projects in Colorado and other states. High levels of salinity in water can reduce crop yields, limit the choice of crops that can be grown, and, at higher concentrations over long periods, can kill trees and make the land unsuitable for agricultural purposes. Through strong partnerships between the NRCS, private landowners, USBR, CWCB, and several local conservation districts, financial and technical assistance funds



have been used to install irrigation improvements, such as the installation of pipelines, more efficient irrigation systems, and lining of ditches and small laterals.

- / The Colorado Watershed Assembly routinely posts funding opportunities through its bimonthly newsletter available on the [Colorado Watershed Assembly homepage](#).
- / The South Platte Basin Roundtable offers two funding cycles annually, and information is available on the [South Platte Basin homepage](#).

## 14.0 REFERENCES

**American Veterinary Medical Association, 2016.** "U.S. Pet Ownership Statistics," *avma.org*, accessed June 30, 2016, from <https://www.avma.org/KB/Resources/Statistics/Pages/Market-research-statistics-US-pet-ownership.aspx>

**Big Thompson Watershed Coalition, 2024.** "All BTWC Projects," accessed May 30, 2024, from <https://bigthompson.co/big-thompson-projects/>

**Briffa, J., E. Sinagra, and R. Blundell, 2020.** "Heavy Metal Pollution in the Environment and Their Toxicological Effects on Humans", *Heliyon*, Volume 6, Issue 9, e04691, ISSN 2405-8440, available online at <https://doi.org/10.1016/j.heliyon.2020.e04691>

**Catena Analytics, 2024.** "eRAMS Online," accessed August 13, 2024, from <https://erams.com/catena/>

**Colorado's Decision Support Systems, 2024.** "GIS Data by Category," accessed August 13, 2024, from <https://cdss.colorado.gov/gis-data/gis-data-by-category>

**Colorado Department of Public Health and Environment, 2022.** *Colorado's Nonpoint Source Management Plan: 2022*, prepared by Colorado Department of Public Health and Environment Water Quality Control Division, Glendale, CO, available online at <https://drive.google.com/file/d/1nrZ1D4yp2LGHUxrNsyjwGbu3w1ZCs9wz/view>

**Colorado Geospatial Portal, 2024.** *2024 State of Colorado Public Parcels*, CO Office of Information Technology, Enterprise GIS, accessed August 14, 2024, from <https://geodata.colorado.gov>

**Colorado Water Plan, 2015.** "South Platte/Metro Analysis and Technical Update," accessed May 30, 2024, from <https://dnrftp.state.co.us/CWCB/Technical%20Update%20to%20Water%20Plan/1.%20Technical%20Update%20Documentation/Volume%201-Section%204.8-S%20Platte%20Metro%20Republican%20Results.pdf>

**The Diggings, 2024.** "Mining In Weld County, Colorado," accessed August 15, 2024, from <https://thediggings.com/usa/colorado/weld-co123>

**Environmental Systems Research Institute, Inc., 2014.** "USA Federal Lands," accessed August 14, 2024, from <https://www.arcgis.com/home/item.html?id=c959f521c02f4f64abf4d39019c5ccd5>

**Fischer, J., 2023.** Personal communication between J. Fischer, Invision GIS, CO, and C. Kirby, RESPEC, Rapid City, SD, December 14.

**Graves, J., 2024.** Personal communication between J. Graves, Colorado Division of Reclamation, Mining, and Safety, Denver, CO, and N. Acosta, RESPEC, Colorado Springs, CO, March 8.

**Hawley, C. and N. Rodriguez-Jeangros, 2021.** *Big Thompson State of the Watershed 2021 Final Report*, prepared by Hydros Consulting, Boulder, CO, for Big Thompson Watershed Forum, Fort Collins, CO.



**Horsley and Witten, Inc., 1996.** *Identification and Evaluation of Nutrient and Bacterial Loadings to Maquoit Bay, New Brunswick, and Freeport, Maine*, prepared by Horsley & Witten, Inc., Barnstable, MA, for Casco Bay Estuary Project, Portland, ME.

**Horton, J.D., C. A. San Juan, and D. B. Stoesser, 2017.** "The State Geologic Map Compilation (SGMC) Geodatabase of the Conterminous United States," *US Geological Survey Data Series 1052*, Ver. 1.1, August 2017, p. 46.

**Kirby, C., S. Briscoe, N. Acosta, and C. McCague, 2024a.** *St. Vrain Creek Nonpoint Source Watershed-Based Plan*, RSI-3522, prepared by RESPEC, Rapid City, SD, and Communication Infrastructure Group, Denver, CO, for North Front Range Water Quality Planning Association, Johnstown, CO (draft).

**Kirby, C., N. Acosta, C. McCague, and M. Thomas, 2024b.** *Big and Little Thompson Rivers Nonpoint Source Watershed-Based Plan*, RSI-3425, prepared by RESPEC, Rapid City, SD, and Communication Infrastructure Group, Denver, CO, for North Front Range Water Quality Planning Association, Johnstown, CO (draft).

**Kirby, C., S. Briscoe, N. Acosta, and C. McCague, 2024c.** *Cache La Poudre River Nonpoint Source Watershed-Based Plan*, RSI-3521, prepared by RESPEC, Rapid City, SD, and Communication Infrastructure Group, Denver, CO, for North Front Range Water Quality Planning Association, Johnstown, CO (draft).

**Larimer County, 2024.** "Larimer County GIS Digital Data," accessed August 14, 2024, from <https://www.larimer.gov/it/gis/digital-data>

**Metcalf and Eddy, Inc., 1991.** *Wastewater Engineering: Treatment, Disposal and Reuse*, 3<sup>rd</sup> Edition, McGraw-Hill, New York.

**Moore, E., 2022.** *Colorado's Nonpoint Source Program: 2022 Annual Report*, prepared by Colorado Department of Public Health and Environment Water Quality Control Division, Denver, CO, available online at <https://storymaps.arcgis.com/stories/e7212fd7f8224b839b669fd8bbd058a4>

**Multi-Resolution Land Characteristics Consortium, 2019.** "National Land Cover Database 2019 - Landcover & Imperviousness (NLCD2019)," accessed August 14, 2024, from <https://www.mrlc.gov/data?f%5B0%5D=category%3ALand%20Cover&f%5B1%5D=year%3A2019>

**National Interagency Fire Center, 2024.** "InterAgencyFirePerimeterHistory All Years View," accessed August 14, 2024, from [https://data-nifc.opendata.arcgis.com/datasets/e02b85c0ea784ce7bd8add7ae3d293d0\\_0/explore?location=39.994103%2C-103.924962%2C8.89](https://data-nifc.opendata.arcgis.com/datasets/e02b85c0ea784ce7bd8add7ae3d293d0_0/explore?location=39.994103%2C-103.924962%2C8.89)

**Natural Resources Conservation Service, 2024a.** "Soil Survey Geographic Database (SSURGO)," accessed August 13, 2024, from <https://www.nrcs.usda.gov/resources/data-and-reports/soil-survey-geographic-database-ssurgo>



**Natural Resources Conservation Service, 2024b.** "Conservation Practices Physical Effects (CPPE) – FY24 National Template-Version 2," accessed May 14, 2024, from <https://www.nrcs.usda.gov/resources/guides-and-instructions/conservation-practice-physical-effects>

**Natural Resources Conservation Service, 2024c.** "Conservation Practice Standard Land Reclamation, Abandoned Mined Land Code 543," accessed May 30, 2024, from [https://www.nrcs.usda.gov/sites/default/files/2022-09/Land\\_Reclamation\\_Abandoned\\_Mined\\_Land\\_543\\_NHCP\\_CPS.pdf](https://www.nrcs.usda.gov/sites/default/files/2022-09/Land_Reclamation_Abandoned_Mined_Land_543_NHCP_CPS.pdf)

**North Front Range Water Quality Planning Association, 2022.** *208 Areawide Water Quality Management Plan 2022 – 208 AWQMP Update (Region 2)*, prepared by the North Front Range Water Quality Planning Association, Johnstown, CO.

**PRISM Climate Group, 2024.** "Average Monthly and Average Annual Precipitation 1961-1990, 1971-2000 and 1981-2010 by State," accessed May 14, 2024, from <https://gdg.sc.egov.usda.gov/Catalog/ProductDescription/PRCIP.html>

**Smith, E., 2024.** *2023 Zoning Boundary.zip*, attachment from personal communication between E. Smith, Town of Timnath, CO, and C. Kirby, RESPEC, Rapid City, SD, January 29.

**South Platte Basin, 2024.** "The South Platte Basin," accessed August 23, 2024, from <https://www.southplattebasin.com/home>

**Tetra Tech, Inc., 2022.** *User's Guide Pollution Load Estimation Tool Version 1.0*, developed for the U.S. Environmental Protection Agency by Tetra Tech, Inc. Fairfax, VA.

**The Water Research Foundation, 2024.** "International Stormwater BMP Database," accessed August 14, 2024, from <https://bmpdatabase.org/>

**Thomas, M., 2024.** Personal communication between M. Thomas, North Front Range Water Quality Planning Association, Johnstown, CO, and C. Kirby, RESPEC, Rapid City, SD, May 2.

**University of Missouri Extension, 2024.** "Nitrogen in the Environment: Nitrogen's Most Common Forms," accessed June 5, 2024, from <https://extension.missouri.edu/publications/wq253>

**U.S. Census Bureau, 2020.** "QuickFacts: Loveland City, Colorado; United States" accessed July 29, 2024, from <https://www.census.gov/quickfacts/fact/table/lovelandcitycolorado,US/PST045222>

**U.S. Department of Agriculture, 2024.** "Farmers.gov," accessed May 30, 2024, from [www.farmers.gov](http://www.farmers.gov)

**U.S. Environmental Protection Agency, 2008.** "Handbook for Developing Watershed Plans to Restore and Protect Our Waters," accessed August 13, 2024, from <https://www.epa.gov/nps/handbook-developing-watershed-plans-restore-and-protect-our-waters>

**U.S. Environmental Protection Agency, 2022.** "User's Guide Pollutant Load Estimation Tool (PLET) Version 1.0," accessed August 1, 2024, from [https://www.epa.gov/system/files/documents/2022-04/user-guide-final-04-18-22\\_508.pdf](https://www.epa.gov/system/files/documents/2022-04/user-guide-final-04-18-22_508.pdf)

**U.S. Environmental Protection Agency, 2023.** "Best Management Practice Definitions Document for Pollutant Load Estimation Tool," accessed May 1, 2024, from [https://www.epa.gov/system/files/documents/2023-04/BMP\\_Description\\_revised%203-9-23\\_final%20with%20alt%20text\\_508.pdf](https://www.epa.gov/system/files/documents/2023-04/BMP_Description_revised%203-9-23_final%20with%20alt%20text_508.pdf)

**U.S. Environmental Protection Agency, 2024a.** "Nonpoint Source (NPS) Watershed Projects Data Explorer," accessed August 14, 2024, from <https://ordspub.epa.gov/ords/grts/f?p=109:940::::940::>

**U.S. Environmental Protection Agency, 2024b.** "Per- and Polyfluoroalkyl Substances (PFAS) Final PFAS National Primary Drinking Water Regulation," accessed August 14, 2024, from <https://www.epa.gov/sdwa/and-polyfluoroalkyl-substances-pfas>

**U.S. Geological Survey, 2019.** "SPARROW Modeling Program," accessed August 14, 2024, from <https://www.usgs.gov/software/sparrow-modeling-program>

**U.S. Geological Survey Colorado Water Science Center, 2000.** "NAWQA South Platte River Basin Study," accessed May 30, 2024, from <https://www.usgs.gov/centers/colorado-water-science-center/science/nawqa-south-platte-river-basin-study>


**WebMD, 2024.** "Blue Baby Syndrome: What Is It?," accessed May 30, 2024, from <https://www.webmd.com/baby/what-is-blue-baby-syndrome>

**Zeckoski, R. W., B. L. Benham, S. B. Shah, and C. D. Heatwole, 2005.** "BSLC: A Tool for Bacteria Source Characterization for Watershed Management," *Applied Engineering in Agriculture*, Vol. 21, No. 5, pp. 879–889.



# APPENDIX A

## SURVEY QUESTIONS





RESPEC

## 2022 SURVEY

1. Agency/organization's name
2. Website URL
3. Contact person(s), name(s)
4. Email address(s)
5. Phone number(s)
6. Which of the following watersheds is/are the focus of your organization
  - a. Big and Little Thompson
  - b. Middle South Platte
  - c. Cache la Poudre
  - d. St. Vrain Creek
  - e. Other
7. If known, please list the waterbody name and segment identification (AUID) (i.e., COSPUS15) if it was selected from question #6, please provide the watershed name.
8. Does your agency have an existing watershed plan, source water plan, NPS plan, or other?
9. Please provide the link to the watershed plan(s) if available below or send a copy to Mark Thomas at: [mthomas@nfrwqpa.org](mailto:mthomas@nfrwqpa.org)
10. Is the plan under development if you agency does not have an existing watershed plan identified in question #8?
11. What level of impact do the following nonpoint sources have on water quality in your watershed? (check one for each row)
  - a. Abandoned mine lands
  - b. Agriculture (including agricultural return flows and agricultural stormwater runoff)
  - c. Hydromodification (diversions including transbasin diversions)
  - d. Habitat alteration
  - e. Urbanization
  - f. Onsite wastewater systems (aka septic systems)
  - g. Runoff from roadways
  - h. Post wildfire impacts (includes post-wildfire flooding)
  - i. Climate change
  - j. Hazardous household or industrial wastes (pharmaceuticals, oil, paint, acids, pesticides, etc.)
12. What are the major pollutants of concern? (check all that apply)
  - a. Sediment (includes ash from wildfire)
  - b. Total suspended solids (TSS)
  - c. Nitrogen
  - d. Phosphorus
  - e. Temperature
  - f. Metals
  - g. *E. coli*
  - h. Emerging contaminants
  - i. Other
13. Please check all water quality parameters/analytes that your group measures:
  - a. Sediment (includes ash from wildfire)
  - b. Total suspended solids (TSS)

- c. Nitrogen
  - d. Phosphorus
  - e. Temperature
  - f. Metals
  - g. *E. coli*
  - h. Emerging contaminants
  - i. Other
14. If known, what is the period of record for each of the analytes listed above?
15. Is the data publicly available on the Colorado Data Sharing Network (CDSN)?
16. If the data is not publicly available, would you be willing to share your data with NFRWQPA?
17. What types of watershed projects have been completed?
- a. Habitat improvements
  - b. Bank stabilization - grading
  - c. Bank stabilization – vegetation
  - d. Installation of drop or other in rivers
  - e. Vegetation buffers
  - f. Agricultural tailwater BMPs
  - g. Unknown
18. What projects are high priority for your organization/watershed group?
19. What barriers from question (#18) may be preventing the project?
- a. Funding
  - b. Technical resources
  - c. Instrumentation
  - d. Staffing/volunteer time
  - e. No barriers are preventing the project
  - f. Other
20. Does your organization/agency provide any of the following services:
- a. BMP recommendations
  - b. Technical advice
  - c. Water quality sampling
  - d. Public education
  - e. Other
21. Do you have policies, guidelines, or governing codes related to nonpoint source water quality adoption? Please, provide sources or weblinks.
22. Does your jurisdiction's county/municipal code reference the NFRWQPA 208 Areawide Water Quality Management Plan?
23. What can a regional NPS watershed plan help your watershed organization accomplish?
24. If known, provide or identify areas of special interest that need to be protected from NPS pollutants.
25. Why does your watershed organization value water quality?
26. What is the public perception of your watershed's water quality?
27. What other issues or concerns would you like NFRWQPA to be aware of?
28. If you want to be added to the email/ notification/distribution list regarding meetings and updates concerning the Regional NPS Watershed Plan, please provide your email below.

## 2024 SURVEY

1. Email address
2. First name
3. Last name
4. Please provide your contact information
5. Are you interested in participating with the NFRWQPA Technical Advisory Committee in guiding the Nonpoint Source plan best management practices (BMPs) for the Larimer and Weld County region and participating in the final report review for this project? If yes, please provide your name and email address.
6. What watershed are you most concerned with? Select all that apply.
  - a. Middle South Platte - Cherry (Area of Concern: 10190003)
  - b. St. Vrain (Area of Concern: 10190005)
  - c. Big Thompson (Area of Concern: 10190006)
  - d. Cache La Poudre (Area of Concern: 10190007)
  - e. Lone Tree-Owl (Area of Concern: 10190008)
  - f. Crow (Area of Concern: 10190009)
  - g. Middle South Platte Sterling (Area of Concern: 10190012)
  - h. Other (please specify)
7. Aside from watershed plans, what other major projects have you done or are you aware of that has or may improve water quality in the watershed?
8. When were they completed?
9. What is the approximate area impacted by the project?
10. What is the approximate area impacted by the project? Please describe.
11. Are there current plans for a watershed plan or update of an existing plan in your area?
12. How many months a year do agriculture producers typically apply manure on crops?
13. Rank the likelihood of each following cropland BMPs to be implemented in your area from 1 to 5, with 1 being unlikely and 5 being very likely
  - a. List of BMPs from PLET
14. Does your watershed have BMPs for non-point source pollution? The following would be important to attain if available (including list/count estimate).
15. What BMPs have been implemented in your watershed? Please describe.
16. Approximately how many of each BMP type/technology (many are included in Section 5 questions) have been implemented in your HUC8?
17. What area of concern and/or water bodies are benefiting from the implemented BMPs? Please describe.
18. What land use(s) are the BMPs developed for? Select all that apply.
  - a. Cropland
  - b. Pasture
  - c. Forest
  - d. Urban
  - e. Feedlot
  - f. Other (please specify)
19. Please estimate the approximate area impacted by the implemented BMPs.

20. Is there any monitoring associated with determining pollutant load reductions and/or do the BMPs have estimated pollutant load reductions?
21. If you answered no, do you need technical and financial assistance to conduct monitoring?
22. What were the costs associated with the BMPs?
23. Are there noticeable improvements associated with implementing the BMPs? If yes, please describe.
24. Are there other BMPs you would like to see in addition to those currently constructed or implemented?
25. Please list any funded projects, activities, or next steps for non-point source pollution in your watershed in the next five years.
26. What types of information/education/outreach do you see being the most effective? Please check all that apply.
  - a. Water Quality Awareness Signage in Parks by Streams
  - b. Educational Campaign
  - c. Social Media
  - d. Story Map
  - e. Newsletters, Mailers, Blurbs
  - f. Website Update
  - g. Park Signage
  - h. "Report a Concern" Website
  - i. Volunteer Cleanup Programs
  - j. School Visits
  - k. Pet-waste Pickup Stations
  - l. Other (please specify)
27. Are you interested in collaboration with other stakeholder groups and hosting/participation in events?
28. Do you have any annual events/activities we could attend? If yes, please provide date/time/location/contact information.
29. Please describe what interim measurable criteria/milestones are used to determine goal achievement.
30. In 5 years, what does progress look like to you regarding pollution loading reduction in your area of concern?
31. In 10 years, what does progress look like to you regarding pollution loading reduction in your area of concern?
32. Which of the following in-stream monitoring activities would you likely consider implementing in your area of concern? Please select one or both options.
33. Do you need technical and financial assistance to conduct in-stream monitoring? If yes, please describe.
34. To develop/implement BMPs, do you need any financial assistance? If yes, please describe.
35. What financial assistance have you received for watershed improvement projects?
36. What are sources of financial assistance you know of but have not used?
37. What technical resources are needed to develop/implement BMPs?
38. What sources of technical assistance have you received in the past?
39. What are sources of technical assistance you know of but have not used?

40. Are there point discharges you are concerned about in your watershed (even in areas that are MS4 permitted)? If yes, please explain.
41. Are there non-point sources that you are concerned about in your watershed (even in areas that are MS4 permitted)? If yes, please explain.
42. Are you aware of abandoned mined land in your area?
43. If yes, are you aware of abandoned mined land BMP strategies implemented in your area?
44. What are the results of implementing such abandoned mined land BMP strategies?
45. Are you aware of agricultural practices (Cropland, Pasture, and/or Feedlot) in your area?
46. From the highest concern to the lowest, please rank the following agricultural concerns with 1 being the largest and 3 being the smallest: Cropland, Pasture, Feedlot.
47. Are you aware of agricultural BMP strategies implemented in your area?
48. If yes, what are the results of implementing such agricultural BMP strategies?
49. Are you aware of atmospheric deposition in your area?
50. If yes, are you aware of atmospheric deposition BMP strategies implemented in your area?
51. What are the results of implementing such atmospheric deposition BMP strategies?
52. Are you aware of forestry non-point source in your area?
53. If yes, are you aware of forestry non-point source BMP strategies implemented in your area?
54. Are you aware of hydromodification and habitat alteration in your area?
55. If yes, are you aware of hydromodification and habitat alteration BMP strategies implemented in your area?
56. If yes, what are the results of implementing such hydromodification and habitat alteration BMP strategies?
57. Are you aware of urbanization in your area?
58. If yes, are you aware of urbanization BMP strategies implemented in your area?
59. If yes, what are the results of implementing such urbanization BMP strategies?





# APPENDIX B

## MAPS OF IMPAIRED PARAMETERS



B-1

RSI-3523 DRAFT






Figure B-1. Nitrate Impairments.




Figure B-2. *E. coli* Impairments.




Figure B-3. pH Impairments.




Figure B-4. Arsenic Impairments.




Figure B-5. Cadmium Impairments.




Figure B-6. Sulfate Impairments.




Figure B-7. Uranium Impairments.



# APPENDIX C

## APPLICABLE WATER QUALITY BOX PLOTS BY HUC10








## DATASET

Data for boxplots were collected for the years 1990 through 2023 from various sources. Sources included the [Water Quality Portal](#), the [Colorado Data Sharing Network](#), [Northern Water](#), [ERAMS](#), and numerous individuals including Paul Bremser (St. Vrain), Andy Fayram (City of Loveland), Brian Hathaway (City of Greeley), and Jason Meier (Fossil Creek). Data were organized and grouped into a single file with consistent naming and units for applicable parameters, and were assigned a "Y" or a "N" for an attribute representing if the monitoring point was located on a mainstem HUC10 reach. The boxplots only include data along the mainstem HUC10 reaches because water quality can vary greatly for headwater streams.

## PLET PARAMETERS










RESPEC



Middle South Platte, Total Escherichia coli







RESPEC

### HEAVY METALS











RESPEC



Middle South Platte, Dissolved Manganese



Middle South Platte, Dissolved Mercury










RESPEC

Middle South Platte, Dissolved Uranium





# APPENDIX D

## PLET SCENARIO REDUCTIONS



D-1

RSI-3523 DRAFT





Table D-1. PLET Scenario Reductions (Page 1 of 8)

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Cropland	Streambank Stabilization and Fencing	1019000305	17.2	17.2	17.9
Cropland	Streambank Stabilization and Fencing	1019000306	17.4	17.4	18.4
Cropland	Streambank Stabilization and Fencing	1019000308	17.4	17.4	18.1
Cropland	Streambank Stabilization and Fencing	1019000309	18.1	18.1	18.5
Cropland	Streambank Stabilization and Fencing	1019000310	16.6	16.6	16.8
Cropland	Streambank Stabilization and Fencing	1019000311	17.4	17.4	17.6
Cropland	Streambank Stabilization and Fencing	1019000312	18.4	18.4	18.5
Cropland	Streambank Stabilization and Fencing	1019000801	0.0	0.0	0.0
Cropland	Streambank Stabilization and Fencing	1019000802	16.0	16.0	17.4
Cropland	Streambank Stabilization and Fencing	1019000803	16.9	16.9	17.6
Cropland	Streambank Stabilization and Fencing	1019000902	13.8	13.8	13.9
Cropland	Streambank Stabilization and Fencing	1019000903	17.1	17.1	17.2
Cropland	Streambank Stabilization and Fencing	1019000904	0.0	0.0	0.0
Cropland	Streambank Stabilization and Fencing	1019000905	15.0	15.0	15.8
Cropland	Streambank Stabilization and Fencing	1019000906	16.8	16.8	17.4
Cropland	Streambank Stabilization and Fencing	1019001203	17.7	17.7	17.7
Cropland	Streambank Stabilization and Fencing	1019001205	18.0	18.0	18.1
Cropland	Streambank Stabilization and Fencing	1019001206	18.3	18.3	18.4
Cropland	35 ft Buffers	1019000305	12.6	12.6	12.6
Cropland	35 ft Buffers	1019000306	12.8	12.8	13.0
Cropland	35 ft Buffers	1019000308	12.7	12.7	12.8
Cropland	35 ft Buffers	1019000309	13.0	13.0	13.0
Cropland	35 ft Buffers	1019000310	11.9	11.8	11.9
Cropland	35 ft Buffers	1019000311	12.4	12.4	12.5
Cropland	35 ft Buffers	1019000312	13.1	13.1	13.1
Cropland	35 ft Buffers	1019000801	0.0	0.0	0.0
Cropland	35 ft Buffers	1019000802	12.1	12.1	12.3
Cropland	35 ft Buffers	1019000803	12.3	12.3	12.5
Cropland	35 ft Buffers	1019000902	9.8	9.8	9.8

Table D-1. PLET Scenario Reductions (Page 2 of 8)

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Cropland	35 ft Buffers	1019000903	12.1	12.1	12.2
Cropland	35 ft Buffers	1019000904	0.0	0.0	0.0
Cropland	35 ft Buffers	1019000905	11.0	11.0	11.2
Cropland	35 ft Buffers	1019000906	12.2	12.2	12.3
Cropland	35 ft Buffers	1019001203	12.5	12.5	12.5
Cropland	35 ft Buffers	1019001205	12.8	12.8	12.8
Cropland	35 ft Buffers	1019001206	13.0	13.0	13.0
Pasture	Streambank Stabilization and Fencing	1019000305	0.7	0.7	0.7
Pasture	Streambank Stabilization and Fencing	1019000306	0.3	0.3	0.3
Pasture	Streambank Stabilization and Fencing	1019000308	0.3	0.3	0.3
Pasture	Streambank Stabilization and Fencing	1019000309	0.1	0.1	0.1
Pasture	Streambank Stabilization and Fencing	1019000310	0.1	0.1	0.1
Pasture	Streambank Stabilization and Fencing	1019000311	0.1	0.1	0.1
Pasture	Streambank Stabilization and Fencing	1019000312	0.0	0.0	0.0
Pasture	Streambank Stabilization and Fencing	1019000801	0.0	0.0	0.0
Pasture	Streambank Stabilization and Fencing	1019000802	0.4	0.4	0.4
Pasture	Streambank Stabilization and Fencing	1019000803	0.3	0.3	0.3
Pasture	Streambank Stabilization and Fencing	1019000902	0.1	0.1	0.1
Pasture	Streambank Stabilization and Fencing	1019000903	0.2	0.2	0.2
Pasture	Streambank Stabilization and Fencing	1019000904	1.2	1.2	1.2
Pasture	Streambank Stabilization and Fencing	1019000905	0.3	0.3	0.3
Pasture	Streambank Stabilization and Fencing	1019000906	0.8	0.8	0.8
Pasture	Streambank Stabilization and Fencing	1019001203	0.1	0.1	0.1
Pasture	Streambank Stabilization and Fencing	1019001205	0.3	0.3	0.3
Pasture	Streambank Stabilization and Fencing	1019001206	0.1	0.1	0.1
Pasture	35 ft Buffers	1019000305	0.6	0.6	0.6
Pasture	35 ft Buffers	1019000306	0.3	0.3	0.3
Pasture	35 ft Buffers	1019000308	0.3	0.3	0.3
Pasture	35 ft Buffers	1019000309	0.1	0.1	0.1

**Table D-1. PLET Scenario Reductions (Page 3 of 8)**

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Pasture	35 ft Buffers	1019000310	0.1	0.1	0.1
Pasture	35 ft Buffers	1019000311	0.1	0.1	0.1
Pasture	35 ft Buffers	1019000312	0.0	0.0	0.0
Pasture	35 ft Buffers	1019000801	0.0	0.0	0.0
Pasture	35 ft Buffers	1019000802	0.4	0.4	0.4
Pasture	35 ft Buffers	1019000803	0.3	0.3	0.3
Pasture	35 ft Buffers	1019000902	0.1	0.1	0.1
Pasture	35 ft Buffers	1019000903	0.2	0.2	0.2
Pasture	35 ft Buffers	1019000904	1.0	1.0	1.1
Pasture	35 ft Buffers	1019000905	0.3	0.3	0.3
Pasture	35 ft Buffers	1019000906	0.7	0.7	0.7
Pasture	35 ft Buffers	1019001203	0.1	0.1	0.1
Pasture	35 ft Buffers	1019001205	0.1	0.1	0.1
Pasture	35 ft Buffers	1019001206	0.1	0.1	0.1
Pasture	Livestock Exclusion	1019000305	0.6	0.6	0.6
Pasture	Livestock Exclusion	1019000306	0.3	0.3	0.3
Pasture	Livestock Exclusion	1019000308	0.3	0.3	0.3
Pasture	Livestock Exclusion	1019000309	0.1	0.1	0.1
Pasture	Livestock Exclusion	1019000310	0.1	0.1	0.1
Pasture	Livestock Exclusion	1019000311	0.1	0.1	0.1
Pasture	Livestock Exclusion	1019000312	0.0	0.0	0.0
Pasture	Livestock Exclusion	1019000801	0.0	0.0	0.0
Pasture	Livestock Exclusion	1019000802	0.4	0.4	0.4
Pasture	Livestock Exclusion	1019000803	0.3	0.3	0.3
Pasture	Livestock Exclusion	1019000902	0.1	0.1	0.1
Pasture	Livestock Exclusion	1019000903	0.2	0.2	0.2
Pasture	Livestock Exclusion	1019000904	1.0	1.0	1.1
Pasture	Livestock Exclusion	1019000905	0.3	0.3	0.3
Pasture	Livestock Exclusion	1019000906	0.7	0.7	0.7

**Table D-1.** PLET Scenario Reductions (Page 4 of 8)

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Pasture	Livestock Exclusion	1019001203	0.1	0.1	0.1
Pasture	Livestock Exclusion	1019001205	0.2	0.2	0.2
Pasture	Livestock Exclusion	1019001206	0.1	0.1	0.1
Feedlot	Waste Management System	1019000305	0.0	0.0	0.0
Feedlot	Waste Management System	1019000306	0.0	0.0	0.0
Feedlot	Waste Management System	1019000308	0.0	0.0	0.0
Feedlot	Waste Management System	1019000309	0.0	0.0	0.0
Feedlot	Waste Management System	1019000310	0.0	0.0	0.0
Feedlot	Waste Management System	1019000311	0.0	0.0	0.0
Feedlot	Waste Management System	1019000312	0.0	0.0	0.0
Feedlot	Waste Management System	1019000801	0.0	0.0	0.0
Feedlot	Waste Management System	1019000802	0.0	0.0	0.0
Feedlot	Waste Management System	1019000803	0.0	0.0	0.0
Feedlot	Waste Management System	1019000902	0.0	0.0	0.0
Feedlot	Waste Management System	1019000903	0.0	0.0	0.0
Feedlot	Waste Management System	1019000904	0.0	0.0	0.0
Feedlot	Waste Management System	1019000905	0.0	0.0	0.0
Feedlot	Waste Management System	1019000906	0.0	0.0	0.0
Feedlot	Waste Management System	1019001203	0.0	0.0	0.0
Feedlot	Waste Management System	1019001205	0.0	0.0	0.0
Feedlot	Waste Management System	1019001206	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000305	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000306	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000308	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000309	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000310	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000311	0.1	0.1	0.1
Forest	Site Preparation/Straw/Crimp/Net	1019000312	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000801	0.8	0.8	0.8

**Table D-1.** PLET Scenario Reductions (Page 5 of 8)

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Forest	Site Preparation/Straw/Crimp/Net	1019000802	0.1	0.1	0.1
Forest	Site Preparation/Straw/Crimp/Net	1019000803	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000902	0.2	0.2	0.2
Forest	Site Preparation/Straw/Crimp/Net	1019000903	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000904	0.4	0.4	0.4
Forest	Site Preparation/Straw/Crimp/Net	1019000905	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019000906	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019001203	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019001205	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp/Net	1019001206	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000305	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000306	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000308	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000309	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000310	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000311	0.1	0.1	0.1
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000312	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000801	0.8	0.8	0.8
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000802	0.1	0.1	0.1
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000803	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000902	0.2	0.2	0.2

**Table D-1. PLET Scenario Reductions (Page 6 of 8)**

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000903	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000904	0.4	0.4	0.4
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000905	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019000906	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019001203	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019001205	0.0	0.0	0.0
Forest	Site Preparation/Straw/Crimp Seed/Fertilizer/Transplant	1019001206	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000305	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000306	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000308	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000309	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000310	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000311	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000312	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000801	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000802	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000803	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000902	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000903	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000904	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000905	0.0	0.0	0.0
Urban	Extended Wet Detention	1019000906	0.0	0.0	0.0
Urban	Extended Wet Detention	1019001203	0.0	0.0	0.0
Urban	Extended Wet Detention	1019001205	0.0	0.0	0.0

**Table D-1. PLET Scenario Reductions (Page 7 of 8)**

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Urban	Extended Wet Detention	1019001206	0.0	0.0	0.0
Urban	Infiltration Basin	1019000305	0.0	0.0	0.0
Urban	Infiltration Basin	1019000306	0.0	0.0	0.0
Urban	Infiltration Basin	1019000308	0.0	0.0	0.0
Urban	Infiltration Basin	1019000309	0.0	0.0	0.0
Urban	Infiltration Basin	1019000310	0.0	0.0	0.0
Urban	Infiltration Basin	1019000311	0.0	0.0	0.0
Urban	Infiltration Basin	1019000312	0.0	0.0	0.0
Urban	Infiltration Basin	1019000801	0.0	0.0	0.0
Urban	Infiltration Basin	1019000802	0.0	0.0	0.0
Urban	Infiltration Basin	1019000803	0.0	0.0	0.0
Urban	Infiltration Basin	1019000902	0.0	0.0	0.0
Urban	Infiltration Basin	1019000903	0.0	0.0	0.0
Urban	Infiltration Basin	1019000904	0.0	0.0	0.0
Urban	Infiltration Basin	1019000905	0.0	0.0	0.0
Urban	Infiltration Basin	1019000906	0.0	0.0	0.0
Urban	Infiltration Basin	1019001203	0.0	0.0	0.0
Urban	Infiltration Basin	1019001205	0.0	0.0	0.0
Urban	Infiltration Basin	1019001206	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000305	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000306	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000308	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000309	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000310	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000311	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000312	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000801	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000802	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000803	0.0	0.0	0.0

**Table D-1.** PLET Scenario Reductions (Page 8 of 8)

Land Use	Practice	HUC10	Nitrogen Reduction (%)	Phosphorus Reduction (%)	Sediment Reduction (%)
Urban	Concrete Grid Pavement	1019000902	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000903	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000904	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000905	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019000906	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019001203	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019001205	0.0	0.0	0.0
Urban	Concrete Grid Pavement	1019001206	0.0	0.0	0.0





# APPENDIX E

## RESPEC STAKEHOLDER TOOLKIT





## Stakeholder Toolkit June 13, 2024

### Introduction

The North Front Range Water Quality Planning Association (NFRWQPA) seeks to compile a stakeholder toolkit for the five regional Nonpoint Source (NPS) Watershed Plan areas in Larimer and Weld Counties.

This toolkit will help stakeholders reach, inform and partner with their networks on the NPS watershed educational resources. [Here is a link](#) to a final stakeholder toolkit formatting example.

### Digital Communications

Digital communications can reach a large audience on a broad scale, with tactics including:

- **Press releases:** This document will serve as NFRWQPA's official statement on the NPS watersheds and respective plans. The press release can be distributed to industry-relevant publications as well as local news outlets.
  - [Example](#)
- **Social media:** Targeted social posts to reach industry-specific and locally relevant audiences. Content can vary based on NFRWQPA's needs, seasonality and other updates.
  - [Example](#)
- **Newsletters:** Regular updates to an email list of subscribers about the plans, NPS findings and other news.
  - [Example](#)
- **Website:** Content updates such as banner announcements, blog posts and home page edits upon project completion.
  - [Example](#)
- **Story Map:** Multimedia application to share plan findings, next steps and other dynamic information.
  - [Example](#)
- **"Report a Concern" button or website:** Dedicated resource for stakeholders to use when submitting an NPS issue to NFRWQPA (similar to a "contact us" button).
  - [Example](#) – Contact Info at bottom of webpage
- **Radio ads and interviews:** Reach stakeholders on a local and national level through a radio ad or securing a news station interview.
  - [Example](#)

## Print Communications

Print communications can reach targeted, local audiences using the following tactics:

- **Signage:** Capture pedestrian, biking and other rolling traffic's attention with signage strategically placed in a given area. Informational signage can include water quality awareness signage in parks near streams, pet waste pickup stations, and general project information signage.
  - [Example](#)
- **Mailers:** Reach residents and businesses via postcard to communicate project benefits and updates, as well as solicit feedback.
  - [Example](#)

## Community Outreach

Community outreach is a boots-on-the-ground approach to connecting with stakeholders and disseminating information. Community outreach also helps put a face to a project through the following tactics:

- **Educational campaign:** Increase awareness about the plan and NPS concerns in ways that are simplified and relatable for stakeholders.
  - [Example](#)
- **Volunteer cleanup program:** Foster community pride and engagement through organizing a park cleanup day.
  - [Example](#)
- **School visits, tours and field trips:** Create memories, connect with younger stakeholders and ignite a lifelong interest in the environment by inviting project team members to visit schools for presentations, organize park tours and host field trips.
  - [Example](#) – project engineers visited a local library to show students that popular game Fortnite had real-life applications and similarities to simulating virtual environments in the construction industry